#### **25 NEW SINGLE HERBS**

Addendum to the  $5^{th}$  Edition Handbook (pp.363-399)

### 6. CLEAR TOXIC-HEAT (Handbook p.370)

YE JU HUA 野菊花(야국화) Chrysanthemi indici Fl (Wild Chrysanthemum flower)	bitter LU acrid LV sl cold 9-15g	<ul> <li>Clear Toxic-Heat: Toxic swollen sores, boils, abscesses → Wu Wei Xiao Du Yin</li> <li>Dispel Wind-Heat, clear the eyes: red, swollen, painful eyes</li> <li>Treat hypertension: dizziness, headache due to LV Yang rising</li> </ul>	
YU XING CAO 魚腥草(어성조) Houttuyniae Hb (Houttuynia)	acrid LU cool LI 15-30g	<ul> <li>Clear Toxic-Heat, resolve abscesses &amp; pus: boils, furuncles, skin infections, LU abscesses, fever, cough</li> <li>Clear Damp-Heat &amp; promote urination: diarrhea, painful urinary dribbling due to Lower Jiao Damp-Heat</li> </ul>	
BAI HUA SHE SHE CAO 白花蛇舌草(백화사설초) Hedyotis diffusae Hb (Oldenlandia)	bitter LV sweet ST cold LI SI 15-30g	Clear Toxic-Heat: Toxic accumulation, sores due to Fire Toxin, swollen sore throat     Clear Heat & drain Damp: Damp-Heat jaundice, painful urinary dribbling, intestinal abscess, dysenteric disorder     Treat cancer: gastric, esophageal, colon or rectal cancer	
LU DOU 終豆(녹두) Phaseoli raiati Sm (Mung bean)	sweet HT cold ST 15-30g	Clear Summer-Heat: Summer-Heat especially with pronounced thirst     Clear Toxic-Heat: Toxic sores & swelling     Antidote for Fu Zi & Ba Dou: agitation, vomiting or thirst due to Fu Zi (Aconiti Radix lateralis preparata) or Ba Dou (Crotonis Fructus) poisoning	
BAI XIAN PI 白鮮皮(백선피) Dictamni Cx (Chinese Dittany root bark)	bitter SP cold ST 4.5-9g	<ul> <li>Clear Toxic-Heat &amp; Damp-Heat, relieve itching: boils, furuncles with pus, chronic skin ulcers, skin pruritus, eczema, tinea, vaginal itching → Si Wu Xiao Feng Yin</li> <li>Dispel Wind &amp; resolve painful obstruction: mobile muscle aches &amp; pains</li> <li>Clear Damp-Heat: jaundice, right flank pain</li> </ul>	
MA BO 馬勃(마발) Lasiosphaera/Calvatia (Puffball)	acrid LU neutral 1.5-6g	<ul> <li>Clear Heat constraint in the LU: Toxic swelling of the throat with cough &amp; loss of voice → Yin Qiao Ma Bo San</li> <li>Stop bleeding: continuous nosebleed</li> </ul>	

### 8. PURGATIVES (Handbook p.373)

FAN XIE YE 番瀉葉(번사엽) Sennae Fo (Senna leaf)	sweet bitter cold 1.5-3g; 4.5-9g		<ul> <li>can dissolve food stagnation</li> <li>Purge Water: ascites with abo</li> <li>NOTE: Use 1.5-3g for a mild</li> </ul>	umulated pathogenic Heat in the LI, small do dominal distention laxative effect; 4.5-9g for a strong purge. Thi t water for no more than 15 minutes, and	M
			Fan Xie Ye	Da Huang	
			Purge downward and trea	t constipation due to heat	
		Relieve	constipation, Purge Water	Clear Toxic-Heat, Disperse Blood-stasis	
		Ca	ution/Contraindication: pregnant,	lactating and menstruating women	

### 10. DRAIN DAMP (Handbook p.374)

TONG CAO 通草(통초)	sweet LU bland ST sl cold	<ul> <li>Promote urination, leach out Damp: dark scanty urine, hot painful urinary dribbling → San Ren Tang</li> <li>Promote lactation: insufficient or blocked lactation</li> </ul>	
Tetrapanacis Medulla (Rice Paper Plant pith)	2-4.5g		03000

### 17. REGULATE QI (Handbook p.382)

FO SHOU 佛手(불수) Citri sarcodactylis Fr (Finger Citron fruit)	bitter L warm S	LV LU ST SP	<ul> <li>Soothe the LV Qi, regulate Qi, stop pain: constrained LV &amp; SP Qi causing distending fullness of the flanks &amp; abdomen &amp; loss of appetite</li> <li>Harmonize the SP/ST: Middle Jiao stagnation with epigastric pain &amp; fullness, regurgitation, vomiting</li> <li>Transform Phlegm &amp; stop cough: cough &amp; stifling sensation in the chest with profuse Phlegm</li> </ul>	<b>SE</b>
XIE BAI 薤白(해백) Allii macrostemi Bulbus (Chinese Garlic)	bitter L	LI LU ST	<ul> <li>Circulate the Yang Qi, disperse Turbid-Phlegm: painful obstruction of the chest with wheezing, cough, pain through the chest &amp; back, shortness of breath → Gua Lou Xie Bai Ban Xia Tang</li> <li>Activate the Qi &amp; relieve pain: epigastric fullness, abdominal pain, chronic diarrhea with blood &amp; mucus</li> </ul>	
MEI GUI HUA 玫瑰花(매괴화) Rosae rugosae FI (Chinese Rose bud)		LV SP	<ul> <li>Gently regulate Qi &amp; Blood, harmonize the LV &amp; ST: stifling sensation in the chest, belching, flank distention, poor appetite due to LV Qi stagnation</li> <li>Regulate menstruation: irregular menstruation, breast distention or abdominal pain due to Qi &amp; Blood stasis</li> </ul>	

# 18. STOP BLEEDING (Handbook p.384)

DA JI 大薊(대계) Cirsii japonici Hb sive Rx (Japanese Thistle)	cool S	LV SP HT	<ul> <li>Cool the Blood to stop bleeding: hemorrhagic conditions with Blood-Heat, hematuria, hemafecia, hematemesis → Shi Hui San</li> <li>Reduce swelling, generate flesh: sores, ulcers, boils, carbuncles, swelling</li> <li>Modern applications: jaundice due to Damp-Heat, hypertension due to LV Heat</li> </ul>	
XIAO JI 小薊(소계) Cirsii Hb (Field Thistle)		LV HT	<ul> <li>Cool the Blood to stop bleeding: any bleeding due to Blood-Heat         → San Xian Yin</li> <li>Resolve Toxicity, reduce abscesses: sores &amp; abscesses due to Heat-Toxin</li> <li>Promote urination: Blood in the urine due to Damp-Heat, reduce jaundice, hepatitis, hypertension</li> </ul>	
Ou Jie 藕節(우절) Nelumbinis Nodus Rz (Lotus Rhizome Node)	astringent S	LU ST LV	• Stop bleeding: used for many types of bleeding because, while it is an astringent, it also reduces stasis. Most often used for bleeding associated with heat in the LU or ST with vomiting or coughing of blood. Also for chronic bleeding when combined with other appropriate substance	

### 19. ACTIVATE BLOOD (Handbook p.385)

JI XUE TENG 舞血藤(계월등) Spatholobi Caulis (Spatholobus vine)	bitter sweet warm 9-15g	HT LV SP	dysmenorrhea & postpartum • Unblock the channels & relax	ne Blood: irregular menstruation, pain of  → Dang Gui Ji Xue Teng Tang  the tendons: numbness & paralysis of the ar & knees, Wind-Damp painful obstruction	
			Ji Xue Teng	Dang Gui	
			Tonify Blood	+ Move Blood	
		Mov	e Blood > Tonify Blood	Tonify Blood > Move Blood	
	Unblo	cks the	channels & Relax the tendons	Moisten the intestine, Generate Flesh	]

# 21. QI TONICS (Handbook p.389)

TAI ZI SHEN	sweet LU sl bitter SP	• Mildly tonify the SP & augment the Qi: SP Qi deficiency with fatigue or lack of appetite, LU deficiency with spontaneous sweating	The same
太子蔘(태자삼) Pseudostellariae Rx (Psuedostellaria root)	neutral 9-30g	<ul> <li>Generate fluid &amp; relieve thirst: injury to fluids after febrile or chronic diseases, thirst, cough</li> </ul>	

### 22. BLOOD TONICS (Handbook p.391)

HE SHOU WU 何首烏(하수오)		KD	KD defic		od & Yin, preserve the Essence ng of hair, weak lower back &		
Polygoni multiflori Rx (Fleeceflower root)	9-30g			ZHI He Shou Wu	SHENG He Shou Wu		
			L	Tonify	Sedate	]	
	sweet	LV HT LI	skin, & constipat	check malarial disorder: Fire-To	esolve Fire Toxicity, expel Wind xin carbuncles, sores & neck low Wind rash due to Blood deficiency → He Ren Yin	umps,	

### 23. YANG TONICS (Handbook p.392)

DONG CHONG XIA CAO	warm KD	<ul> <li>Tonify the KD Yang, augment the Essence: impotence, sore &amp; weak lower back &amp; legs due to KD Yang deficiency</li> </ul>	1 delle
冬虫夏草(동충하초)	3-9g	<ul> <li>Tonify LU Yin, settle cough &amp; wheezing, stop sweating &amp; bleeding: chronic cough or consumptive cough with blood-streaked sputum, wheezing from</li> </ul>	1871
Cordyceps (Chinese caterpillar fungus)		<ul> <li>Fortify the Wei Qi: general weakness, spontaneous sweating (with fish, chicken, duck or pork in a stew)</li> </ul>	

# 24. YIN TONICS (Handbook p.394)

XI YANG SHEN 西洋蔘(서양삼) Panacis quinquefolii Ro (American Ginseng root)	sweet sl bitter cold 3-6g	HT KD LU	unabating fever, weakness, irritability & → Qing Shu Yi Qi Tang	Yin deficiency with Heat signs, chronic thirst after febrile disease  LU: LU Yin deficiency with Fire blazing,	
HAN LIAN CAO = Mo Han Lian 早蓮草(한련초) Ecliptae Hb	sweet sour cool 9-15g	KD LV	<ul> <li>Tonify the LV &amp; KD Yin: Yin deficiency premature greying of hair → Er Zhi W</li> <li>Cool the Blood &amp; stop bleeding: bleed deficiency patterns</li> </ul>		
(Eclipta)			Er Zhi Wan (Tv	vo Solstice Pill)	
			Nu Zhen Zi (privet fruit)	Han Lian Cao (eclipta)	
			Nourish the	LV/KD Yin	Man and
			Clear Empty-Heat, improve vision	Cool the Blood, stop bleeding	
			Harvest at Winter solstice	Harvest at Summer solstice	
<b>龜板(구판)</b> <b>龜板(구판)</b> Testudinis Plastrum (ventral aspect of Freshwater Turtle shell)	salty sweet cold 15-45g	HT KD LV	<ul> <li>Nourish the Yin, anchor the Yang: night disorder due to Yin deficiency, Yin def → Da Bu Yin Wan / San Jia Fu Mai Tang</li> <li>Benefit the KD, strengthen the bones: skeletal development, failure of the foo Nourish the Blood, tonify the HT: HT forgetfulness</li> <li>Cool the Blood, stop uterine bleeding: bleeding due to reckless movement of Regenerate tissue: chronic, non-healing</li> </ul>	iciency generating internal Wind  / Zuo Gui Wan / Zhen Gan Xi Feng Tang sore lower back, weak legs, retarded ntanels to close → Gui Lu Er Xian Jiao deficiency with insomnia, anxiety,  excessive menstruation or uterine hot Blood	
			GUI BAN JIAO 龜板膠(구巴교) - Testudinis P • The glue has the same properties as ( and almost exclusively enriches the Yir • Dosage is 3-9g. It is dissolved in eithe herbs before ingesting.	GUI BAN but is richer, more cloying, n.	

### 25. ASTRINGENTS (Handbook p.395)

SANG PIAO XIAO 桑螵蛸(상표소)	sweet KD salty LV neutral	• Tonify KD Yang, secure the Essence, contain urine: KD Yang deficiency with dribbling urine, urinary frequency, nocturnal emissions (without dreams), bedwetting in children → Sang Piao Xiao San / Tu Si Zi Wan	
Mantidis Ootheca (Mantis Egg-case)	4.5-9g		

### 27. NOURISH & CALM SHEN (Handbook p.398)

HE HUAN PI 合歡皮(합환피) Albiziae Cx (Mimosa bark)	sweet HT neutral LV 6-15g	<ul> <li>Calm the Spirit, relieve Qi stagnation: bad temper, depression, insomnia, irritability, poor memory</li> <li>Invigorate the Blood, stop pain: pain &amp; swelling due to trauma, including fractures</li> <li>Dissipate swelling, reduce abscesses: swollen, painful abscesses, especially LU abscess</li> </ul>	
	sweet LV neutral ST 4.5-9g	HE HUAN HUA 合數花(합환화) - Albiziae Flos (Silktree flowers) • Relieves constrained LV Qi, promotes Qi flow in the collaterals, and calms the sprit: insomnia, forgetfulness, and irritability due to constrained emotions, especially when accompanied by epigastric pain and feeling of pressure in the chest	

# 30. AROMATIC FOR OPENING ORIFICES (Handbook p.399)

SHI CHANG PU 石菖蒲(석창포) Acori tatarinowii Rz (Grassleaf Sweetflag rhizome)	acrid bitter warm aroma 3-9g	Phlegm-Damp veiling the consciousness $\rightarrow$ Di Dan Tana / Dina Zhi Wan / Shena			
		Shi Chang Pu		Yuan Zhi	
		Open the HT orifices, vaporize Phlegm, calm the Shen			
		For disorientation, forgetfulness, dizziness, stupor, coma, mind agitation, insomnia			
		SP/S	T Damp, Wind-Damp-Cold	LU Damp-Phlegm, swelling	
bitter cool 丰黃(우황) sovis Calculus Cattile Gallstone)		LV	Clear the HT to awaken the Spirit, vaporize Phlegm to open the orifices: delirium or coma due to warm-febrile diseases, Wind-stroke, convulsions, or seizures → Niu Huang Qing Xin Wan / Zhi Bao Dan / An Gong Niu Huang Wan     Extinguish LV Wind and stop convulsions: spasms, tremors, or convulsions with high fever from LV Heat     Clear Toxic-Heat: red, painful, swollen or ulcerated throat, hot swellings & sores  REN GONG NIU HUANG 人工牛黃(包書字書) - Artificial Cattle Bezoar     This is produced from bovine or porcine bile in accordance with the chemical constitution of NIU HUANG. Its nature and actions are similar to those of the natural product, albeit much weaker. Clinically, it does have a definite ability to clear heat, resolve toxicity, and expel Wind-Phlegm.		