160 NCCAOM FORMULAS

CATEGORY	SUBCATEGORY		FORMULA	ENGLISH
		1	MA HUANG TANG	Ephedra Decoction
		2	GUI ZHI TANG	Cinnamon Twig Decoction
	Wind-Cold	3	GE GEN TANG	Kudzu Decoction
		4	XIAO QING LONG TANG	Minor Bluegreen Dragon Decoction
		5	XIANG SU SAN	Cyperus and Perilla Leaf Powder
[1] Release		6	SANG JU YIN	Mulberry Leaf and Chrysanthemum Decoction
Exterior		7	YIN QIAO SAN	Honeysuckle and Forsythia Powder
	Wind-Heat	8	CHAI GE JIE JI TANG	Bupleurum and Kudzu Decoction to Release the Muscle Layer
		9	SHENG MA GE GEN TANG	Cimicifuga and Kudzu Decoction
		10	REN SHEN BAI DU SAN	Ginseng Powder to Overcome Pathogenic Influences
	Interior Deficiency	11	JIA JIAN WEI RUI TANG	Modified Solomon's Seal Decoction
		12	DA CHENG QI TANG	Major Order the Qi Decoction
	Heat accumulation	13	XIAO CHENG QI TANG	Minor Order the Qi Decoction
	neat accumulation	14	TIAO WEI CHENG QI TANG	Regulate the Stomach and Order the Qi Decoction
[2] Drain Downward		15	RUN CHANG WAN	Moisten the Intestines Pill
	Intestinal Danses	-		
	Intestinal Dryness	16	MA ZI REN WAN	Hemp Seed Pill
	al v	17	JI CHUAN JIAN	Benefit the River Decoction
	Shao Yang	18	XIAO CHAI HU TANG	Minor Bupleurum Decoction
		19	SI NI SAN	Frigid Extremities Powder
	Liver & Spleen	20	XIAO YAO SAN	Rambling Powder
[3] Harmonize		21	TONG XIE YAO FANG	Important Formula for Painful Diarrhea
		22	BAN XIA XIE XIN TANG	Pinellia Decoction to Drain the Epigastrium
	Stomach & Intestines	23	GAN CAO XIE XIN TANG	Licorice Decoction to Drain the Epigastrium
		24	SHENG JIANG XIE XIN TANG	Fresh Ginger Decoction to Drain the Epigastrium
	Qi Level	25	BAI HU TANG	White Tiger Decoction
	Q. 1010.	26	ZHU YE SHI GAO TANG	Lophatherus and Gypsum Decoction
	Ying/Blood Levels	27	QING YING TANG	Clear the Nutritive Level Decoction
	Tilig/ blood Ecvels	28	XI JIAO DI HUANG TANG	Rhinoceros Horn and Rehmannia Decoction
		29	HUANG LIAN JIE DU TANG	Coptis Decoction to Relieve Toxicity
	Toxic-Heat	30	XIE XIN TANG	Drain the Epigastrium Decoction
	Toxic ricat	31	PU JI XIAO DU YIN	Universal Benefit Decoction to Eliminate Toxin
		32	LIANG GE SAN	Cool the Diaphragm Powder
	Qi/Blood Levels	33	QING WEN BAI DU YIN	Clear Epidemics and Overcome Toxicity Drink
		34	MA XING SHI GAN TANG	Ephedra, Apricot Kernel, Gypsum, and Licorice Decoction
		35	XIE BAI SAN	Drain the White Powder
[4] Clear Heat		36	XIE HUANG SAN	Drain the Yellow Powder
[4] Clear Heat		37	QING WEI SAN	Clear the Stomach Powder
	Organ Hoot	38	YU NU JIAN	Jade Women Decoction
	Organ-Heat	39	DAO CHI SAN	Guide Out the Red Powder
		40	LONG DAN XIE GAN TANG	Gentiana Decoction to Drain the Liver
		41	ZUO JIN WAN	Left Metal Pill
		42	SHAO YAO TANG	Peony Decoction
		43	BAI TOU WENG TANG	Pulsatilla Decoction
		44	QING HAO BIE JIA TANG	Artemisia Annua and Soft-shelled Turtle Shell Decoction
	Deficiency-Heat	45	QING GU SAN	Cool the Bones Powder
		46	DANG GUI LIU HUANG TANG	Tangkuei and Six-Yellow Decoction
		47	XIANG RU SAN	Mosla Powder
	Summer-Heat	48	LIU YI SAN	Six-to-One Powder
		49	LI ZHONG WAN	Regulate the Middle Pill
		50	WU ZHU YU TANG	Evodia Decoction
	Middle Burner	_		Minor Construct the Middle Decoction
[5] Warm	Initiality Daniel	51	XIAU JIAN ZHUNG TANG	I WILLOU CONSTRUCT THE IMIGUIE DECOCTION
[5] Warm Interior		51 52	DA JIAN ZHONG TANG	Major Construct the Middle Decoction

[C] Delegge	Futurian O Laterian	54	DA CHAI HU TANG	Major Bupleurum Decoction				
[6] Release Ex-In Excess	Exterior & Interior Excess	55	GE GEN HUANG LIAN HUANG QIN T.	· ·	N			
		56	SI JUN ZI TANG	Four-Gentlemen Decoction				
		57	SHEN LING BAI ZHU SAN	Ginseng, Poria, and White Atractylodes Powder				
	Qi Deficiency	58	BU ZHONG YI QI TANG	Tonify the Middle and Augment the Qi Decoction				
	Q. Bendiency	59	YU PING FENG SAN	Jade Windscreen Powder				
		60	SHENG MAI SAN	Generate the Pulse Powder				
		61	SI WU TANG	Four-Substances Decoction				
	Blood Deficiency	62	DANG GUI BU XUE TANG	Tangkuei Decoction to Tonify the Blood				
	blood beliciency	63	SHAO YAO GAN CAO TANG	· · · · · · · · · · · · · · · · · · ·				
		64	BA ZHEN TANG	Eight-Treasure Decoction	Peony and Licorice Decoction			
		65	SHI QUAN DA BU TANG	All-Inclusive Great Tonifying Decoction				
	Qi & Blood Deficiency	66	GUI PI TANG	Restore the Spleen Decoction				
	Qi a bloca bendency	67	ZHI GAN CAO TANG	Honey-fried Licorice Decoction				
		68	TAI SHAN PAN SHI SAN	Powder that Gives the Stability of Mount Tai				
[7] Tonify		69	LIU WEI DI HUANG WAN	Six-Ingredient Pill with Rehmannia				
[7] Tolliny		70	DU QI WAN	Capital Qi Pill				
		71	QI JU DI HUANG WAN	Lycium, Chrysanthemum, and Rehmannia Pill				
		72	ZHI BAI DI HUANG WAN	Anemarrhena, Phellodendron, and Rehmannia Pill				
		73	ZUO GUI WAN	Restore the Left Kidney Pill				
	Yin Deficiency	74	ZUO GUI YIN	Restore the Left Kidney Decoction				
				Great Tonify the Yin Pill				
		75 DA BU YIN WAN 76 YI GUAN JIAN		Linking Decoction				
		77	ER ZHI WAN	Two Solstice Pill				
		78	BAI HE GU JIN TANG	Lily Bulb Decoction to Preserve the Metal				
		79	JIN GUI SHEN QI WAN	Kidney Qi Pill from the Golden Cabinet				
	Yang Deficiency	80	YOU GUI WAN	Restore the Right Kidney Pill				
	Tung Denision,	81	YOU GUI YIN	Restore the Right Kidney Decoction				
	Yin & Yang Deficiency	82	ER XIAN TANG	Two Immortal Decoction				
	Exterior	83	MU LI SAN	Oyster Shell Powder				
		84	ZHEN REN YANG ZANG TANG	True Man's Decoction to Nourish the Organs				
	Intestine	85	SI SHEN WAN	Four-Miracle Pill				
[8] Stabilize &		86	JIN SUO GU JING WAN	Metal Lock Pill to Stabilize the Essence				
Bind	Essence	87	SANG PIAO XIAO SAN	Mantis Egg-case Powder				
		88	SHOU TAI WAN	Fetus Longevity Pill				
		89	GU JING WAN	Stabilize the Menses Pill				
	Womb	90	WAN DAI TANG	End Discharge Decoction				
		91	TIAN WANG BU XIN DAN	Emperor of Heaven's Special Pill to Tonify the Heart				
[0] Calm Cuint	Hand Definions	92	SUAN ZAO REN TANG	Sour Jujube Decoction				
[9] Calm Spirit	Heart Deficiency	93	HUANG LIAN E JIAO TANG	Coptis and Ass-Hide Gelatin Decoction				
		94	GAN MAI DA ZAO TANG	Licorice, Wheat, and Jujube Decoction				
		95	YUE JU WAN	Escape Restraint Pill				
		96	CHAI HU SHU GAN SAN	Bupleurum Powder to Spread the Liver				
		97	BAN XIA HOU PO TANG	Pinellia and Magnolia Bark Decoction				
	Qi Stagnation	98	LIANG FU WAN	Galangal and Cyperus Pill				
		99	JIN LING ZI SAN	Melia Toosendan Powder				
[10] Pogulata O		100	TIAN TAI WU YAO SAN	Top-quality Lindera Powder				
[10] Regulate Qi		101	NUAN GAN JIAN	Warm the Liver Decoction				
		102	SU ZI JIANG QI TANG	Perilla Fruit Decoction for Directing Qi Downward				
		103	DING CHUAN TANG	Arrest Wheezing Decoction				
	Rebellious Qi	104	XUAN FU DAI ZHE TANG	Inula and Hematite Decoction				
		105	JU PI ZHU RU TANG	Tangerine Peel and Bamboo Shavings Decoction				
		106	DING XIANG SHI DI TANG	Clove and Persimmon Calyx Decoction				

		407				
		107	TAO HE CHENG QI TANG	Peach Pit Decoction to Order the Qi		
		108		Drive Out Stasis in the Mansion of Blood Decoction		
		109		Drive Out Blood Stasis Below the Diaphragm Decoction		
		110		Drive Out Blood Stasis in the Lower Abdomen Decoction		
		111		Drive Out Blood Stasis from a Painful Body Decoction		
	Blood Stasis	112		Tonify the Yang to Restore Five Decoction		
		113		Revive Health by Invigorating the Blood Decoction		
[11] Regulate Blood		114		Warm the Menses Decoction		
ыооа		115		Generating and Transforming Decoction		
		116	GUI ZHI FU LING WAN	Cinnamon Twig and Poria Pill		
		117	SHI XIAO SAN	Sudden Smile Powder		
		118	DAN SHEN YIN	Salvia Drink		
		119	SHI HUI SAN	Ten Partially-Charred Substances Powder		
	Bleeding	120	XIAO JI YIN ZI	Small Thistle Drink		
		121	HUAI HUA SAN	Sophora Japonica Flower Powder		
		122	JIAO AI TANG	Ass-Hide Gelatin and Mugwort Decoction		
		123	CHUAN XIONG CHA TIAO SAN	Ligusticum Chuanxiong Powder to be taken with Green Tea		
	External Wind	124	CANG ER ZI SAN	Xanthium Powder		
	External Willa	125	XIAO HUO LUO DAN	Minor Invigorate the Collaterals Special Pill		
[12] Expel Wind		126	XIAO FENG SAN	Eliminate Wind Powder		
		127	LING JIAO GOU TENG TANG	Antelope Horn and Uncaria Decoction		
	Internal Wind	128	ZHEN GAN XI FENG TANG	Sedate the Liver and Extinguish Wind Decoction		
		129	TIAN MA GOU TENG YIN	Gastrodia and Uncaria Decoction		
		130	XING SU SAN	Apricot Kernel and Perilla Leaf Powder		
[13] Treat	Exterior Dryness	131	SANG XING TANG	Mulberry Leaf and Apricot Kernel Decoction		
13 Dryness		132	QING ZAO JIU FEI TANG	Eliminate Dryness and Rescue the Lungs Decoction		
	Interior Dryness	133	MAI MEN DONG TANG	Ophiopogonis Decoction		
	D T. 11119	134	PING WEI SAN	Calm the Stomach Powder		
	Damp Turbidity	135	HUO XIANG ZHENG QI SAN	Agastache Powder to Rectify the Qi		
		136	YIN CHEN HAO TANG	Artemisia Yinchenhao Decoction		
	Damp-Heat	137	BA ZHENG SAN	Eight-Herb Powder for Rectification		
		138	ER MIAO SAN	Two Marvel Powder		
		139	WU LING SAN	Five-Ingredient Powder with Poria		
	Water Irregularity	140	ZHU LING TANG	Polyporus Decoction		
[14] Expel		141	WU PI SAN	Five-Peel Powder		
Dampness		142	LING GUI ZHU GAN TANG	Poria, Cinnamon, Atractylodes Macrocephala, & Licorice Decoction		
		143	ZHEN WU TANG	True Warrior Decoction		
	Cold-Damp	144	SHI PI YIN	Bolster the Spleen Drink		
		145	BI XIE FEN QING YIN	Tokoro Drink to Separate the Clear		
		146	QIANG HUO SHENG SHI TANG	Notopterigium Decoction to Overcome Dampness		
		147	JUAN BI TANG	Remove Painful Obstruction Decoction		
	Wind-Damp	148	DU HUO JI SHENG TANG	Angelica Pubescens and Sangjisheng Decoction		
		149	GUI ZHI SHAO YAO ZHI MU TANG	Cinnamon Twig, Peony, and Anemarrhena Decoction		
		150	ER CHEN TANG	Two-Cured Decoction		
	Damp-Phlegm	151		Warm the Gallbladder Decoction		
	Hot-Phlegm	152	QING QI HUA TAN WAN	Clear the Qi and Transform Phlegm Pill		
[15] Dissolve	Dry-Phlegm	153		Fritillaria and Trichosanthes Fruit Powder		
15 Phlegm	Cold-Phlegm	154		Three-seed Decoction to Nourish One's Parents		
	-0	155	BAN XIA BAI ZHU TIAN MA TANG	Pinellia, Atractylodis Macrocephalae, and Gastrodia Decoction		
	Wind-Phlegm	156		Stop Coughing Powder		
[16] Digestive	Food Retention	157	BAO HE WAN	Preserve Harmony Pill		
Tagl DiBeorise		158		Five-Ingredient Drink to Eliminate Toxin		
[17] Treat	External Abscess	159	YANG HE TANG	Balmy Yang Decoction		
Abscess	Internal Abscess	160	WEI JING TANG	Reed Decoction		
	internal Abscess	100	WEI JING TANG	need Decocnon		







160 NCCAOM FORMULAS

					1	. RELEAS	E EXTERI	OR			
MA HUANG TANG Ephedra decotion 庭黃湯(印參登) Disperse Wind-Cold	Ma Huan Gui Zhi Xing Ren Zhi Gan (9 6 9-12 3	!	headache, ① thin wh	generalized ite coat, P oution with I	body aches floating and	, wheezin tight	g, dyspn	chills predominant, withou nea, runny nose with clear for debility or patients who	discharge,
						wind-COL	D (exterior ex	cess)		WIND-cold (exterior deficier	ıcy)
							reating, (P) tig			Sweating,	
					Ma	Huang Tang		Ge Gen Tan	g	Gui Zhi Tang	
GUI ZHI TANG Cinnamon decoction 桂枝湯(계지당) Disperse Wind-Cold	Gui Zhi Bai Shao Sheng Jiai Da Zao Zhi Gan G	_	9 9 9 4p 6		by sweating sneezing, d	g, aversion t ry heaves, Œ for a sin	to wind, no thin, white	particular e, moist co	r thirst, pat, (P) f	er, chills predominant, chills headache, stiff neck, nasal loating, moderate or weak s recovering from serious	congestion,
						\	Wei (defensive	e)		Ying (nutritive)	
						Gui	Zhi, Sheng Ji	ang		Bai Shao, Da Zao	
				As	ssociated Form	ulas	Mo	odifications		Indications	
		Gui	Zhi		Shao Yao Tan		↑Bai Shao)		→ abdominal fullness	
		Gui	Zhi	i Qu	Shao Yao Tan	ig	- Bai Shao)		→ chest fullness	
					Hou Po Xing			, Xing Ren		→ wheezing	
					Zi Tang		+ Fu Zi	, 0		→ painful obstruction	
					Ge Gen Tang		+ Ge Gen			→ stiff neck, sweating	
<u>Disperse Wind-Cold</u>	Sheng Jia Da Zao Zhi Gan (_	9 4p 6		- raiyang +	Ge Gen		Wind-Co		iyang & Yangming syndrome Ma Huang Tang	5
						chills & fever back muscle			ches, no	sweating, P floating, tight wheezing & dyspnea	
			Ge	Ger	n Tang + Shao Y	ao Gan Cao Ta	ang		Ge Gen	Tang + Qi Bao Mei Ran Dan	
		n	eck/	shou	lder stiffness, mu	ısculoskeletal i	njuries	GGT gu	ides the	tonic herbs directly to the scalp	area
XIAO QING LONG TANG Minor bluegreen dragon decoction 小靑龍湯(소청룡탕) Disperse Wind-Cold	Ma Huan Gui Zhi Gan Jiang Xi Xin Wu Wei i Bai Shao Ban Xia Zhi Gan (zi	9 9 9 9 9 9		and difficularies, ① r	t, absence of t to expector noist coating evere cases	of sweating, rate, a stiflion, P floating	cough, wng sensation, tight	heezing, on in the	in the LU: Chills and for sputum that is copious, when the chest, generalized heavines man or considerable difficult	nite, stringy s and body
					Ma	Da Qing jor bluegreer	Long Tang dragon de	coction	Mino	Xiao Qing Long Tang or bluegreen dragon decoctio	n
								External	Wind-Col	d	
						Interr	nal Heat			LU Phlegm-Fluid	
						Xiao (Qing Long Tar	ng	Ling G	Gan Wu Wei Jiang Xin Tang	
										Phlegm-fluids	
						Release	exterior Wind			gthen the SP to dry Damp	
XIANG SU SAN Cyperus & perilla leaf powder 香蘇散(황소산) Disperse Wind-Cold	Zi Su Ye Xiang Fu Chen Pi Zhi Gan (Cao	6-9 6-9 3-6 3-6		of sweating	, headache, ite, ① norm	focal distent al, (P) floatir	tion and si	tifling se	and fever, chills predominant nsation in the chest and epi	

Note: NCCAOM formulas are denoted in Red; 10 are found only as associated formulas and do not have their own entry.

SANG JU YIN Mulberry leaf and chrysanthemum decoction 秦菊飲(삼국음) Disperse Wind-Heat	Sang Ye Ju Hua Lian Qiao Bo He Jie Geng Xing Ren Lu Gen Gan Cao	7.5 3 4.5 2.4 6 6 6 2.4	sweatir	ng, ① I	normal or re	ed with thi sorders: Su u Yin	n, white co	pat, P floating conjunctiviti	slight sore throat, ag and rapid s, due to Wind-Heat Yin Qiao San 1. sore throat 2. boils, measle	t	
YIN QIAO SAN Honeysuckle and forsythia powder 銀翹敢(은교산) Disperse Wind-Heat	Jin Yin Hua Lian Qiao Jie Geng Niu Bang Ji Bo He Dan Dou Q Jing Jie Dan Zhu Y Xian Lu Ge Gan Cao	9-15 3-6 Zi 9-12 3-6 Chi 3-6 6-9	headac	he, ① Stronge	red-tipped v	with thin w	hite or thin	n yellow coa	chills, sore throat, t, (P) floating and ra and clearing Heat; l	pid	
CHAI GE JIE JI TANG Bupleurum and kudzu decoction to release the muscle layer 柴噶解亂湯(시갈해기탕) Disperse Wind-Heat	Chai Hu Ge Gen Qiang Huo Bai Zhi Huang Qin Shi Gao Jie Geng	3-6	decreas dry nas slightly	• Exterior Wind-Cold (Taiyang) transforming into interior Heat (Yangming): Increasing fever and decreasing chills accompanied by headache, stiffness of the extremities, orbital and eye pain, dry nasal passages, irritability, insomnia, ① red or normal with thin yellow coat, ② floating, slightly surging and rapid • Note: Also for toothache due to Wind-Heat.							
	Bai Shao Gan Cao	6-9 3-6			Gui Zhi Ta	ang		(Chai Ge Jie Ji Tang		
	Sheng Jian Da Zao	g 3p 2p		Expel pathogens from the muscle layer							
		.	Pun	Pungent-Warm → Harmonize Ying/Wei Pungent-Cool → Clear Internal Heat							
SHENG MA GE GEN TANG Cimicifuga and kudzu decoction 升蘇萬根湯(승마갈근팅) Disperse Wind-Heat	Sheng Ma Ge Gen Chi Shao Gan Cao	3-6 3-9 6-9 3	do not coughir	surfacing, red	e evenly, fe	ver, sweating, thirst, (ng, headach Dred and	ne, generalize dry, 🕑 floati	ly-stage measles or d body aches, sneez ing and rapid		
REN SHEN BAI DU SAN Ginseng powder to overcome pathogenic influences 人多敗毒散(인台頭馬台) Exterior Excess + Interior Deficiency	Qiang Huo Du Huo Chuan Xion Chai Hu Bo He Jie Geng Zhi Ke Qian Hu	9 ng 9 9 9 9	shiverion of the the check weak	• Exterior Wind-Cold-Damp with interior Qi deficiency: High fever and severe chills with shivering, absence of sweating, pain and stiffness of the head and neck, soreness and pain of the extremities, nasal congestion with sonorous breathing, focal distention and fullness of the chest, productive cough, ① normal with greasy white coat, ② floating, soggy, possibly weak • Note: Originally designed for dysentery due to Wind-Cold-Damp in children.							
interior Dejiciency	Sheng Jian Ren Shen	9	Asso	ciated	Formulas		Modification	ons	Indication	ns	
	Fu Ling Gan Cao	9 5	Yin C	liao Ba	i Du San	+ Jin Yin	Hua, Lian	Qiao	Early-stage absces	sses	
			Jing I	Fang Ba	ai Du San	- Ren She	en, + Jing J	ie, Fang Feng	g Wind-Cold-Damp		
					Exte	rior	Inte	erior	Symptoms		
	F	Ren Shen Ba	i Du San		Wind-Cold	-Damp	Qi deficie	ncy	chills/fever, bodyach	ne	
	H	luo Xiang Z	heng Qi Sa	ın	Wind-Cold		Damp		vomiting, diarrhea		
JIA JIAN WEI RUI TANG Modified polygonatum odoratum decoction 加減截難湯(가감위유탕) Exterior Excess + Interior Deficiency	Yu Zhu Cong Bai Jie Geng Dan Dou C Bo He Bai Wei Zhi Gan Ca Da Zao	3-4.5 1.5-3	sweatir	ng, thir	st, irritability	, 🛈 dark	red, (P) rap		ght chills with little	or no	

				2. DF	RAIN DOW	NWARD			
DA CHENG QI TANG Major order the qi decoction 大承氣湯(대승기당) Purge Heat Accumulation	Da Huang Mang Xiao Hou Po Zhi Shi	12 9-12 24 12-15	focal tense palms (Shi/Zi • Yangn green,	ming organ distention and firm and soles, ao/Man/Pi) ning organ watery distanternal repation, disc	syndrome c and abdom abdomen; p dry yel syndrome d arrhea with a	ausing severe of inal fullness, at inal fullness, at its cossibly tidal fer low or dry black causing diarrhea abdominal dister Heat Collapse (nania Constipati	dominal pain wiver, delirious spek coat, with price Also for Yangusion Re Jue 熱厥): feve on, abdominal pain firm/tense abdome distention + Pain distention + No Pa	hich incre eech, prof kles, (P) o ming orga er, cold ha	
							thirst, red complexi	on, ① red	P full
				Persistent	high fever, (F	surging	High-grad	le tidal fev	er, P deep
XIAO CHENG QI TANG Minor order the qi decoction 小承氣湯(소승기탕) Purge Heat Accumulation	Da Huang Hou Po Zhi Shi	12 6 6-9	 Moderate Yangming organ syndrome causing constipation: Tidal fever, delirium, constipation, focal distention, abdominal fullness, abdominal pain that does not increase upon pressure, ① old-looking (dirty and dry), yellow coating, ② slippery, rapid (Shi/Man/Pi) Note: Without Mang Xiao, this formula is geared more toward abdominal fullness and less toward dryness. 						
TIAO WEI CHENG QI TANG Regulate the stomach and order the qi decoction	Da Huang Mang Xiao Zhi Gan Cao	9-12 6	disten	tion and	abdominal	fullness, but w throat, petechi	vith irritability, f	ever and	ipation without focal delirium; also for pery, rapid (Shi/Zao)
調胃承氣湯(조위승기탕) Purge Heat Accumulation				Da Cheng C	i Tang		ng Qi Tang	Tiao W	ei Cheng Qi Tang
ruige neut Accumulution			• Zao • Mar	(hardness) (dryness) n (fullness) distention)	-	Shi (hardness Man (fullness Pi (distention))	• Shi (hard • Zao (dry	lness)
				со	nstipation, tida	I fever, sweating,	T red, dry yellow	coating (P	rapid
				rk yellow, bla ep, full	ack 	① deep yellow ② slippery	, brown	① yellow ② slippery	
						Ingre	dients	S	Shang Han Lun
			Tiao V	Vei Cheng Q	Tang	Da Huang, Mang >	(iao, Gan Cao	Yangmin	ng organ level
			Tao H	e Cheng Qi	Tang	Tiao Wei + Tao Re	en, Gui Zhi	Taiyang	organ level
RUN CHANG WAN Moisten the intestines pill 제腸丸(윤장환) Moisten Intestine	Huo Ma Ren Tao Ren Dang Gui Sheng Di Huang Zhi Ke	15 9 9 30 9	and n	ails, parche	d mouth wit		able thirst, ① dry		ion, lusterless skin
MA ZI REN WAN Hemp seed pill 麻子仁丸(마자인환)	Huo Ma Ren Xing Ren Bai Shao Da Huang	20 10 9 12	expel,	frequent ເ	ırination, ①	dry, yellow coat	t → Spleen Bind t,	or floatin	0, 11,
Moisten Intestine	Hou Po Zhi Shi	9			Vla Zi Ren Wa		T	un Chang V	
							ipation		
				Body-fluid de	ficiency + Dry-	Heat in ST/LI	ВІ	lood deficie	ncy
				→ Sple	en Bind (<i>Pi Yu</i>	ie 脾約)	→ Desiccated	Intestines (Chang Ku 腸枯)
JI CHUAN JIAN Benefit the river decoction 満川無(제천전)	Rou Cong Rong Dang Gui Niu Xi Ze Xie Zhi Ke	6-9 9-15 6 4.5	pain a	nd cold	onstipation d	•	problems or Esse	nce deple	
Moisten Intestine	Sheng Ma	1.5-3			Ji Chuan Jian	Const	ipation M	la Zi Ren V	Van
					Yang deficiency			Dryness +	Heat

			3. I	HARMONIZE			
XIAO CHAI HU TANG Minor bupleurum decoction 小柴해湯(소시호탕) <u>Harmonize Shaoyang</u>	Chai Hu Huang Qin Ban Xia Sheng Jiang Ren Shen Da Zao Zhi Gan Cao	12 9 12 9 9 4p 6	mouth, dizziness, heartburn, nausea	irritability, stiflicand vomiting, re	ng or full ser duced appetite, amber causing	nsation in (1) thin, we shaoyang	syndrome: Invasion of extern
			Associated Form	ulas	Modifications		Indications
			Chai Hu Gui Zhi Tang		Zhi Tang	→ Taiva	ang & Shaoyang syndrome
			Chai Hu Si Wu Tang	+ Si W	/u Tang	→ + Blo	ood deficiency & stasis
			Chai Ping Tang	+ Ping	Wei San	→ + SP	Damp
			Ban Xia	Xie Xin Tang	0: 0 6		Xiao Chai Hu Tang
			Huang	ian, Gan Jiang	Qin, Ren Shen,		hai Hu, Sheng Jiang
				syndrome			Shaoyang syndrome
				ention with no pa	in		chills/fever, dizziness, nausea
				easy P wiry, rapi			thin, white P wiry
SI NI SAN Frigid extremities powder 四遊散(사역산) Harmonize LV & SP	Chai Hu Zhi Shi Bai Shao Zhi Gan Cao	9-12 9-12 12-24 6-9	Cold fingers and to	pes although the nondriac or abdo	e body is warm ominal pain, se	, irritabilit vere diarrh	nities (Yang Jue 陽厥 syndrome y and fullness in the chest ar nea, ① red with a yellow coa
			Si Ni San		Si Ni Tang		Dang Gui Si Ni Tang
				C	old Limbs (Jue sy	ndrome)	
			Yang Jue (LV Qi	stag.) Y	in Jue (KD/SP Yar	ng def.)	Cold channels + Blood def.
XIAO YAO SAN	Chai Hu	9		vith LV Blood &		ncy: Heada	cold hands/feet
XIAO YAO SAN Rambling powder 逍遙散(소요산) Harmonize LV & SP	Chai Hu Dang Gui Bai Shao Bai Zhu Fu Ling Zhi Gan Cao Wei Jiang	9 9 9 9 9 4.5	• LV Qi stagnation w mouth, dry mouth	vith LV Blood & and throat, fati ernating chills	s SP Qi deficier gue, reduced a and fever, ir	ncy: Heada ppetite, hy regular m	-
Rambling powder 逍遙散(소요산)	Dang Gui Bai Shao Bai Zhu Fu Ling Zhi Gan Cao	9 9 9 9 4.5	• LV Qi stagnation we mouth, dry mouth possibly with alte ① pale-red, ② wir	vith LV Blood & and throat, fati ernating chills ry, empty	SP Qi deficier gue, reduced a and fever, ir	ncy: Heada ppetite, hy	che, vertigo, bitter taste in the prochondriac or abdominal painenstruation, breast distention
Rambling powder 逍遙散(소요산)	Dang Gui Bai Shao Bai Zhu Fu Ling Zhi Gan Cao Wei Jiang	9 9 9 9 4.5	• LV Qi stagnation we mouth, dry mouth possibly with alte pale-red, wir sooth LV Chai Hu Bo He	with LV Blood & and throat, fatiernating chills ry, empty The Dang Bai S	SP Qi deficier gue, reduced a and fever, ir	ncy: Heada ppetite, hy regular m	che, vertigo, bitter taste in the prochondriac or abdominal painenstruation, breast distention HARMONIZE Zhi Gan Cao Wei Jiang
Rambling powder 逍遙散(소요산)	Dang Gui Bai Shao Bai Zhu Fu Ling Zhi Gan Cao Wei Jiang	9 9 9 9 4.5	• LV Qi stagnation we mouth, dry mouth possibly with alter alter pale-red, P wire sooth LV Chai Hu	with LV Blood & and throat, fatiernating chills ry, empty The Dang Bai S	SP Qi deficier gue, reduced a and fever, ir	ncy: Heada ppetite, hy regular m	che, vertigo, bitter taste in the prochondriac or abdominal painenstruation, breast distention HARMONIZE Zhi Gan Cao
Rambling powder 逍遙散(소요산)	Dang Gui Bai Shao Bai Zhu Fu Ling Zhi Gan Cao Wei Jiang	9 9 9 9 4.5	LV Qi stagnation we mouth, dry mouth possibly with alter pale-red, P wire sooth LV Chai Hu Bo He Jia Wei Xiao Yao San	with LV Blood & and throat, fatiernating chills ry, empty The Dang Bai S	SP Qi deficier gue, reduced a and fever, ir OOD Gui hao + Mu Dan Pi, Zi	ncy: Heada ppetite, hy regular m	che, vertigo, bitter taste in the prochondriac or abdominal painenstruation, breast distention HARMONIZE Zhi Gan Cao Wei Jiang ↓ Heat ↑ Blood
Rambling powder 逍遙散(소요산)	Dang Gui Bai Shao Bai Zhu Fu Ling Zhi Gan Cao Wei Jiang	9 9 9 9 4.5	LV Qi stagnation we mouth, dry mouth possibly with alter pale-red, P wire sooth LV Chai Hu Bo He Jia Wei Xiao Yao San Xiao	with LV Blood & and throat, fatiernating chills ry, empty The Dang Bai S San Chai Hu Tang	SP Qi deficier gue, reduced a and fever, ir OOD Gui hao + Mu Dan Pi, Zi	ncy: Heada ppetite, hy regular m	che, vertigo, bitter taste in the prochondriac or abdominal painenstruation, breast distention HARMONIZE Zhi Gan Cao Wei Jiang ↓ Heat ↑ Blood Xiao Yao San
Rambling powder 逍遙散(소요산)	Dang Gui Bai Shao Bai Zhu Fu Ling Zhi Gan Cao Wei Jiang	9 9 9 9 4.5	LV Qi stagnation we mouth, dry mouth possibly with alter pale-red, P wire sooth LV Chai Hu Bo He Jia Wei Xiao Yao San Xiao Harmo	with LV Blood & and throat, fatiernating chills ry, empty The Dang Bai S	SP Qi deficier gue, reduced a and fever, ir OOD Gui hao + Mu Dan Pi, Zi	ncy: Heada ppetite, hy regular m	che, vertigo, bitter taste in the prochondriac or abdominal painenstruation, breast distention HARMONIZE Zhi Gan Cao Wei Jiang ↓ Heat ↑ Blood
Rambling powder 逍遙散(소요산)	Dang Gui Bai Shao Bai Zhu Fu Ling Zhi Gan Cao Wei Jiang	9 9 9 9 4.5	LV Qi stagnation we mouth, dry mouth possibly with alter pale-red, P wir SOOTH LV Chai Hu Bo He Jia Wei Xiao Yao San Xiao Harmo	with LV Blood & and throat, fatiernating chills ry, empty TBLC Dang Bai S San Chai Hu Tang phize Shaoyang	s SP Qi deficier gue, reduced a and fever, ir DOD Gui hao + Mu Dan Pi, Zi + Shu Di Huang	ncy: Heada ppetite, hy regular m	che, vertigo, bitter taste in the prochondriac or abdominal painenstruation, breast distention HARMONIZE Zhi Gan Cao Wei Jiang ↓ Heat ↑Blood Xiao Yao San armonize LV & SP
Rambling powder 逍遙散(소요산)	Dang Gui Bai Shao Bai Zhu Fu Ling Zhi Gan Cao Wei Jiang Bo He	9 9 9 9 4.5	LV Qi stagnation we mouth, dry mouth possibly with alter possibly with possibly with possibly	with LV Blood & and throat, fatiernating chills ry, empty The Dang Bai S San Chai Hu Tang Onize Shaoyang u + Huang Qin nite coating P wir overacting on toorygmus, abdor	SP Qi deficier gue, reduced a and fever, ir OOD Gui hao + Mu Dan Pi, Zi + Shu Di Huang	regular m AQI Bai Zhu Fu Ling ni Zi H CI T pale-re	che, vertigo, bitter taste in the prochondriac or abdominal painenstruation, breast distention HARMONIZE Zhi Gan Cao Wei Jiang ↓ Heat ↑ Blood Xiao Yao San armonize LV & SP hai Hu + Bai Shao
Rambling powder 逍遙散(소요산) Harmonize LV & SP TONG XIE YAO FANG Important formula for painful diarrhea	Dang Gui Bai Shao Bai Zhu Fu Ling Zhi Gan Cao Wei Jiang Bo He Bai Zhu Bai Zhu Bai Shao Chen Pi	9 9 9 9 4.5 6 3	LV Qi stagnation we mouth, dry mouth possibly with altered pale-red, P wire sooth LV Chai Hu Bo He Jia Wei Xiao Yao San Kiao Harmon Chai H Thin, where the complex of borb P moderate or thin problems of borb P moderate or thin problems, borboryg P wiry, rapid Note: This formula	with LV Blood & and throat, fatiernating chills ry, empty The Dang Bai S San Chai Hu Tang Onize Shaoyang u + Huang Qin Inte coating P wire overacting on torygmus, abdortin in the Middle tention, fullness mus with diarrocan be used five poor diet, him to the sention of the coating on the coating on the coating of the	SP Qi deficier gue, reduced a and fever, ir OOD Gui hao + Mu Dan Pi, Zi + Shu Di Huang y he SP causing ninal pain, dia burner due to and tightness v rhea, reduced or gastritis or	The pale-results of the properties of the pale-results of the pale	che, vertigo, bitter taste in the prochondriac or abdominal painenstruation, breast distention HARMONIZE Zhi Gan Cao Wei Jiang ↓ Heat ↑ Blood Xiao Yao San armonize LV & SP hai Hu + Bai Shao and tongue ® wiry, empty with abdominal pain: Recurre
Rambling powder 逍遙散(소요산) Harmonize LV & SP TONG XIE YAO FANG Important formula for painful diarrhea 揺瀉実方(悪人요방) Harmonize LV & SP BAN XIA XIE XIN TANG Pinellia decoction to drain the epigastrium 半夏瀉心漏(世하사신당) Harmonize Stomach &	Dang Gui Bai Shao Bai Zhu Fu Ling Zhi Gan Cao Wei Jiang Bo He Bai Zhu Bai Shao Chen Pi Fang Feng Huang Lian Huang Qin Ban Xia Gan Jiang Ren Shen Da Zao	9 9 9 9 4.5 6 3 3 9-12 9 9 4p	LV Qi stagnation we mouth, dry mouth possibly with altered pale-red, P wire sooth LV Chai Hu Bo He Jia Wei Xiao Yao San Xiao Harmon Chai H T thin, where the problems of borb P moderate or this problems with the problems problems. Cold-Heat complex Epigastric focal dist vomiting, borboryg P wiry, rapid Note: This formula lifestyles that involved.	with LV Blood & and throat, fatiernating chills ry, empty The Dang Bai S San Chai Hu Tang Onize Shaoyang u + Huang Qin Inte coating P wire overacting on torygmus, abdortin in the Middle tention, fullness mus with diarrocan be used five poor diet, him to the sention of the coating on the coating on the coating of the	SP Qi deficier gue, reduced a and fever, ir OOD Gui hao + Mu Dan Pi, Zi + Shu Di Huang y he SP causing ninal pain, dia burner due to and tightness v rhea, reduced or gastritis or gh stress, and	regular m AQI Bai Zhu Fu Ling Ti Zi H Cl Ti pale-re diarrhea with ST & inte vith very s appetite, gastric/duo pharmaceu	che, vertigo, bitter taste in the prochondriac or abdominal painenstruation, breast distention the prochondriac or abdominal painenstruation, breast distention the prochondriac or abdominal painenstruation, breast distention the prochondriac or abdominal pain the prochondriac distention the prochondriac diste
Rambling powder 逍遙散(소요산) Harmonize LV & SP TONG XIE YAO FANG Important formula for painful diarrhea 揺瀉実方(悪人요방) Harmonize LV & SP BAN XIA XIE XIN TANG Pinellia decoction to drain the epigastrium 半夏瀉心漏(世하사신당) Harmonize Stomach &	Dang Gui Bai Shao Bai Zhu Fu Ling Zhi Gan Cao Wei Jiang Bo He Bai Zhu Bai Shao Chen Pi Fang Feng Huang Lian Huang Qin Ban Xia Gan Jiang Ren Shen Da Zao	9 9 9 9 4.5 6 3 3 3 9 9-12 9 9 4p 6	LV Qi stagnation we mouth, dry mouth possibly with altered pale-red, P wire sooth LV Chai Hu Bo He Jia Wei Xiao Yao San Xiao Harmon Chai H T thin, where the problems of borb P moderate or this problems with the problems problems. Cold-Heat complex Epigastric focal dist vomiting, borboryg P wiry, rapid Note: This formula lifestyles that involved.	with LV Blood & and throat, fatiernating chills ry, empty TBLC Dang Bai S San Chai Hu Tang Danize Shaoyang u + Huang Qin nite coating P wir overacting on t orygmus, abdor in in the Middle tention, fullness mus with diarrecan be used for the poor diet, hi Middle burner. XIE XIN TANG >	SP Qi deficier gue, reduced a and fever, ir OOD Gui hao + Mu Dan Pi, Zi + Shu Di Huang y he SP causing ninal pain, dia burner due to and tightness v rhea, reduced or gastritis or gh stress, and	Heada ppetite, hy regular m AQI Bai Zhu Ling Tu Ling Ti Zi H Cl Ti pale-re diarrhea with ST & inte with very sappetite, gastric/duo pharmaceu	che, vertigo, bitter taste in the prochondriac or abdominal painenstruation, breast distention the prochondriac or abdominal painenstruation, breast distention the prochondriac or abdominal painenstruation, breast distention the prochondriac or abdominal pain the prochondriac distention the prochondriac diste
Rambling powder 逍遙散(소요산) Harmonize LV & SP TONG XIE YAO FANG Important formula for painful diarrhea 揺瀉実方(悪人요방) Harmonize LV & SP BAN XIA XIE XIN TANG Pinellia decoction to drain the epigastrium 半夏瀉心漏(世하사신당) Harmonize Stomach &	Dang Gui Bai Shao Bai Zhu Fu Ling Zhi Gan Cao Wei Jiang Bo He Bai Zhu Bai Shao Chen Pi Fang Feng Huang Lian Huang Qin Ban Xia Gan Jiang Ren Shen Da Zao	9 9 9 9 4.5 6 3 3 3 9 9-12 9 9 4p 6	LV Qi stagnation we mouth, dry mouth possibly with alter pale-red, P wire sooth LV Chai Hu Bo He Jia Wei Xiao Yao San Xiao Harmon Chai H Thin, where the pigastric focal dist vomiting, borboryg P wiry, rapid Note: This formula lifestyles that involutioning of the limital processing of the limital process.	with LV Blood & and throat, fatiernating chills ry, empty The Dang Bai S San Chai Hu Tang Onize Shaoyang u + Huang Qin Dang P wire overacting on too too rin in the Middle tention, fullness rus with diarrous w	SP Qi deficier gue, reduced a and fever, ir OOD Gui hao + Mu Dan Pi, Zi + Shu Di Huang y he SP causing ninal pain, dia burner due to and tightness v hea, reduced or gastritis or gh stress, and	Heada ppetite, hy regular management of the properties of the prop	Che, vertigo, bitter taste in the prochondriac or abdominal painenstruation, breast distention the prochondriac or abdominal painenstruation, breast distention the prochamble of the proches of the proc

				4. CLE	AR HE	AT			
BAI HU TANG White tiger decoction 白虎湯(백호팅) Clear Qi-Level Heat	Shi Gao Zhi Mu Zhi Gan Cao Jing Mi	30-90 9-15 3-6 9-15	•	with aversion to heat desire to drink cold be gums or nose, ① red v Note: In Chinese litera	but nowerages with dreature,	ot to cold, pr s, irritability, in y yellow coat, the White Tige	ofuse cohere P su er is	sweating, a red ent speech, heada rging, full or slipp a symbol of th	face, severe thirst and ache, toothache, bleeding bery, rapid e direction West, which ter, the same as Bai Hu
				Associated Formulas Bai Hu Jia Ren Shen Tan		Modification + Ren Shen	S		dications ess, P large, weak
ZHU YE SHI GAO TANG Lophatherus and gypsum decoction 竹業石膏湯(죽염석고탕)	Shi Gao Dan Zhu Ye Ren Shen Mai Men Dong Ban Xia Zhi Gan Cao	30 6-12 6 9-18 9			the Qi st with chest,	desire to drii	nk, irı ry thi	ritability, nausea	atigue, vomiting, parched and shortness of breath,
Clear Qi-Level Heat	Jing Mi	12-15		Qing Shu Y		Heat injuring	the Qi	Zhu Ye Shi Warm feb & Fluid	-
QING YING TANG Clear the nutritive level decoction 消營湯(청영탕) Clear Blood-Heat	Shui Niu Jiao Xuan Shen Sheng Di Huang Mai Men Dong Jin Yin Hua Lian Qiao	30-120 9 15 9		restlessness, ① dry, sca	arlet, Œ e level	thin, rapid the Heat has i			night, severe irritability,
	Dan Zhu Ye	3				WEN BING	(Four I	Levels)	
	Huang Lian Dan Shen	4.5 6		WEI		QI		YING	XUE
				① red front/edges ② floating, rapid	P slip	, yellow coat pery, rapid	P 1	scarlet thin, rapid	① scarlet, no coat ② wiry, rapid
				Yin Qiao San	Ва	ai Hu Tang	(Qing Ying Tang	Xi Jiao Di Huang Tang
XI JIAO DI HUANG TANG Rhinoceros horn and rehmannia decoction 犀角地黃湯(서각지황탕) Clear Blood-Heat	Xi Jiao Sheng Di Huang Chi Shao Mu Dan Pi	3 24 9 6		bleeding (including vom	iting of abdomi with pr	f blood, noseblinal distention in its distention its distention its distance of the contract o	eeds, and f	blood in the sto ullness, thirst with	tability, various types of ol or urine, and rashes), n an inability to swallow,
HUANG LIAN JIE DU TANG Coptis decoction to relieve toxicity 黄連解毒湯(황런해독탕)	Huang Lian Huang Qin Huang Bai Zhi Zi	9 6 6 6-12	٠	Fire-Toxin from excessive throat, incoherent specific	ve Heat eech, ura, dy Toxic-H	t in the Triple dark urine, consenteric disordone diso	onstip ers oi th ye	ation, insomnia, r jaundice due to llow coat, (P) full,	rritability, dry mouth and hematemesis, epistaxis, Damp-Heat, carbuncles, rapid
<u> Crear Power Preus</u>				Toxic-Heat carbuncles, boils		Blood epistaxis,	l-Heat erythe	ema (Damp-Heat dysentery, jaundice
XIE XIN TANG Drain the epigastrium decoction 為心湯(사심탕) Clear Toxic-Heat	Da Huang Huang Lian Huang Qin	6 3 3		constipation, $\textcircled{1}$ red wit	th grea	sy yellow coat,	(P) fu	ull, rapid	s, irritability, dark urine, hematemesis; Damp-Heat
PU JI XIAO DU YIN Universal benefit decoction to eliminate toxin 普濟消毒飲(보제소독음) Clear Toxic-Heat	Huang Qin Huang Lian Niu Bang Zi Lian Qiao Bo He Bai Jiang Can Xuan Shen Ma Bo Ban Lan Gen Jie Geng Gan Cao Ju Hong Chai Hu	15 15 3 3 2 6 3 3 6 6 6 6		•	e head	l and face, thin	rst, (I	red with powd	d chills, redness, swelling ery-white or yellow coat, Ven 大頭瘟).

LIANG GE SAN Cool the diaphragm powder 凉陽故(양격산) Clear Toxic-Heat QING WEN BAI DU YIN Clear epidemics and overcome toxin decoction 清瘟敗毒飲(청운패독음) Clear Qi & Blood Heat	Lian Qiao Huang Qin Zhi Zi Da Huang Mang Xiao Bo He Dan Zhu Ye Gan Cao Shi Gao Zhi Mu Gan Cao Shui Niu Jiao Sheng Di Huang Mu Dan Pi Chi Shao Xuan Shen Huang Lian Huang Qin Zhi Zi	3-18 3-18 3-18 6-12 1.5-12 3-18	•	Heat and clumping in the diaphragm region (sensation of heat in the chest, constipation, ulcerations, ① yellow or white coat, ② rapid Note: Relatively weak purgative; Also for skin Severe Fire in the Qi/Blood levels: Intense fe stabbing headache, extreme irritability, rash, scorched lips, ② either submerged, thin or fi Note: Severe cases may present with delirious	fever, red face, sore throat, nosebleeds, oral d, slippery disorders. ver, strong thirst, dry heaves, severe and nosebleed, ① dark-red tongue, dark and loating, rapid, large
MA XING SHI GAN TANG Ephedra, apricot kernel, gypsum, and licorice	Lian Qiao Jie Geng Dan Zhu Ye Ma Huang Shi Gao Xing Ren Zhi Gan Cao	3-18 1.5-12 1.5-12 12 24 18 6			hout sweating, thirst, coughing and wheezing, outum, nasal flaring and pain, ① yellow coat,
decoction 麻杏石甘湯(마행석감탕)			•	Note: For use with or without Wind-Heat or	Wind-Cold.
				Ma Xing Shi Gan Tang	Bai Hu Tang
Clear Organ-Heat				Qi level Heat	: fever, thirst
				Heat lodged in the LU	Yangming Channel level
				wheezing, coughing, fever, possible sweating, dislike of wind or cold	4 Bigs (high fever, severe thirst, profuse sweating, surging pulse)
XIE BAI SAN Drain the white powder 瀉白敵(사백산) Clear Organ-Heat	Sang Bai Pi Di Gu Pi Zhi Gan Cao Jing Mi	30 30 3 15-30	•	wheezing, sore throat, a dry mouth, little worsen in late afternoon, $oldsymbol{ extstyle ext$	rmula clears Heat without damaging Yin, which
XIE HUANG SAN Drain the yellow powder 瀉黄散(사랑산) Clear Organ Heat	Shi Gao Zhi Zi Fang Feng Huo Xiang Gan Cao	5 3 12 5 9		Smoldering Fire in the SP/ST: Mouth ulcers, I frequent hunger, tongue thrusting in infants a Note: Also for tongue thrusting and yellowing	and children, ① red and dry, ② rapid
QING WEI SAN Clear the stomach powder 淸宵散(청위산)	Huang Lian Sheng Ma Mu Dan Pi Sheng Di Huang				nds to the head, facial swelling, bleeding and outh, fever, bad breath, ① red, ② slippery,
Clear Organ-Heat	Dang Gui	6-12		Qing Wei San	Xie Huang San
				↓ ST Fire, ↓ Blood-Heat	↓ SP/ST Smoldering Fire
				toothache, bleeding gums	mouth ulcers, halitosis
YU NU JIAN Jade woman decoction 王女煎(옥は전) <i>Clear Organ-Heat</i>	Shi Gao Shu Di Huang Zhi Mu Mai Men Dong Niu Xi	6-15 9-30 4.5 6 4.5		irritability, fever, thirst, ① red with yellow control of the Note: Also for Wasting & Thirsting syndrome.	
				Yu Nu Jian	Yu Ye Tang*
				Xiao Ke (Wasting & ↓ ST Fire, ↑ KD Yin	Thirsting syndrome) ↑ Qi/Yin, Astringe KD, Stop thirst
DAO CHI SAN Guide out the red powder 導赤故(도적산) Clear Organ-Heat	Mu Tong Sheng Di Huang Dan Zhu Ye Gan Cao Shao	3-6 3-6 3-6 3-6	•	desire to drink cold beverages, red face, pos	sensation of heat in the chest, thirst with a sibly sores around the mouth, ① red, ② rapid Fire transferring to the SI with symptoms of even blood in the urine

LONG DAN XIE GAN TANG Gentiana longdancao decoction to drain the liver 能職為肝湯(용당사간탕)	Long Dan Cao Huang Qin Zhi Zi Chai Hu Mu Tong Che Qian Zi Ze Xie	3-9 6-12 6-12 3-9 3-6 9-15 6-12	•	LV Fire blazing up: Headache, dizziness, red hypochondriac pain, bitter taste in the mouth, LV/GB Damp-Heat invading downward: Difficul heat in the urethra, swollen and pruritic ex Tred with greasy yellow coat, P slippery, w	Tred with your red with your r	rellow coat, (P) wiry, rapid urination with a sensation of
Clear Organ-Heat	Sheng Di Huang			Long Dan Xie Gan Tang	Tian	Ma Gou Teng Yin
	Dang Gui Gan Cao	3-12 3-6		1. LV Fire ↑ LV2	1. LV Yang Risin	g LV2
				2. LV/GB Damp-Heat ↓ GB34	2. LV Wind	LV3
ZUO JIN WAN	Huang Lian	15-18	_	IV Fire homing CT couring IV 9 CT disher	manus Asid s	agreement balaking vaniting
Left metal pill 左金丸(좌금환)	Wu Zhu Yu	2-3		LV Fire burning ST causing LV & ST dishar indeterminate gnawing hunger, epigastric foca coat, (P) wiry, rapid	•	
	U U			Note: Also for hernial disorders.		
Peony decoction 芍藥湯(작약탕) Clear Organ-Heat	Huang Lian Huang Qin Da Huang Bai Shao Dang Gui Mu Xiang Bing Lang	6-9 9-12 6-9 15-20 6-9 4.5 4.5		LI Damp-Heat with Qi & Blood stagnation defecation, diarrhea with equal amounts of around anus, scanty and dark urine, heavy greasy, slightly yellow coat, slippery, ra Note: This is early-stage dysenteric disorder.	pus and blood sensation ir	d, tenesmus, burning sensation
	Rou Gui Gan Cao	1.5-3 4.5		Shao Yao Tang	Ва	i Tou Weng Tang
	Jan Cau	٠		Dysentery, ① yellow	coating, (P) rapi	d
				LI Damp-Heat + Qi/Blood stagnation ① greasy, ② slippery		at in the ST & Intestine T red, P wiry
BAI TOU WENG TANG Pulsatilla decoction 白頭翁湯(백두용탕) Clear Organ-Heat	Bai Tou Weng Huang Lian Huang Bai Qin Pi	12-18 6-9 9-12 9-12		Dysentery due to Toxic-Heat in the ST & is sensation around the anus, diarrhea containing yellow coat, (P) wiry, rapid Note: Also for acute Damp-Heat eye disorders.		
QING HAO BIE JIA TANG Artemisia annua and soft-shelled turtle shell decoction 青鸾集甲派(정호별감당)	Qing Hao Bie Jia Sheng Di Huang Zhi Mu Mu Dan Pi	6 15 12 6 9		Yin deficiency with Heat in the Ying level dur and morning coolness with an absence of sw no loss of appetite, ① red with little coat, ② Note: Also for advanced stages of various infec	reating as the thin, rapid	fever recedes, emaciation with
				Qing Hao Bie Jia Tang	Liu '	Wei Di Huang Wan
<u>Clear Deficiency-Heat</u>				Hidden Heat Yin defic		KD Yin deficiency
				→ Vent Heat ① red, little → thin,	-	→ Nourish KD
				night fever & morning coolness	·	o, hot palms and soles
QING GU SAN Cool the bones powder 清骨散(청골산) Clear Deficiency-Heat	Yin Chai Hu Zhi Mu Hu Huang Lian Di Gu Pi Qing Hao Qin Jiao Zhi Bie Jia	4.5 3 3 3 3 3		KD/LV Yin deficiency leading to Steaming unremitting chronic low-grade fever, sensation warm to the touch, irritability, insomnia, leththirst, dry throat, emaciation, ① red with little Qing Hao Bie Jia Tang Qin Jiao Bie	of heat in targy, red lips, e coat, (P) thin	he bones but the flesh is not dark-red cheeks, night sweats,
	Gan Cao	1.5				-
				Treat Deficiency-Heat ↑Yin = ↓Heat ↑Blood + Ex		
				THE PROPERTY OF THE PROPERTY O		J.Heat > ↑Vin
DANG GUI LIU HUANG TANG Tangkeui and six-yellow decoction 當歸六黃湯(당귀母惠팅) Clear Deficiency-Heat	Dang Gui Sheng Di Huang Shu Di Huang Huang Lian Huang Qin Huang Bai Huang Qi	6-9 9-15 9-15 3-6 6-12 6-12 12-24		↑Yin = ↓Heat ↑Blood + Ex Yin deficiency with Empty-Heat causing night mouth and parched lips, irritability, dry stools, Note: Also for LU consumption, Steaming Bone	sweats: Feve	ty urine, ① red, dry, ② rapid
HUANG TANG Tangkeui and six-yellow decoction 當歸大黃湯(당귀육황탕)	Sheng Di Huang Shu Di Huang Huang Lian Huang Qin	9-15 9-15 3-6 6-12	•	Yin deficiency with Empty-Heat causing night mouth and parched lips, irritability, dry stools, Note: Also for LU consumption, Steaming Bone exterior Cold with Interior Damp contracted in predominant, aversion to cold with skin that is sensation of heaviness in the head, headache, sensation in the chest, white greasy coat, whote: Also for any presentation of Exterior Cold	sweats: Feve dark and scan disorder or c the summer: warm to the abdominal pair p floating d + Interior Da	cr, night sweats, red face, dry ty urine, ① red, dry, ② rapid hronic nosebleeds. Chills and fever, chills touch, absence of sweating, n, vomiting, diarrhea, stifling
HUANG TANG Tangkeui and six-yellow decoction 世際大黃湯(당귀육환당) Clear Deficiency-Heat XIANG RU SAN Elsholtzia powder	Sheng Di Huang Shu Di Huang Huang Lian Huang Qin Huang Bai Huang Qi Xiang Ru Bai Bian Dou	9-15 9-15 3-6 6-12 6-12 12-24 9-12 6-9	•	Yin deficiency with Empty-Heat causing night mouth and parched lips, irritability, dry stools, Note: Also for LU consumption, Steaming Bone exterior Cold with Interior Damp contracted in predominant, aversion to cold with skin that is sensation of heaviness in the head, headache, sensation in the chest, ① white greasy coat, ②	sweats: Feve dark and scan disorder or c the summer: warm to the abdominal pair P floating d + Interior Dadiarrhea.	cr, night sweats, red face, dry ty urine, ① red, dry, ② rapid hronic nosebleeds. Chills and fever, chills touch, absence of sweating, n, vomiting, diarrhea, stifling amp, regardless of the season,

				5. WARM IN	ITERIOR			
LI ZHONG WAN Regulate the middle pill 理中丸(이종환) Warm Middle Burner	Gan Jiar Ren She Bai Zhu Zhi Gan	n 9 9	thirst, dister • Middl convu	ency-Cold of the SP/S, loss of appetite, about on the second of the SP/S pale with which will be surner Deficiency alsions, profuse salivally tonifies and dispels	dominal pain reliev hite coat, deep -Cold syndrome: tion after chronic	ed by warmtl thin Also for ch	h and pressure, fa	atigue, abdominal chronic infantile
					King Herb	Indication		
			Li Zl	hong Wan	Gan Jiang	Cold in Ta	iyin	
			Whu	ı Zhu Yu Tang	Wu Zhu Yu	Cold in Ya	ngming, Jueyin, or S	haoyin
			Si N	i Tang	Fu Zi	Cold in Sh	aoyin	
			Da J	lian Zhong Tang	Hua Jiao	Excess Cold	d + SP Yang deficier	ісу
WU ZHU YU TANG Evodia decoction 吳茱萸湯(오수유탕) Warm Middle Burner	Wu Zhu Sheng Ji Ren She Da Zao	ang 18	indete body • LV (J vertex • KD (S	dangming) Deficiency- erminate gnawing hun which is not red with ueyin) Deficiency-Cold whaoyin) Deficiency-Col vere that the patient	ger, acid regurgita h a white slippery l: Dry heaves or d: Vomiting and d	tion with or coat, (P) thin spitting of c	without epigastric and either slow lear fluids with	pain, ① tongue or wiry headache at the
				Yangming Cold	Juevii	Cold	Shaoyin	Cold
				rebellious Qi	vertex h		vomiting,	
				Wu Zhu Yu			Si Ni Tang	
						niting, diarrhea		
				irritability, severe me	ntal agitation	CC	onstant desire to sle	ер
XIAO JIAN ZHONG TANG Minor construct the middle decoction 小建中湯(소건종탕)	Yi Tang Gui Zhi Bai Shac Sheng Ji Da Zao	ang 6 4p	dimin (P) th	ang deficiency with ishes with warmth in, wiry and moderate Also for low-grade fo	and pressure, lus e	erless compl	exion, ① pale v	with white coat,
Warm Middle Burner	Zhi Gan	Cao 6		Associated Formulas	Modifi	cations	Indication	ons
			Hua	ang Qi Jian Zhong Tang	+ Huang Qi (18-30g)	severe Qi deficiend	су
			Dag	g Gui Jian Zhong Tang	+ Dang Gui (12-18g)	severe Blood defic	iency
DA JIAN ZHONG TANG Major construct the middle decoction 大建中湯(대건증탕) Warm Middle Burner	Hua Jiao Gan Jian Ren She Yi Tang	ng 12	epigas strong to ea sever	e burner Yang defistric and abdominal pg sensation of cold int, borborygmus, ① sle cases Focused on dispelling	pain to the point on the epigastrium, lippery, white coat	hat the patie severe vomit	ent cannot tolerat ting to the point	e being touched, of being unable
				Da Jian Zhong	Tang		Li Zhong Wan	
					minal pain due to Mi	ddle burner De	ficiency-Cold	
				Severe pain aggravate	ed by touch	Pain al	leviated by warmth	& touch
SI NI TANG Frigid extremities decoction 四逆湯(사역탕) Rescue Yang	Fu Zi Gan Jiar Zhi Gan	-	cold vomit with • Yang	ang deficiency with C extremities, aversion ing, diarrhea with ur white slippery coat, (I collapse: Profuse cold Heat + True Cold: Fli	to cold, constant ndigested food, ab B deep and thin c I sweating, cold lin	desire to slee dominal pain r minute abs, sudden f	ep, sleeping with and cold, lack calling and minute	knees drawn up, of thirst, ① pale
					leedles For Returning			
		LI4	ST36	SP6 KD1	KD3		330 DU15	RN12
				Mentioned in "Gloriou				
			•	For Yang Collapse: loss	of consciousness, av	ersion to cold,	purple lips	

			6. RELEASE EXTERIOR-INTERIOR EXCESS
DA CHAI HU TANG Major bupleurum decoction 大柴胡湯(대시호랑) Exterior Excess + Interior Excess	Chai Hu Da Huang Huang Qin Zhi Shi Bai Shao Ban Xia Sheng Jiang Da Zao	12-15 6 9 6-9 9 12-15 6-9 4p	 Concurrent Shaoyang with Yangming syndromes: Intermittent chills and fever, continuous vomiting, fullness and pain in the epigastrium, burning diarrhea or no bowel movements, bitter taste in the mouth, nausea and vomiting, slight irritability, ① yellow coat, ② wiry, full Note: Also known as Heat excess in the ST & GB.
GE GEN HUANG QIN HUANG LIAN TANG Kudzu, scutellaria, and coptis decoction 最极黄芩黄連湯(갈己黎己黎己黎已 Exterior Excess + Interior Excess	Ge Gen Huang Lian Huang Qin Zhi Gan Cao	15-24 6 9 6	 Incompletely resolved exterior with interior excess Heat: Fever, sweating, thirst, dysenteric diarrhea with especially foul-smelling stools, burning sensation around the anus, red with yellow coat, rapid Note: Focuses on the interior aspect of the disorder.

					7. TONIFY	,			
SI JUN ZI TANG Four-gentleman decoction 四君子湯(사군자탕)	Ren Shen Bai Zhu Fu Ling Zhi Gan Cao	3-9 6-9 6-9 3-6	weal	kness in the e: This is th	ncy: Pallid co limbs, ① pal	mplexion, low e, (P) thin, wea	ak	e, reduced appetite, loose sto	
<u>Tonify Qi</u>	Liu Ju		g (six gent	· · · · · · · · · · · · · · · · · · ·		+ Chen Pi + Ban Xia, Chen + Mu Xiang, Sha		+ Qi stagnation + Phlegm + Phlegm, Qi stag, Pain	
	Xiang	Sha Yang	Wei Tang	g	Xiang Sha Liu	Jun Zi + Ping W	/ei San	+ Damp	
SHEN LING BAI ZHU SAN Ginseng, poria, and white atractylodes powder 춓축白朮敵(삼령백출산)	Ren Shen Bai Zhu Fu Ling Zhi Gan Cao Shan Yao Yi Yi Ren Bai Bian Dou Lian Zi	15 15 15 9 15 9 12	brea epig emp	astrium, pall ty e: Also for c	appetite, we id and wan hronic cough	ight loss, distection complexion, T	ention and sti pale with woutum due to	diarrhea, weakness, shortness fling sensation in the chest white coat, thite coat, thin, moderate thin, moderate things are the coat.	and
	Lian Zi 9 Sha Ren 6 Jie Geng 6			Si Jun Zi Tang Shen Ling Bai Zhu San Bu Zhong Yi (SP Qi deficiency → ST36, SP3, UB20 fatigue, no appetite diarrhea organ prolapso					-
								organ prolapse, fever	
BU ZHONG YI QI TANG Tonify the middle and augment the qi decoction 補中益氣湯(보증익기탕)	Huang Qi Ren Shen Bai Zhu Zhi Gan Cao Dang Gui Chen Pi Sheng Ma Chai Hu	12-24 9-12 9-12 3-6 6-12 6-9 3-6 3-9	spor lacor wate right	T Qi deficier ntaneous swe nic speech, ery stools, (i t position Qi sinking:	ncy causing interesting, aversice tendency to pale with the Prolapse of	termittent fever on to cold, th curl up, weak thin white coat	r: Intermittent irst for warm limbs, shiny t, P empty in	fever that worsens with exert beverages, shortness of bre and pale complexion, loose in general, rootless in the mid onic diarrhea, chronic dysent	ath, and ddle
TANG Tonify the middle and augment the qi decoction 橋中益氣湯(보중익기탕)	Ren Shen Bai Zhu Zhi Gan Cao Dang Gui Chen Pi Sheng Ma	9-12 9-12 3-6 6-12 6-9 3-6	spor lacor wate right	T Qi deficient aneous swent aneous swent aneous swent aneous swent aneous state and the state and the state aneous	ncy causing interesting, aversion tendency to pale with the Prolapse of inence or blee	termittent fever on to cold, th curl up, weak thin white coat the rectum o	r: Intermittent irst for warm limbs, shiny t, P empty in	fever that worsens with exert beverages, shortness of bre and pale complexion, loose in general, rootless in the mid poils diarrhea, chronic dysent	ath, and ddle
TANG Tonify the middle and augment the qi decoction 橋中益氣湯(보중익기탕)	Ren Shen Bai Zhu Zhi Gan Cao Dang Gui Chen Pi Sheng Ma Chai Hu	9-12 9-12 3-6 6-12 6-9 3-6	spor lacor wate right	T Qi deficient aneous swent aneous swent aneous swent aneous swent aneous swent aneous state aneous	ncy causing interesting, aversion tendency to pale with the Prolapse of inence or blee	termittent fever on to cold, the curl up, weak thin white coal the rectum of eding disorders.	r: Intermittent irst for warm limbs, shiny t, (P) empty in r uterus, chro	fever that worsens with exert beverages, shortness of bre and pale complexion, loose in general, rootless in the mid	ath, and ddle
TANG Tonify the middle and augment the qi decoction 橋中益氣湯(보중익기탕)	Ren Shen Bai Zhu Zhi Gan Cao Dang Gui Chen Pi Sheng Ma Chai Hu	9-12 9-12 3-6 6-12 6-9 3-6 3-9	spor lacor wate right • SP disor	T Qi deficier ntaneous swenic speech, ery stools, (1) to position Qi sinking: rders, inconti Associated For Huang Qi 2-2 Sheng Ma 6 Huang Qi 11 Chen Pi 9, 5	pale with the prolapse of inence or blee products.	termittent fever on to cold, th curl up, weak thin white coat the rectum o ding disorders. Bai Zhu 9, 3 Cang Zhu 9, ai Hu 3,	r: Intermittent irst for warm limbs, shiny t, (P) empty in r uterus, chro Qi deficiency I excessive men	fever that worsens with exert beverages, shortness of bre and pale complexion, loose in general, rootless in the micronic diarrhea, chronic dysent Indications eading to severe blood loss: struation, uterine bleeding cy + Damp: heaviness, distention,	ath, and ddle
TANG Tonify the middle and augment the qi decoction 橋中益氣湯(보중익기탕)	Ren Shen Bai Zhu Zhi Gan Cao Dang Gui Chen Pi Sheng Ma Chai Hu Ju Yu Tiao	9-12 9-12 3-6 6-12 6-9 3-6 3-9	spor lacon wate right SP dison Qi Tang Wei cold: Note	T Qi deficient aneous swent ic speech, ery stools, (i) to position Qi sinking: rders, inconti Associated Fol Huang Qi 1: Sheng Ma 6 Huang Qi 1: Chen Pi 9, Mu Xiang 9 Qi deficients, shiny and e: In modern	prolapse of inence or blee inence or	termittent fever on to cold, the curl up, weak thin white coat the rectum of eding disorders. Bai Zhu 9, 3 Cang Zhu 9, ai Hu 3, iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii	r: Intermittent irst for warm limbs, shiny t, (P) empty in r uterus, chronic limbs, chronic limbs, shiny transport limbs, shiny transport limbs, shiny transport limbs, shiny	fever that worsens with exert beverages, shortness of bre and pale complexion, loose in general, rootless in the micronic diarrhea, chronic dysent Indications eading to severe blood loss: struation, uterine bleeding cy + Damp: heaviness, distention,	ath, and ddle ceric
TANG Tonify the middle and augment the qi decoction 補中盒氣湯(보증익기탕) Tonify Qi YU PING FENG SAN Jade windscreen powder 玉屛風散(목병풍산)	Ren Shen Bai Zhu Zhi Gan Cao Dang Gui Chen Pi Sheng Ma Chai Hu Ju Yu Tiao Huang Qi	9-12 9-12 3-6 6-12 6-9 3-6 3-9 2 2 2 3-7 12	spor lacon wate right SP dison Qi Tang Wei cold: Note	T Qi deficient aneous swent ic speech, ery stools, (i) to position Qi sinking: rders, incontice Associated For Huang Qi 26 Sheng Ma (i) Chen Pi 9, 5 Mu Xiang 9 Qi deficients, shiny and experience in modern all orifice for	pale with 1 Prolapse of inence or blee rmulas 4, Ren Shen 6, 6, 7, Zhi Gan Cao 3 cy causing sw pale complex in practice this	termittent fever on to cold, the curl up, weak thin white coat the rectum of eding disorders. Bai Zhu 9, 3 Cang Zhu 9, ai Hu 3, iveating: Aversi ion, ① pale wiformula is ofters.	r: Intermittent irst for warm limbs, shiny t, (P) empty in r uterus, chronic limbs, chronic limbs, shiny transport limbs, shiny transport limbs, shiny transport limbs, shiny	fever that worsens with exert beverages, shortness of bre and pale complexion, loose in general, rootless in the micronic diarrhea, chronic dysent indications eading to severe blood loss: struation, uterine bleeding cy + Damp: heaviness, distention, somnia spontaneous sweating, recurring floating, empty	ath, and ddle ceric
TANG Tonify the middle and augment the qi decoction 補中盒氣湯(보증익기탕) Tonify Qi YU PING FENG SAN Jade windscreen powder 玉屛風散(목병풍산)	Ren Shen Bai Zhu Zhi Gan Cao Dang Gui Chen Pi Sheng Ma Chai Hu Ju Yu Tiao Huang Qi	9-12 9-12 3-6 6-12 6-9 3-6 3-9 2 2 2 3-7 12	spor lacon wate right SP dison Qi Tang Wei cold: Note	T Qi deficient aneous swent ic speech, ery stools, (i) to position Qi sinking: rders, incontice Associated For Huang Qi 26 Sheng Ma (i) Chen Pi 9, 5 Mu Xiang 9 Qi deficients, shiny and experience in modern all orifice for	pale with to pale with the prolapse of inence or blee rmulas 4, Ren Shen 6, 5, Zhi Gan Cao 3 5, Ren Shen 12, Sheng Ma 6, Ch, Zhi Gan Cao 3 cy causing sweet pale complex in practice this allergic rhinitic we Ping Feng Sar	termittent fever on to cold, the curl up, weak thin white coat the rectum of eding disorders. Bai Zhu 9, 3 Cang Zhu 9, ai Hu 3, iveating: Aversi ion, ① pale wiformula is ofters.	r: Intermittent irst for warm limbs, shiny t, (P) empty in r uterus, chronic limbs, chronic limbs, shiny transport limbs, shiny transport limbs, shiny transport limbs, shiny	fever that worsens with exert beverages, shortness of bre and pale complexion, loose in general, rootless in the micronic diarrhea, chronic dysent indications eading to severe blood loss: struation, uterine bleeding cy + Damp: heaviness, distention, somnia spontaneous sweating, recurring floating, empty indication with herbs to open Gui Zhi Tang	ath, and ddle ceric

SHENG MAI SAN Generate the pulse powder 生服散(성맥산) Tonify Qi	Ren Shen Mai Men Dong Wu Wei Zi	9-15 9-12 3-6	sp dif	oncurrent Qi & Yin do contaneous sweating, drifficult to expectorate, (Tote: Suitable for treating eart disease or Qi-deficient Sheng Main LU Qi/Yin def: SOB Bei Mu Gua LO Dryness attack LU (P) thin, rapid + strong disposations (P) thin the posations (P) thin the posations (P) thin the posations (P) the posations (P) the posations (P) thin the posations (P) the posations (P) the posations (P) thin the posations (P) the posat	y mouth and tongs) pale-red with dry s Summer-Heat thirs ncy anemia. San LU deficiency: spo , dry mouth ou San	thin coat, (P) thin coat, (P) the and fluid of the and fl	cough with sparse) empty and rapid depletion; Also app Yu Ping Feng San	sputum that is or thin olied to coronary
SI WU TANG Four-substance decoction 四物湯(사물탕) Tonify Blood	Shu Di Huang Dang Gui Bai Shao Chuan Xiong	9-12 9-12 9-12 3-6	ge or re: an		irregular menstruati also menorrhagia, lochioschesis with n, wiry or thin, cho	on with little hard abdor firm and pa pppy eficiency, rath	flow or amenorrh minal masses with ainful abdomen an ner than on HT Blo Xiao Yao San	nea, periumbilical recurrent pain, d sporadic chills
DANG GUI BU XUE TANG Tangkeui decoction to tonify the blood 營筹補血源(응·尹보혈통)	Associated Tao Hong S Wen Qing N Bu Gan Tan Ai Fu Nuan Huang Qi Dang Gui	i Wu Ta ⁄in	+ : Hand + :	Modification Tao Ren, Hong Hua Huang Lian Jie Du Tang Suan Zao Ren, Mu Gua, Zh Xiang Fu, Ai Ye, Huang Qi, ood & Qi deficiency weitability, thirst with desi Surging, big, empty ote: Also for fever/heada	Rou Gui, Wu Zhu Yu, vith floating Yang: re to drink warm b	→ s → e Xu Duan → r Sensation of peverages, los	f heat in the muss of appetite, ema	Cold & Blood def.
Tonify Blood SHAO YAO GAN CAO TANG Peony and licorice decoction 芍棄甘草湯(작약권초탕) Tonify Blood BA ZHEN TANG Eight-treasure decoction	Bai Shao Zhi Gan Cao Ren Shen Bai Zhu	12 12 12 6-9 9-12	• Bloch	ood deficiency with inj iills, ① pale, no coat, ② ote: Also for spasmodic Sour + Sweet & Blood deficiency: Pa asily-fatigued extremities	ury to the fluids: thin pain in other parts Augme	Spasms of to of the body, nts Yin lexion, palpita	the calf muscles, particularly the a Alleviates	pain , laconic speech,
八珍湯(晉진당) Tonify Qi & Blood	Fu Ling Zhi Gan Cao Shu Di Huang Bai Shao Dang Gui Chuan Xiong Sheng Jiang Da Zao	12-15 3-6 15-18 12-15 12-15 6-9 3p 2p	As S	Qi deficient Si Jun Zi Tang (4 Gentlessociated Formulas Shi Quan Da Bu Tang Ren Shen Yang Ying Tang Fai Shan Pan Shi San	large, empty, with	Si Wu Modification ng Qi, Rou Gui	Blood deficiency Tang (4 Substances D ns Actions i, Wu Wei Zi	
SHI QUAN DA BU TANG All-inclusive great tonifying decoction + 全大補湯(십전대보탕) Tonify Qi & Blood	Ren Shen Bai Zhu Fu Ling Zhi Gan Cao Shu Di Huang Bai Shao Dang Gui Chuan Xiong Rou Gui Huang Qi Sheng Jiang Da Zao	6-9 9-12 12-15 3-6 15-18 12-15 12-15 6-9 6-9 15-18 3p 2p	dis ex ①	& Blood deficiency we sorders with coughing, stremities; sores that to pale, dusky with thin, tote: Applicable in conditional and the properties of the prop	reduced appetite, refuse to heal, or white coat, tions of weakness	spermatorrh continuous , weak, deep of the circul ess or other	nea and weakness spotting from u , possibly slow latory system or o	s of the lower uterine bleeding, digestive system, ons.

GUI PI TANG Restore the spleen decoction	Ren Shen Huang Qi Bai Zhu	3-6 9-12 9-12	anxiety, inso	omnia, dream-c	listurbed sleep, a	nxiety, phobia	ulness, palpitations with or s	
跨脾湯(귀비탕) Tonify Qi & Blood	Zhi Gan Cao Dang Gui Long Yan Rou	3-6 6-9 6-9	• SP Qi Not	Controlling Blo	ood: Early period	s with copio	coat, P thin, weak us pale blood or prolonged ool, subcutaneous bleeding	almost
	Suan Zao Ren	9-12	continuous	perious with in	tie now, leukorrn	ea, bloody st	ooi, subcutaneous bieeding	
	Yuan Zhi Fu Shen	3-6 9-12		Gui Pi Ta	ng		Bu Zhong Yi Qi Tang	
	Mu Xiang	3-6			SP Qi	deficiency		
	Sheng Jiang Da Zao	5p 1p	1. SP Qi &	HT Blood def	→ insomnia	1. Qi defici	ency → low fever	
	Ju 240		2. SP defic	iency → chronic	bleeding	2. SP Qi sir	nking > organ prolapse	
ZHI GAN CAO TANG Honey-fried licorice	Zhi Gan Cao Sheng Di Huan	12 g 24		•		•	s with anxiety, irritability, in	-
decoction 炙甘草湯(자감초탕)	Ren Shen Da Zao E Jiao	6 5-10p 6			•	•	or thin and weak	
Tonify Qi & Blood	Mai Men Dong Huo Ma Ren		G	iui Pi Tang	Ba Z	hen Tang	Zhi Gan Cao Tang	
	Gui Zhi Sheng Jiang	9	10	Qi > ↑Blood	↑Qi	= ↑Blood	↑Qi < ↑Blood	
TAI SHAN PAN SHI SAN	Ren Shen Shu Di Huang	5 10	-	•	ith unsecured Ch	•	vessels: Restless fetus, tende	ency to
Taishan bedrock powder 泰山磐石散(태산반석산)	Xu Duan Huang Qin	5	•	•	•	•	and difficult delivery.	
Tonify Qi & Blood	Bai Zhu Huang Qi	10 15						
	Dang Gui	8		Ba Zhen Tang	+	- Fu Ling		
	Bai Shao Chuan Xiong	6 4	(Eight	-Treasure Decoct	ion)	+ Huang Qin,	Sha Ren, Huang Qi, Xu Duan	
	Sha Ren Zhi Gan Cao	4	-)	Augments Qi	strengthens SP,	nourishes Blo	od, and quiets the fetus	
LIU WEI DI HUANG	Shu Di Huang	24	• KD/LV Yin	deficiency: Sore	eness and weakn	ess of the lo	wer back, light-headedness,	vertigo,
WAN	Shan Zhu Yu Shan Yao	12 12	tinnitus, dir	minished hearir	ng, dry mouth a	nd throat, in	ritability, night sweats, spont	taneous
Six-ingredient pill with rehmannia	Fu Ling	9	and nocturr	nal emissions,	hot palms and so	oles, toothach	e, Wasting and Thirsting syn	ndrome,
六味地黃丸(육미지황환)	Mu Dan Pi Ze Xie	9	① red with	ı little coat, 🕑	Alada			
T: C. VI.		9	_		tnin, rapid			
Tonify Yin	Ze Ale	9	_			tonifying he	rbs and 3 sedating herbs.	
ionijy Yin	Ze Ale	9	_			tonifying he	rbs and 3 sedating herbs.	
<u>IONIJY YIN</u>	Ze Ale	9	_	well balanced f	ormula contains 3		SP	
<u>IONIJY YIN</u>	Ze Ale	9	• Note: This v	well balanced f	ormula contains 3	LV	SP Yu Shan Yao	
<u>ionijy Yin</u>		9 Wan [®] (capi	• Note: This v	well balanced f	KD U Di Huang	LV Shan Zhu Mu Dan	SP Yu Shan Yao	
<u>IONIJY YIN</u>	Du Qi		Note: This v Toni Seda	fy Sh te + Wu Wei Zi	KD U Di Huang	LV Shan Zhu Mu Dan + Cough,	SP Yu Shan Yao Pi Fu Ling	
TONITY YIN	Du Qi Er Lon	Wan [®] (capi	Note: This v Toni Seda iital qi pill) Van	fy Sh te + Wu Wei Zi	KD u Di Huang Ze Xie	LV Shan Zhu Mu Dan + Cough, i + Hearin	Yu Shan Yao Pi Fu Ling wheezing	
<u>IONIJY YIN</u>	Du Qi Er Lon	Wan [®] (capi ng Zuo Ci W nao Di Huar	Note: This v Toni Seda iital qi pill) Van	fy Sh te + Wu Wei Zi + Ci Shi, Shi C + Si Wu Tang	KD u Di Huang Ze Xie	LV Shan Zhu Mu Dan + Cough, i + Hearin + LV Blo	Yu Shan Yao Pi Fu Ling wheezing g loss due to old age	
<u>IONIJY YIN</u>	Du Qi Er Lon	Wan [®] (capi ng Zuo Ci W nao Di Huar Qi Ju Di	Note: This v Toni Seda ital qi pill) Van ng Wan	fy Sh te + Wu Wei Zi + Ci Shi, Shi C + Si Wu Tang	KD IU Di Huang Ze Xie hang Pu, Wu Wei Z	LV Shan Zhu Mu Dan + Cough, i + Hearin, + LV Blo	Yu Shan Yao Pi Fu Ling wheezing g loss due to old age od deficiency	
TONIJY YIN	Du Qi Er Lon	Wan [®] (capi ng Zuo Ci W nao Di Huar Qi Ju Di + Gou C	Note: This Note: This Note: Toning Seda	fy Sh te + Wu Wei Zi + Ci Shi, Shi C + Si Wu Tang	KD IU Di Huang Ze Xie hang Pu, Wu Wei Z	LV Shan Zhu Mu Dan + Cough, i + Hearin + LV Blo	Yu Shan Yao Pi Fu Ling wheezing g loss due to old age od deficiency Mai Wei Di Huang Wan	
ZUO GUI YIN	Du Qi Er Lon Gui Sh	Wan [®] (capi ng Zuo Ci W nao Di Huar Qi Ju Di + Gou C	Note: This variated qi pill) Van Huang Wan Qi Zi, Ju Hua e disorders	fy Sh te + Wu Wei Zi + Ci Shi, Shi C + Si Wu Tang	KD IU Di Huang Ze Xie hang Pu, Wu Wei Z hi Bai Di Huang Wa + Zhi Mu, Huang Bi KD: Deficiency-Heat	LV Shan Zhu Mu Dan + Cough, i + Hearin, + LV Blo	Yu Shan Yao Pi Fu Ling wheezing g loss due to old age od deficiency Mai Wei Di Huang Wan + Mai Men Dong, Wu Wei Zi	ats, dry
ZUO GUI YIN Restore the left (kidney)	Du Qi Er Lon Gui Sh Shu Di Huang Shan Zhu Yu	Wan [®] (caping Zuo Ci Wanao Di Huar Qi Ju Di + Gou C LV: Eye 6-60 3-6	Note: This Note: This Note: This Note: Toning Seda Note: This Note: Not	ry Shape sha	KD IU Di Huang Ze Xie hang Pu, Wu Wei Z hi Bai Di Huang Wa + Zhi Mu, Huang Bi KD: Deficiency-Heat	Shan Zhu Mu Dan + Cough, i + Hearin, + LV Blo	Yu Shan Yao Pi Fu Ling wheezing g loss due to old age od deficiency Mai Wei Di Huang Wan + Mai Men Dong, Wu Wei Zi LU: Dry cough	, ,
ZUO GUI YIN Restore the left (kidney) decoction	Du Qi Er Lon Gui Sh	Wan [®] (caping Zuo Ci Wanao Di Huar Qi Ju Di + Gou C LV: Eye	Note: This Note: This Note: This Note: Toning Seda Note: This Note: Not	rnce deficiency:	KD IU Di Huang Ze Xie hang Pu, Wu Wei Z hi Bai Di Huang Wa + Zhi Mu, Huang Bi KD: Deficiency-Heat	Shan Zhu Mu Dan + Cough, i + Hearin, + LV Blo	Yu Shan Yao Pi Fu Ling wheezing g loss due to old age od deficiency Mai Wei Di Huang Wan + Mai Men Dong, Wu Wei Zi LU: Dry cough	
zuo gui yin	Du Qi Er Lon Gui Sh Shu Di Huang Shan Zhu Yu Shan Yao	Wan [®] (caping Zuo Ci Wanao Di Huar Qi Ju Di + Gou Ci LV: Eye 6-60 3-6 3-6	* Note: This Note: This Note: This Note: Toning Seda iital qi pill) Wan Huang Wan Qi Zi, Ju Hua e disorders * KD Yin/Esse mouth and (P) thin, rap	+ Wu Wei Zi + Ci Shi, Shi C + Si Wu Tang zence deficiency:	KD IU DI Huang Ze Xie hang Pu, Wu Wei Z hi Bai Di Huang Wa + Zhi Mu, Huang B: KD: Deficiency-Heat Lower back sor ity, thirst with di	Shan Zhu Mu Dan + Cough, i + Hearin, t + LV Blo no	Yu Shan Yao Pi Fu Ling wheezing g loss due to old age od deficiency Mai Wei Di Huang Wan + Mai Men Dong, Wu Wei Zi LU: Dry cough	ed coat,
ZUO GUI YIN Restore the left (kidney) decoction 左歸飲(科刊昌)	Du Qi Er Lon Gui Sh Shu Di Huang Shan Zhu Yu Shan Yao Gou Qi Zi Fu Ling	Wan® (caping Zuo Ci Wanao Di Huar Qi Ju Di + Gou C LV: Eye 6-60 3-6 3-6 4.5	* Note: This Note: This Note: This Note: Toning Seda iital qi pill) Wan Huang Wan Qi Zi, Ju Hua e disorders * KD Yin/Esse mouth and (P) thin, rap	ry Shape sha	KD IU DI Huang Ze Xie Thang Pu, Wu Wei Ze Thang Pu, Wu Wei Ze Thang Pu, Huang Wa + Zhi Mu, Huang Be KD: Deficiency-Heat Lower back sor ity, thirst with descent deficiency, it is	Shan Zhu Mu Dan + Cough, i + Hearin + LV Blo ai eness, sponta esire to drink i indicated fo	Yu Shan Yao Pi Fu Ling wheezing g loss due to old age od deficiency Mai Wei Di Huang Wan + Mai Men Dong, Wu Wei Zi LU: Dry cough neous emissions, night swea , ① red and dry with peele r cases without signs of Fire.	ed coat,
ZUO GUI YIN Restore the left (kidney) decoction 左歸飲(科刊昌)	Du Qi Er Lon Gui Sh Shu Di Huang Shan Zhu Yu Shan Yao Gou Qi Zi Fu Ling	Wan® (caping Zuo Ci Wanao Di Huar Qi Ju Di + Gou C LV: Eye 6-60 3-6 3-6 4.5	* Note: This Note: This Note: Toning Seda sital qi pill) Wan ng Wan Huang Wan Qi Zi, Ju Hua e disorders * KD Yin/Esse mouth and (P) thin, rap * Note: Becau	ry Sh te + Wu Wei Zi + Ci Shi, Shi C + Si Wu Tang zence deficiency: throat, irritabi oid use it focuses of Shu Di Huang,	KD Tu Di Huang Ze Xie Thang Pu, Wu Wei Ze Thang Pu, Wu Wei Ze Thang Pu, Wu Wei Ze Thang Pu, Huang Wa Huang Bi KD: Deficiency-Heat Lower back sor Thirty, thirst with de Thang Pu, Wu Wei Ze Thang Pu, Wu Wei Ze	Shan Zhu Mu Dan + Cough, i + Hearin + LV Blo no eness, sponta esire to drink i indicated fo	Yu Shan Yao Pi Fu Ling wheezing g loss due to old age od deficiency Mai Wei Di Huang Wan + Mai Men Dong, Wu Wei Zi LU: Dry cough meous emissions, night swea , ① red and dry with peele r cases without signs of Fire.	ed coat,
ZUO GUI YIN Restore the left (kidney) decoction 左歸飲(為刊昌)	Du Qi Er Lon Gui Sh Shu Di Huang Shan Zhu Yu Shan Yao Gou Qi Zi Fu Ling	Wan® (caping Zuo Ci Wanao Di Huar Qi Ju Di + Gou C LV: Eye 6-60 3-6 3-6 4.5	* Note: This of Toning Seda sital qi pill) Van Huang Wan® Qi Zi, Ju Hua e disorders * KD Yin/Esse mouth and ® thin, rap • Note: Becau	ry Shape Sha	kD u Di Huang Ze Xie hang Pu, Wu Wei Z hang Pu, Wu Wei Z hang Pu, Wu Wei Z hang Pu, Huang Wa + Zhi Mu, Huang B: KD: Deficiency-Heat Lower back sor ity, thirst with di on deficiency, it is Shan Yao, Shan Zh Gu	Shan Zhu Mu Dan + Cough, i + Hearin, i + LV Blo eness, sponta esire to drink i indicated fo	Yu Shan Yao Pi Fu Ling wheezing g loss due to old age od deficiency Mai Wei Di Huang Wan + Mai Men Dong, Wu Wei Zi LU: Dry cough neous emissions, night swea , ① red and dry with peele r cases without signs of Fire.	ed coat,
ZUO GUI YIN Restore the left (kidney) decoction 左歸飲(吾귀昌)	Du Qi Er Lon Gui Sh Shu Di Huang Shan Zhu Yu Shan Yao Gou Qi Zi Fu Ling	Wan [®] (caping Zuo Ci Wanao Di Huar Qi Ju Di + Gou C LV: Eye 6-60 3-6 3-6 6 4.5 3	* Note: This Note: This Note: Toning Seda sital qi pill) Wan ng Wan Huang Wan Qi Zi, Ju Hua e disorders * KD Yin/Esse mouth and (P) thin, rap * Note: Becau	ry Shape sha	KD Tu Di Huang Ze Xie Thang Pu, Wu Wei Ze Thang Pu, Wu Wei Ze Thang Pu, Wu Wei Ze Thang Pu, Huang Wa Huang Bi KD: Deficiency-Heat Lower back sor Thirty, thirst with de Thang Pu, Wu Wei Ze Thang Pu, Wu Wei Ze	Shan Zhu Mu Dan + Cough, i + Hearin + LV Blo si eness, sponta esire to drink i indicated fo	Yu Shan Yao Pi Fu Ling wheezing g loss due to old age od deficiency Mai Wei Di Huang Wan + Mai Men Dong, Wu Wei Zi LU: Dry cough meous emissions, night swea , ① red and dry with peele r cases without signs of Fire.	ed coat,
ZUO GUI YIN Restore the left (kidney) decoction 左歸飲(為刊昌)	Du Qi Er Lon Gui Sh Shu Di Huang Shan Zhu Yu Shan Yao Gou Qi Zi Fu Ling	Wan [®] (caping Zuo Ci Wanao Di Huar Qi Ju Di + Gou C LV: Eye 6-60 3-6 3-6 6 4.5 3	• Note: This Note: This Note: Toning Seda Ital qi pill) Wan Huang Wan Qi Zi, Ju Hua e disorders • KD Yin/Esse mouth and ⊕ thin, rap • Note: Becau Zuo Gui Y Zhi Gan Cao, F	ry Sh te + Wu Wei Zi + Ci Shi, Shi C + Si Wu Tang z ence deficiency: throat, irritabi oid use it focuses of Shu Di Huang, fu Ling	KD Tu Di Huang Ze Xie Thang Pu, Wu Wei Ze Thang	Shan Zhu Mu Dan + Cough, i + Hearin h LV Blo si eness, sponta esire to drink i indicated fo u Yu, Gou Qi Z i Ban Jiao, Lu y More pot	Yu Shan Yao Pi Fu Ling wheezing g loss due to old age od deficiency Mai Wei Di Huang Wan + Mai Men Dong, Wu Wei Zi LU: Dry cough meous emissions, night swea, Ted and dry with peele r cases without signs of Fire. Zuo Gui Wan iliao Jiao, Tu Si Zi, Chuan Niu Xi	d coat,
ZUO GUI YIN Restore the left (kidney) decoction 左歸飲(母母음) Tonify Yin DA BU YIN WAN Great tonify the yin pill	Shu Di Huang Shan Zhu Yu Shan Yao Gou Qi Zi Fu Ling Zhi Gan Cao Shu Di Huang Gui Ban	Wan® (caping Zuo Ci Wanao Di Huara Ci Ju Di + Gou Ci LV: Eye 6-60 3-6 6 6 4.5 3 Less	Note: This Note: This Note: Toning Seda Ital qi pill) Wan Muang Wan Qi Zi, Ju Hua e disorders • KD Yin/Esse mouth and ⊕ thin, rap • Note: Becau Zuo Gui Y Zhi Gan Cao, F	ry Shape Sha	KD Tu Di Huang Ze Xie Thang Pu, Wu Wei Ze Thang	Shan Zhu Mu Dan + Cough, i + Hearin, i + LV Blo eness, sponta esire to drink i indicated fo J Yu, Gou Qi Z i Ban Jiao, Lu More pot	Yu Shan Yao Pi Fu Ling wheezing g loss due to old age od deficiency Mai Wei Di Huang Wan + Mai Men Dong, Wu Wei Zi LU: Dry cough meous emissions, night swea n Ted and dry with peele r cases without signs of Fire. Zuo Gui Wan® idiao Jiao, Tu Si Zi, Chuan Niu Xi ment → For severe case	sweats,
ZUO GUI YIN Restore the left (kidney) decoction 左歸飲(召刊書) Tonify Yin DA BU YIN WAN Great tonify the yin pill 大補陰丸(대보音書)	Shu Di Huang Shan Zhu Yu Shan Yao Gou Qi Zi Fu Ling Zhi Gan Cao	Wan® (caping Zuo Ci Wanao Di Huara Di H	Note: This Note: This Note: Toning Seda Intal qi pill) Van Muang Wan Pui Zi, Ju Hua e disorders Note: Becau Zuo Gui Y Zhi Gan Cao, F potent → For m Severe KD/I spontaneous	+ Wu Wei Zi + Ci Shi, Shi C + Si Wu Tang	kD u Di Huang Ze Xie hang Pu, Wu Wei Z hang Pu,	Shan Zhu Mu Dan + Cough, i + Hearin h LV Blo eness, sponta esire to drink i indicated fo u Yu, Gou Qi Z i Ban Jiao, Lu y More pot Empty Heat: n of heat	yu Shan Yao Pi Fu Ling wheezing g loss due to old age od deficiency Mai Wei Di Huang Wan + Mai Men Dong, Wu Wei Zi LU: Dry cough uneous emissions, night swea ,	sweats, and legs
ZUO GUI YIN Restore the left (kidney) decoction 左歸飲(母귀음) Tonify Yin DA BU YIN WAN Great tonify the yin pill	Shu Di Huang Shan Zhu Yu Shan Yao Gou Qi Zi Fu Ling Zhi Gan Cao Shu Di Huang Gui Ban Zhi Mu	Wan® (caping Zuo Ci Wanao Di Huar Qi Ju Di + Gou C LV: Eye 6-60 3-6 6-6 4.5 3 Less	Note: This Note: This Note: Toning Seda Intal qi pill) Van Ing Wan Huang Wan Qi Zi, Ju Hua e disorders Note: Becau Zuo Gui Y Zhi Gan Cao, F potent → For m Severe KD/I spontaneous sometimes	+ Wu Wei Zi + Ci Shi, Shi C + Si Wu Tang Throat, irritabioid use it focuses of Shu Di Huang, Fu Ling LV Yin/Essence se emission, irriaccompanied by	kD u Di Huang Ze Xie hang Pu, Wu Wei Z hang Pu,	Shan Zhu Mu Dan + Cough, i + Hearin h LV Blo eness, sponta esire to drink i indicated fo u Yu, Gou Qi Z i Ban Jiao, Lu y More pot Empty Heat: n of heat eness and we	Yu Shan Yao Pi Fu Ling wheezing g loss due to old age od deficiency Mai Wei Di Huang Wan + Mai Men Dong, Wu Wei Zi LU: Dry cough uneous emissions, night swea ,	sweats, and legs

YI GUAN JIAN Linking decoction 中實無(일관전) Tonify Yin ER ZHI WAN Two solstice pill 二至丸(이지환) Tonify Yin BAI HE GU JIN TANG Lily bulb decoction to preserve the metal 百合國金湯(백합고금탕) Tonify Yin	Gou Qi Zi Dang Gui Sheng Di Huang Sha Shen Mai Men Dong Chuan Lian Zi Nu Zhen Zi Han Lian Cao Bai He Sheng Di Huang Shu Di Huang Mai Men Dong Xuan Shen	9 9 4.5 7.5 7.5	 and abdominal distention, acid regurgitation, mouth and throat, irritability, red, dry, v. Note: Commonly used for chronic hepatitis. KD/LV Yin deficiency: Weakness and soreness blurred vision, insomnia and dream-disturbed mouth and throat, irritability, red, dry, v. Note: Focuses on bleeding disorders or prematical properties. 	is of the lower back and knees, dizziness and I sleep, premature graying or loss of hair, dry thin, rapid ature graying. ood-streaked sputum, wheezing, dry and sore
JIN GUI SHEN QI	Chuan Bei Mu Jie Geng Dang Gui Bai Shao Gan Cao	9 4.8 18 6 6 3	KD Yang deficiency: Cold and pain of the	lower back and legs, tenseness of the lower
WAN Kidney qi pill from the 'golden cabinet' 金棚賢氣丸(금케신기환) Tonify Yang	Gui Zhi Sheng Di Huang Shan Zhu Yu Shan Yao Fu Ling Mu Dan Pi Ze Xie	3 24 12 12 9 9	abdomen, irritability to the point of difficulty leaning against something, ① pale, swollen will deep and minute at proximal position Note: Applicable for various disorders including general debility and weakness, edema, bronch	to lie down, breathing most comfortable while with thin, white, moist coat (P) empty or weak, ling diabetes, hypothyroidism, chronic nephritis,
			Liu Wei Di Huang Wan	Jin Gui Shen Qi Wan
			KD deficiency (k	(D3, RN4, UB23)
			KD Yin (KD6, SP6)	KD Yang (KD7, DU4)
			Zuo Gui Yin	You Gui Wan
			Liu Wei Di Huang Wan variation	Jin Gui Shen Qi Wan variation
			KD Yin/Jing deficiency	KD Yang/Jing deficiency
YOU GUI WAN Restore the right (kidney) pill 右歸丸(우귀환) Tonify Yang	Fu Zi Rou Gui Lu Jiao Jiao Shu Di Huang Shan Zhu Yu Shan Yao Gou Qi Zi Tu Si Zi	6-18 6-12 12 24 9 12 12	coolness of the extremities, impotence, sper back and knees, fatigue, aversion to cold, proximal position	deficiency: Exhaustion from long-term illness, matorrhea, aching and weakness of the lower pale, swollen, thin, weak, especially at sose stools sometimes with undigested food
	Du Zhong Dang Gui	12 9	You Gui Yin [®]	You Gui Wan
			Shu Di Huang, Shan Yao, Shan Zhu Yu, Gou	Qi Zi, Zhi Gan Cao, Du Zhong, Rou Gui, Fu Zi
			Zhi Gan Cao	Lu Jiao Jiao, Tu Si Zi, Dang Gui
			For KD Yan Less potent → For moderate case	g deficiency More potent → For severe case
ER XIAN TANG Two immortal decoction 그仙湯(이선탕) Tonify Yang	Xian Mao Yin Yang Huo Ba Ji Tian Zhi Mu Huang Bai Dang Gui	6-15 9-15 9 4.5-9 4.5-9	fatigue, aversion to cold, lower back pain, w weak, especially at the proximal position	Menopausal symptoms, especially hypertension, reakness of the legs, ① pale, swollen, ② thin, nat is also used for essential hypertension and

			8. STABILIZE & BIND	
MU LI SAN	Mu Li	15-30	Unstable protective Qi with injury to the I	HT Yin: Spontaneous sweating that worsens at
Oyster shell powder	Huang Qi	9-15		of breath, irritability, general debility, lethargy
牡蠣散(모려산)	Ma Huang Gen Fu Xiao Mai	3-9 15-30	① pale-red, ② thin, weak	, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,
Stabilize Exterior	Tu Alao Iviai	13-30	Note: Stops sweating without any tonifying a	ction.
ZHEN REN YANG	Ying Su Ke	6-20		
ZANG TANG	He Zi	6-15	SP/KD Yang deficiency causing unremitting dia	,
rue man's decoction to	Pour Dour Kour	9-15	pus and blood, mild and persistent abdomina	of pain that responds favorably to local
ourish the organs	Ren Shen	3-6	pressure or warmth, lethargy, wan complexio	n, reduced appetite, soreness of the lower
[人養臟湯(진인양장탕)	Bai Zhu	9-12	back, ① pale, ② thin, slow	
	Rou Gui Bai Shao	3-4.5 9-15	• Note: Treats both manifestation and root.	
<u>tabilize Intestines</u>	Dang Gui	6-12		
	Mu Xiang	6-9		
	Zhi Gan Cao	3-9		
SI SHEN WAN	Bu Gu Zhi	12	SP/KD Yang deficiency causing daybreak diarr	rhea: Diarrhea which occurs just before sunrise
Four-miracle pill	Rou Dou Kou	6	lack of interest in food and inability to dig	est what is eaten, soreness of the lower back
四神丸(사신환)	Wu Zhu Yu Wu Wei Zi	3 6	-	pain, ① pale with thin white coat, ② deep
Stabilize Intestines	Sheng Jiang	3p	slow and weak	, pan, 6 pan min am min sout, 6 acce.
<u> </u>	Da Zao	2p	Note: Applicable for chronic colitis, chronic	dysantary tuberculosis of the colon allergic
				dysentery, tuberculosis of the colon, allergic
			colitis.	
			Si Shen Wan	Li Zhong Wan
			Chronic diarrhea du	e to Yang deficiency
			Tonify SP/KD Yang + Astringent	Tonify SP Yang only
	al v ==			
iin suo gu jing Wan	Sha Yuan Zi Lian Zi	12 12	Spermatorrhea due to KD deficiency: Chroni	
	Lian Xu	12		eakness, sore and weak limbs, lower back pain
Metal lock pill to stabilize the essence	Qian Shi	12	tinnitus, ① pale, ② thin, weak	
金鎖固精丸(금쇄고정환)	Long Gu (Duan)	10	• Note: Has been used to treat myasthenia gra	avis.
Stabilize Essence	Mu Li (Duan)	10		
SANG PIAO XIAO	Sang Piao Xiao	9-12	o Oi deficiency of the MD O LITE Foresteet	
SANG FIAO XIAO SAN	Long Gu	12-30		urination, gray and cloudy urine sometimes
Mantis egg-case powder	Gui Ban	9-15	accompanied by spermatorrhea, disorientation	
桑螵蛸散(상표초산)	Ren Shen	9-12	 Note: Incontinence characterized by being 	aware of the urge to urinate, but unable to
	Fu Shen	9-12	suppress it.	
Stabilize Essence	Yuan Zhi Shi Chang Pu	3-6 6-9		
	Dang Gui	6-9		
SHOU TAI WAN	Tu Si Zi	12	KD deficiency leading to instability of the 0	hong & Ren channels: Restless Fetus disorder
Fetus longevity pill	Sang Ji Sheng	6		pregnancy or miscarriage, frequent urination to
壽胎丸(수태환)	Xu Duan	6		
Stabilize Essence	E Jiao	6	the point of incontinence, dizziness, tinnitus,	weak legs, (1) slippery coat, (P) weak, deep
			• Note: Also used as a preventative measure.	
GU JING WAN	Gui Ban	15	 Constrained LV Fire injuring Chong & Ren ca 	using Beng Lou 崩漏 syndrome: Continuous
Stabilize the menses pill	Bai Shao Huang Qin	15 15	menstruation or uterine bleeding that alterna	tes between trickling and gushing with very red
固經丸(고경환)	Huang Bai	6	blood and possibly purple clots, sensation of	heat and irritability in the chest, abdominal
Stabilize Womb	Xiang Fu	6	pain, dark urine, ① red, ② rapid, wiry	
	Chun Pi	12	• Note: The Yin deficiency of this condition is	overshadowed by the Heat: Basic Ouestions 素原
			described it as "deficient Yin and belligerent	
				0
			Gu Jing Wan	Wen Jing Tang
			Continuous menstruati	Wen Jing Tang on or uterine bleeding
WAN DAI TANG	Bai Zhu	30	Continuous menstruati	on or uterine bleeding Def. Cold + Blood stasis
	Shan Yao	30	Continuous menstruati LV Fire → Yin def. heat • Leukorrhea due to Dai/SP deficiency with	Def. Cold + Blood stasis Damp/Qi stagnation: Profuse, thin, white o
End discharge decoction	Shan Yao Ren Shen	30 6	Continuous menstruati LV Fire → Yin def. heat • Leukorrhea due to Dai/SP deficiency with pale-yellow vaginal discharge, loose stools, fa	Def. Cold + Blood stasis Damp/Qi stagnation: Profuse, thin, white o
End discharge decoction 完帶湯(완대탕)	Shan Yao Ren Shen Cang Zhu	30 6 9	Continuous menstruati LV Fire → Yin def. heat • Leukorrhea due to Dai/SP deficiency with pale-yellow vaginal discharge, loose stools, facoat, ② soggy, weak	Def. Cold + Blood stasis Damp/Qi stagnation: Profuse, thin, white oatigue, shiny and pale face, ① pale with white
End discharge decoction 完帶湯(완대탕)	Shan Yao Ren Shen	30 6	Continuous menstruati LV Fire → Yin def. heat • Leukorrhea due to Dai/SP deficiency with pale-yellow vaginal discharge, loose stools, fa	Def. Cold + Blood stasis Damp/Qi stagnation: Profuse, thin, white or atigue, shiny and pale face, pale with white
End discharge decoction 完帶湯(완대탕)	Shan Yao Ren Shen Cang Zhu Che Qian Zi Bai Shao Chen Pi	30 6 9 9 15 1.5	Continuous menstruati LV Fire → Yin def. heat • Leukorrhea due to Dai/SP deficiency with pale-yellow vaginal discharge, loose stools, facoat, ② soggy, weak	Def. Cold + Blood stasis Damp/Qi stagnation: Profuse, thin, white or atigue, shiny and pale face, pale with white
WAN DAI TANG End discharge decoction 完帝湯(언대왕) Stabilize Womb	Shan Yao Ren Shen Cang Zhu Che Qian Zi Bai Shao	30 6 9 9	Continuous menstruation LV Fire → Yin def. heat • Leukorrhea due to Dai/SP deficiency with pale-yellow vaginal discharge, loose stools, facoat, ② soggy, weak • Note: Also for edema during menstruation of Wan Dai Tang	Def. Cold + Blood stasis Damp/Qi stagnation: Profuse, thin, white or atigue, shiny and pale face, ① pale with white pregnancy.
End discharge decoction 完帶湯(완대탕)	Shan Yao Ren Shen Cang Zhu Che Qian Zi Bai Shao Chen Pi Chai Hu	30 6 9 9 15 1.5	Continuous menstruation LV Fire → Yin def. heat • Leukorrhea due to Dai/SP deficiency with pale-yellow vaginal discharge, loose stools, facoat, ② soggy, weak • Note: Also for edema during menstruation of Wan Dai Tang	Def. Cold + Blood stasis Damp/Qi stagnation: Profuse, thin, white o atigue, shiny and pale face, ① pale with white pregnancy. Yi Huang San

				9. CALM S	PIRIT		
TIAN WANG BU XIN DAN Emperor of heaven's special pill to tonify the heart 天主補心升(천왕보십단) Nourish Heart & Calm Spirit		Men Dong 9 Men Dong 9 Men Dong 9 Insomnia with very restless sleep, inability to think or concentrate for even short time, nocturnal emissions, forgetfulness, dry stools, mouth or tongue sores, low good inght sweats, To red with little coat, Pothin, rapid Note: This formula is a good choice for elderly patients with sleeping accompanied by dry-stool constipation.					
	Fu Ling				INSOMNIA → I	HT7, SP6, Anmian	
	Suan Za Wu Wei			Suan Zao Ren Tang	Tian Wang	Bu Xin Dan	Gui Pi Tang
	Jie Geng Zhu Sha	coat		LV Blood deficiency → HT Yin deficiency		fin deficiency n Heat	SP Qi & HT Blood deficiency
	Long Ya	n Rou tea		$\ensuremath{\mathbb{T}}$ red, $\ensuremath{\mathbb{P}}$ wiry, thin, rapid	① red, no coa	at, P thin, rapid	① pale, ② thin, weak
			[→ UB15, UB18	→ UB	15, UB23	→ UB15, UB20
SUAN ZAO REN TANG Sour jujube decoction 酸素仁湯(산조인탕) Nourish Heart & Calm Spirit	Suan Za Chuan X Fu Ling Zhi Mu Gan Cad	iong 6 6 6	i (rritability, night sweats, di P wiry, thin, rapid	zziness and ver	tigo, dry throat	to sleep, palpitations, anxiety, and mouth, ① red and dry, edtime while another formula is
				Ding Zhi Wa	n	5	iuan Zao Ren Tang
				HT d	eficiency (palpitatio	ns, anxiety) → Ca	m Shen
				↑ HT Qi, open HT	orifice	↑ LV Bloc	od & HT Yin, ↓ Empty-Heat
HUANG LIAN E JIAO TANG Coptis and ass-hide gelatin decoction 黄連阿膠湯(황亞印교량)	Huang L E Jiao Huang C Bai Shao Ji Zi Hua	9 Nin 6	• I	palpitations with anxiety, ①	red with dry ye	ellow coat, P tl	ation of heat in chest, insomnia, nin, rapid mation patterns in the Shaoyin
Nourish Heart & Calm Spirit		SH	AO YII	N - COLD Pattern	Shang Han Lun	SHAO	YIN - HEAT Pattern
		listlessness, d	esire t quent	f cold, lying with the body o sleep, cold limbs, diarrhea, a pale urination, pale, wet, lk, slow Si Ni Tang	absence throat	at night, dark un coat, (P) thin, rap	lity, insomnia, dry mouth and rine, night sweating, T red id
GAN MAI DA ZAO TANG	Xiao Ma Gan Cad			HT Yin deficiency with LY		causing Restle	ss Organ (Zang Zao) disorder:
Licorice, wheat and jujube decoction 甘麥大東湯(라맥대조탕) Nourish Heart & Calm Spirit	Da Zao	10р	i k	rritability, palpitations with pouts of yawning, abnormal D thin, rapid Note: Restless organ disorc due to excessive worry, and	anxiety, restles behavior and s ler (<i>Zang Zao</i> 麻 kiety, or pensiver	s sleep sometin peech in severe 職) is an emot ness. This condit	ills, inability to control oneself, nes with night sweats, frequent cases, Tred with sparse coat, ional condition that is generally ion is characterized by HT Blood
				deficiency and LV Qi stagn Essentials from Golden Cabi		•	ying this disorder is outlined of
				Gan Mai Da Zao	Tang		Xiao Yao San
					LV Qi stagnati	on → depression	
				HT Yin deficie	ency	LV Blo	od & SP Qi deficiency
				$\stackrel{\text{melancholy}}{\mathbb{T}} \text{ red, no coat } \stackrel{\mathbb{P}}{\mathbb{P}}$			rregular menses, le-red ® wiry, empty

				1	0. REGULAT	E QI			
YUE JU WAN Escape restraint pill 越鞠丸(劉국환) Move Qi	Cang Zhu Chuan Xiong Xiang Fu Zhi Zi Shen Qu	6-12 6-12 6-12 6-12 6-12	s r t	sensation in tegurgitation, regurgitation, regurgitation, regue with years.	the chest and nild cough with ellow greasy coa	abdomen, fix copious sputu t, P wiry, slip	ked pain in tl um, reduced ap	he hypochondi petite, indigest	ention and stifling ria, belching, acid cion, ① red purple on of the SP.
				QI Xiang Fu	BLOOD Chuan Xiong	DAMP Can	PHLEGM g Zhu	HEAT Zhi Zi	FOOD Shen Qu
				Si N	i San	Xiao	Yao San	Yue	Ju Wan
					LV C	i stagnation: pai	n/distention, wiry	pulse	
				LV/SP di	sharmony	Blood/Qi	deficiency	All six s	stagnations
				cold ex	tremities	irregular r	nenstruation	pain, indige	stion, vomiting
CHAI HU SHU GAN SAN Bupleurum powder to dredge the liver 柴胡疏肝散(시호소간산) Move Qi	Chai Hu Xiang Fu Chuan Xiong Chen Pi Zhi Ke Bai Shao Zhi Gan Cao	6 4.5 4.5 6 4.5 4.5 1.5	ā	angered, belchi Note: Also trea	ng, abdominal on the state of t	distention and of abdomina	fullness, alterna	ating chills and orrhea, and bac Xiang Fu, Chuan	ck pain. Xiong, Chen Pi
					→ Spreads the	LV QI, narmoni	zes the Blood, an	d alleviates pain	
BAN XIA HOU PO TANG Pinellia and magnolia bark decoction 半夏厚朴湯(반하후박당)	Ban Xia Hou Po Fu Ling Zi Su Ye Sheng Jiang	9-12 9 12 6 9	i (something caug n the chest a coat, P wiry, Note: This forr	ght in the throa and hypochondr slippery nula addresses	t that can be ia, possible co	neither swallov oughing or vom	ved nor ejected niting, ① mois not; although L	ndrome: Feeling of d, stifling sensation st or greasy white LV Qi stagnation is
LIANG FU WAN Galangal and cyperus pill 良附丸(암무환) Move Qi	Gao Liang Jiang Xiang Fu	9	ŀ	nypochondriac		pain, ① whit	e coat,	•	ion in the chest, tight or slow
JIN LING ZI SAN Melia toosendan powder 金鈴子散(금령자산) <i>Move Qi</i>	Chuan Lian Zi Yan Hu Suo	9	1	menstrual pain	irritability, ①	red with yello	ittent epigastric w coat, (P) wiry od or beverage:	or rapid	ndriac pain or
TIAN TAI WU YAO SAN Top-quality lindera powder 天台烏葉散(천대오약산)	Wu Yao Xiao Hui Xiang Gao Liang Jiang Qing Pi Mu Xiang Bing Lang Chuan Lian Zi (Ba Dou)	12 6 9 6 6 9 12	t	esticles, 🛈 pa	the LV channel le with white of hypochondriac	oat, 🕑 slow o	or wiry	abdominal pa	in radiating to the
NUAN GAN JIAN Warm the liver decoction 曖肝煎(난간전) Move Qi	Xiao Hui Xiang Rou Gui Dang Gui Gou Qi Zi Wu Yao Chen Xiang Fu Ling Sheng Jiang	6 3 6 9 6 3 6 3-5p	١	with local appl	ication of cold,	① pale espec	al pain that is sially at sides ar wollen and pain	nd root, (P) dea	lized and increases ep, tight
SU ZI JIANG QI TANG Perilla fruit decoction for directing qi downward 蘇子降氣湯(소자강기탕) Descend Qi	Zi Su Zi Ban Xia Hou Po Chen Pi Qian Hu Rou Gui Dang Gui Zi Su Ye Sheng Jiang Da Zao Zhi Gan Cao	9-12 6-9 3-6 6-9 1.5-3 6-9 5 leaves 2p 3p 3-4.5	\ ((• 1	wheezing with dyspnea, short of the low ba coat, (P) slippe Note: This fornchronic bronch	copious, watery ness of breath, ck and legs, ec ry, weak pulse nula can relieve itis patients.	, clear sputun labored inhal lema in the e wheezing, cou	n; stifling sensar ation but smoo extremities, fatig ugh, and phlegn	tion in the che th exhalation; que, white, n in asthma, b	
				Excess Deficiency		egm-Cold ng deficiency	Exterior		Wind-Cold
							Interior		nlegm-Heat

DING CHUAN TANG Arrest wheezing decoction 定嘴湯(정천탕) Descend Qi	Ma Huang Bai Guo Sang Bai Pi Huang Qin Xing Ren Zi Su Zi Ban Xia	9 9 (21p) 9 4.5 4.5 6	\ a • 1	wheezing with copious thick yellow and chills, ① greasy yellow coat, ④	sputum, slippery slang is	labored b and rapid	ing rebellious LU Qi: Coughing and reathing, possibly simultaneous fever reat acute manifestations of chronic
	Kuan Dong Hua Gan Cao	9		Ding Chuan Tang			Ma Xing Shi Gan Tang
				coughing, wheezing, dysp	onea, ① re	d, yellow co	ating, P rapid, slippery
				thick yellow sputum, ① greas	у	high	fever, nasal flaring, ① dry coat
				LU Phlegm-Heat			LU Heat
				LU5	Po	int	LU10
XUAN FU DAI ZHE TANG Inula and haematite decoction 旋躞代赫湯(선복대자당) Descend Qi JU PI ZHU RU TANG Tangerine peel and bamboo shavings decoction 机皮竹苋湯(曼耳죽여당)	Xuan Fu Hua Dai Zhe Shi Ban Xia Sheng Jiang Ren Shen Zhi Gan Cao Da Zao Chen Pi Zhu Ru Ren Shen Sheng Jiang Gan Cao	9 9-15 9 6-9 6 3-6 4p 9-12 9-12 3 6-9 3-6	• F	Rebellious ST Qi due to ST deficien niccough, belching, vomiting, ① whole: Also for coughing and wheezing and wheezing the state of the	ite slipper ing. ency with @ empty,	y coat, (P) Heat: Hick	wiry, deficient cough, nausea, dry heaves, retching,
	Da Zao	5p		Ju Pi Zhu Ru Tang			Li Zhong Wan
Descend Qi				Rebellious ST	Qi due to	ST deficiency	→ P weak
				Heat → ① red, ② rapid		Со	Id \rightarrow \bigcirc pale, \bigcirc deep, slow
DING XIANG SHI DI TANG Clove and persimmon calyx decoction 丁香柿蒂湯(정황시체랑) Descend Qi	Ding Xiang Shi Di Sheng Jiang Ren Shen	3-6 6-9 6-9 3-6	t		the chest	, ① pale v	elching, vomiting, stifling sensation in vith white coat, (P) submerged, slow warming the Middle burner.

			11. REGUL	ATE BI	.00D						
TAO HE CHENG QI TANG Peach pit decoction to order the qi 桃核承氣湯(도맥合기탕)	Tao Ren 12-15 Da Huang 12 Gui Zhi 6 Mang Xiao 6 Zhi Gan Cao 6	i 1	Accumulation of Blood son continence of urine, nothirst, dysmenorrhea or coat, (P) submerged, full Note: For various disord clumping, such as traum	ight time amenorr , choppy ers whic	feverishness, hea, possible i h involve accu	delirious speech manic behavior, mulation of Hea	n, irritab ① purp	oility, restlessness, ole with thin yellow			
			Ingredients Shang Han Lun								
			Tiao Wei Cheng Qi Tang	Da I	luang, Mang Xia			ng organ level			
			Tao He Cheng Qi Tang		Wei + Tao Ren		-	organ level			
XUE FU ZHU YU TANG Drive out blood stasis in the mansion of blood decoction 血府逐愈湯(賀早촉어팅)	Tao Ren 12 Hong Hua 9 Chuan Xiong 4.5 Dang Gui 9 Chi Shao 6 Sheng Di Huang 9 Chuan Niu Xi 9 Chai Hu 3 Zhi Ke 6 Jie Geng 4.5	i (Blood stasis with Qi stagnation in the chest: Chest and hypochondriac pain, of stubborn and piercing headache, chronic incessant hiccough, choking sensation drinking, depression, warm sensation in the chest, palpitations, insomnia, restless irritability, mood swings, evening tidal fever, dark or purplish lips, complexion or ① dark-red with dark spots on sides, ② choppy, wiry, tight Note: Xue Fu Zhu Yu Tang may be used for strange or unexplainable symptoms "Peculiar diseases arise from stasis." 								
	Gan Cao 6		Xue Fu Zhu Yu Tang	_	Blood s	+		LV Qi stagnation			
					Tao Hong Si	Wu Tang		Si Ni San			
			ZHU YU TANG (Drive Out I	Blood-Stasi	s Decoction) →	Activate Blood &	Stop pair	n			
	Xue Fu Zhu Yu i 血府逐瘀湯	ang	Tong Qiao Zhu Yu Tang 通竅逐瘀湯		Zhu Yu Tang [®] 下逐瘀湯	Shao Fu Zhu Yu 少腹逐瘀湯		Shen Tong Zhu Yu Tang [®] 身痛逐瘀湯			
	Blood Mansio	า	Orifices	Belov	/ Diaphragm	Lower Abdo	nen	Painful Body			
	Tao Ren Hong Hua Chuan Xiong Dang Gui Chi Shao Sheng Di Huar Chai Hu Zhi Ke Jie Geng Chuan Niu Xi Gan Cao	ong Hua nuan Xiong ang Gui ni Shao neng Di Huang ni Hu ni Ke e Geng nuan Niu Xi an Cao Hong Hua Chuan Xiong Chi Shao Cong Bai She Xiang Sheng Jiang Da Zao Grain-based liquor			Tao Ren Hong Hua Chuan Xiong Dang Gui Chi Shao Wu Ling Zhi Mu Dan Pi Yan Hu Suo Xiang Fu Wu Yao Zhi Ke Gan Cao			Tao Ren Hong Hua Chuan Xiong Dang Gui Wu Ling Zhi Mo Yao Di Long Xiang Fu Huai Niu Xi Qin Jiao Qiang Huo Gan Cao			
	Chest		Head/Face	Ep	igastrium	Lower Abdor	men	Channels/Collaterals			
	→ Move Qi		→ Open Orifices	\rightarrow	Move Qi	→ Warm Int	erior	→ Open Collaterals			
BU YANG HUAN WU TANG Tonify the yang to restore five (tenths) decoction 補陽適五湯(보앙환오탕) Invigorate Blood FU YUAN HUO XUE TANG Revive health by invigorating the blood decoction 復元活血湯(목원활활탕) Invigorate Blood	Huang Qi 120 Dang Gui Wei 6 Chuan Xiong 3 Chi Shao 4.5 Tao Ren 3 Hong Hua 3 Di Long 3 Dang Gui 9 Tao Ren 9-15 Hong Hua 6 Chuan Shan Jia 6 Da Huang (Jiu) 30 Tian Hua Fen 9 Chai Hu 15 Gan Cao 6	•	 Hemiplegia due to Qi/Blood stagnation in the channels with Qi deficiency: S Wind-stroke including hemiplegia, paralysis and atrophy of the lower limbs, facial slurred speech, drooling, dry stool, frequent urination or urinary incontinence, coat,								
WEN JING TANG Warm the menses decoction 溫框湯(온경함) Invigorate Blood	Wu Zhu Yu 9 Gui Zhi 6 Dang Gui 6 Chuan Xiong 6 Bai Shao 6 E Jiao 6 Mai Men Dong 9 Mu Dan Pi 6 Ren Shen 6 Sheng Jiang 6 Ban Xia 6 Gan Cao 6	1	Chong & Ren channel I persistent uterine bleed bleeding between period ow-grade fever at dus Deep, slow, thin, choos to the Tang is also used for in	ing, irreg ds, lower k, warm oppy, wir e most i	gular menstrua abdominal p palms and s y mportant form	tion, extended ain, distention, soles, ① dusky nulas for female	or cont infertilit (pale-p	tinuous menstrual flow, y, dry lips and mouth, ourple) with thin coat,			
SHENG HUA TANG Generation and transformation decoction 生化湯(생화왕) Invigorate Blood	Gan Cao 6 Dang Gui 24 Chuan Xiong 9 Tao Ren 6-9 Pao Jiang 1.5 Zhi Gan Cao 1.5	n Cao 6 ng Gui 24 uan Xiong 9 o Ren 6-9 o Jiang 1.5 Blood & Cold stagnation causing postpartum lochial retention: Reter accompanied by cold and pain in the lower abdomen, ① pale-purple or page 5.5 spots, ② thin, choppy, deep						le or pale with purple			

GUI ZHI FU LING WAN Cinnamon twig and poria pill 桂枝茯苓丸(계지복령환) Invigorate Blood	Mu D Tao R	ig ni Shao an Pi	9-12 9-12 9-15 9-12 9-12 envoy	of ① • No the	purp purp o te: A	asis in the uterus during particle or dark blood during particle with dark spots and white so for various conditions of abdomen with pain and dominal distention and pain	regnancy; se or yello f Blood st tendernes	abdominal pain w coat, (P) chopp asis in the uterus s, abdominal spa	that i	ncreases with pressure, as immobile masses in
		Tao I	He Chen	g Qi Ta	ng	Xue Fu Zhu Yu Tang	Gui Zh	i Fu Ling Wan		Wen Jing Tang
	Blood stasis (UB17+SP10) → ① purple, ② choppy									
		+ Heat accumulation + Qi stagnation •						•		+ Deficient Cold
		in	Lower	burner		in Chest	i	n Uterus		in Chong/Ren
		lowe	er abdon	ninal pai	n	chest pain, palpitation	masses,	pregnant bleeding	irreg	ular menses, infertility
SHI XIAO SAN	Wu Li	ing Zhi	6	• Blo	od s	asis in the lower abdomen	causing p	pain: Irregular me	nses, (dysmenorrhea, retention
Sudden smile powder 失笑敵(실소산) Invigorate Blood	 Wu Ling Zhi 6 Pu Huang 6 Blood stasis in the lower abdomen causing pain: Irregular mens of lochia, postpartum abdominal pain, acute, colicky pain in the pain in the middle of the abdomen, epigastric pain, ① purple, (Note: Particularly useful for Blood stasis in the LV channel; Mo pectoris. 						the	lower abdomen, severe eep, choppy		
DAN SHEN YIN	Dan S		30	• Blo	ood &	Qi stagnation in the Uppe	r/Middle b	urners causing ch	est pa	in: Epigastric pain that
Salvia decoction 丹蔘飮(단삼음)	Tan X Sha R									
		• Note: Particularly useful for epigastric, flank, or menstrual pain in women;						omen; Modified version		
Invigorate Blood				tre	ats a	ngina pectoris.				
						Associated Modern Formulas				Indications
		Angina Fo	ormula		: Dan Xiang	Shen 24g, Chi Shao 15g, Chuan 12g	Xiong 15g,	Hong Hua 12g,	Ch	nest pain due to angina
		Ectopic Pi Formula	regnancy			Shen 15g, Chi Shao 9g, Tao Re + San Leng 6g, E Zhu 6g	n 9g, Ru Xi	ang 9g, Mo Yao 9g		odominal pain due to topic pregnancy
SHI HUI SAN	Da Ji	_	9	• Ac	ute b	leeding due to LV/ST Fire v	ith Blood	Heat: Vomiting bl	lood, s	pitting blood or
Ten partially-charred	Xiao J He Ye	_	15 9	COL	ughing	g of blood, bleeding that is	profuse, k	oright in color, an	d of r	elatively acute onset,
substances powder +灰散(심회산)	Ce Ba		9	T	red,	P rapid				
Stop Bleeding		lao Gen Cao Gen	30 12	• No	te: O	ften used in patients with t	uberculosi	S.		
	Zong		6							
	Zhi Zi Da Hu		12 9							
	Mu D	_	9							
XIAO JI YIN ZI	Xiao J	_	9-15	• He	at ca	using urinary bleeding: Bloo	d in the u	rine usually with	urinary	y frequency, urgency,
Cephalanoplos decoction 小薊飲子(소계음자)	Pu Hu Ou Jie	•	9-15 9-15		_	and pain; thirst, irritability,	_		ight in	color and of relatively
	Sheng	Di Huang	9-18			nset, ① red with thin yello	, -	, ,		
Stop Bleeding	Hua S Mu T		9-15 9-15	• No	te: A	well-rounded formula for t	reating blo	od in the urine o	due to	excessive heat.
	Dan Z	hu Ye	9-15							
	Zhi Zi Dang		9-15 9-15							
	_	an Cao	9-15							
HUAI HUA SAN	Huai		12	• Re	ctal b	leeding due to LI Wind-Hea	t or Damp	-Heat Toxin: Blee	ding fr	rom the rectum during
Sophora japonica powder	Ce Ba Jing Ji		12 6	de	fecati	on, blood in the stool or bl	eeding he	morrhoids, bleedin	ng that	is profuse, bright in
槐花散(괴화산)	Zhi Ke		6-9			nd of relatively acute onset,			rapid	
Stop Bleeding				• No	te: C	ombines stabilizing and dissi	pating ing	redients.		
JIAO AI TANG	E Jiao		6	• Uto	erine	bleeding due to Chong/Re	n Deficien	cy-Cold with Bloo	d def	iciency: Abdominal pain
Ass-hide gelatin and mugwort decoction		with pale, thin uterine bleeding, long unremitting bleeding, pale, hin, weak Note: Especially useful for Restless Fetus disorder.							P thin, weak	
膠艾湯(교애탕)	Bai Sh	nao	12							
Stop Bleeding	Chuan Gan C	Xiong Cao	6			Gu Chong Tang		J	iao Ai	Tang
			Uterine bleeding							

				12. EXP	EL WIND		
CHUAN XIONG CHA TIAO SAN Ligusticum chuanxiong powder to be taken with green tea 川芎茱酮散(천궁다조산) Release External Wind CANG ER ZI SAN Xanthium powder 續耳子散(창이자산) Release External Wind XIAO HUO LUO DAN Minor invigorate the collaterals special pill 小活絡界(소혈락단) Release External Wind	Chuan Xiong Qiang Huo Bai Zhi Jing Jie Fang Feng Bo He Xi Xin Zhi Gan Cao Cang Er Zi Xin Yi Hua Bai Zhi Bo He Cao Wu Chuan Wu Tian Nan Xing Ru Xiang Mo Yao Di Long	12 6 6 12 4.5 24 3 6 6-9 3-6 6-9 3-6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	• W d (£• N) • W w m	asal congestion, ① thi ote: Depending on th /ind-Cold or Wind-Hear	n white coating, (P) flee modifications, Chual disorders. congestion or discharguction, dizziness, from the disorders in with Blood stasis in a safter wind-stroke, espery ind-Cold-Damp Bi syncold-Cold-Damp Bi syncold-	ge: Copious, purulent hetal headache, ① Yuan 鼻淵. the channels & colla specially in the lower	aterals: Chronic pain, extremities, ① white
				Xiao Huo	Luo Dan	Du Huo Ji	Sheng Tang
					Wind-Cold-Dam	p Bi syndrome	
				Acute Bi (Wind-Phlegm -			: deficiency lood deficiency)
XIAO FENG SAN Eliminate wind powder from true lineage 계風敵(소풍건) Release External Wind	Jing Jie Fang Feng Niu Bang Zi Chan Tui Cang Zhu Ku Shen	6-9 6-9 6-9 6-9 6-9	р. • N	art of the body, ① ye ote: This formula is s onditions, and must be	ellow or white coat, Cuitable for acute or secombined or modifie	P full, floating, rapid ubacute conditions; it ed in order to treat the	
	Mu Tong Shi Gao	3-4.5 6-9		King	Deputy 1	Deputy 2	Assistant
	Zhi Mu Sheng Di Huang Dang Gui Hei Zhi Ma Gan Cao	6-9		Jing Jie Fang Feng Niu Bang Zi Chan Tui Wind	Cang Zhu Ku Shen Mu Tong	Shi Gao Zhi Mu Heat	Sheng Di Dang Gui Hei Zhi Ma Blood
LING JIAO GOU TENG TANG Antelope horn and uncaria decoction 持角鉤藤故(영각구등음) Extinguish Internal Wind ZHEN GAN XI FENG TANG Sedate the liver and extinguish wind decoction 續所換風湯(진간식풍팅) Extinguish Internal Wind	Ling Yang Jiao Gou Teng Sang Ye Ju Hua Bai Shao Sheng Di Huang Chuan Bei Mu Zhu Ru Fu Shen Gan Cao Huai Niu Xi Dai Zhe Shi Long Gu Mu Li Gui Ban Bai Shao Xuan Shen Tian Men Dong Yin Chen	12 15 9 2.4 30 30 15 15 15 15 15 15 15	• N	ritability, dizziness, sp. deep red, dry or bu ote: This presentation axtinguishing Wind and V Yang rising & intermisorientation, sudden lacial paralysis, flushed	pasms of the extrement with prickles, (P) is a form of tetanic stopping spasms. The stopping spasms is all wind due to LV/I loss of consciousness, face as if intoxicated, is are a precursor to cot. The stopping spasms is a face as if intoxicated, is are a precursor to cot.	mities, convulsion and wiry, rapid collapse. Ling Jiao Go (D Yin deficiency: Sev motor dysfunction of P wiry, long, full o Wind-stroke. This	: Persistently high fever, d loss of consciousness, ou Teng Tang focuses on ere dizziness and vertigo, f the limbs and trunk or formula treats both the
	Chuan Lian Zi	6			LV Yang rising w	ith internal Wind	
	Mai Ya Gan Cao	6 4.5		50% excess	+ 50% def.	90% excess	+ 10% def.
				Tonify to tre	at symptoms	Sedate to tre	eat symptoms
TIAN MA GOU TENG YIN Gastrodia and uncaria decoction 天庭鈞藤飲(천마구등음) Extinguish Internal Wind	Tian Ma Gou Teng Shi Jue Ming Zhi Zi Huang Qin Yi Mu Cao Chuan Niu Xi Du Zhong Sang Ji Sheng Ye Jiao Teng Fu Shen	9 12-15 18-24 9 9 9-12 12 9-12 9-24 9-30 9-15	b b		n of heat rushing to t, (P) wiry, rapid nternal Wind: Numbn	ess, twitching, spasms,	izziness, vertigo, tinnitus, , dream disturbed sleep, . or hemiplegia

			13. TREAT DRYNESS		
XING SU SAN Apricot kernel and perilla leaf powder 杏蘇敢(평소산)	Xing Ren Zi Su Ye Qian Hu Jie Geng Zhi Ke	6-9 6-9 6-9 6	 Cool-Dryness: Cough, dry throat, chills wit with white coat,	hout s	weating, watery sputum, stuffy nose, ① dry
Disperse & Moisten Dryness	Ban Xia Chen Pi	6-9 6	Xing Su San		Sang Xing Tang
	Fu Ling Sheng Jiang	6-9 2-3p	Xing Ren, Zi Su Ye	King	Sang Ye, Xing Ren
	Da Zao Gan Cao	2-3p 3	Cool-Dryness		Warm-Dryness
SANG XING TANG Mulberry leaf and apricot kernel decoction 桑杏湯(삼행탕) Disperse & Moisten Dryness	Sang Ye Xing Ren Zhi Zi Dan Dou Chi Zhe Bei Mu Sha Shen Li Pi	6-9 9-13.5 6-9 6-9 6-9 12-18 6-9	 Warm-Dryness: Fever, hacking cough or cowith white coat,	ough w	vith scanty sticky sputum, dry throat, ① red
QING ZAO JIU FEI TANG Eliminate dryness and rescue the lungs	Sang Ye Shi Gao Mai Men Dong E Jiao	9 7.5 3.6 2.4	 Dryness attacking the LU: Fever, hacking in the chest, hypochondriac pain, irritabilit Note: Also for acute-onset hemiplegia. 		wheezing, dry throat, sensation of fullness dry, empty, big, rapid
decoction 淸燥救肺湯(청조구페탕)	Hei Zhi Ma Xing Ren	3 2.1	Qing Zao Jiu Fei Tang		Sang Xing Tang
Disperse &	Pi Pa Ye Ren Shen	3 2.1	Treat Warm-dr	yness af	ffecting the LU
Moisten Dryness	Gan Cao	3	For severe cases		For mild cases
MAI MEN DONG TANG Ophiopogonis decoction 麥門冬湯(맥문동탕) Enrich Yin & Moisten Dryness	Mai Men Dong Ren Shen Jing Mi Dan Zao Gan Cao Ban Xia	15-64 9 6-15 3-4p 6 6-9		roat, (ng of saliva, wheezing, shortness of breath, trip dry, red with little coat, trip empty, rapid nt Stomach Yin.

			14. EX	PEL DAMP	NESS					
PING WEI SAN Calm the stomach powder 平胃畝(용위산) Transform Damp	Cang Zhu Hou Po Chen Pi Zhi Gan Cao Sheng Jiang Da Zao	12-15 9-12 9-12 3-6 2p 2p		taste and ap reased desire ick, white, gr	petite, heavy to sleep, na easy coat, P	sensation ir ausea and v) moderate,	n the limbs comiting, be slippery	, loose stool or diar elching, acid regurgita	rhea ation	
			Associated Fo	ormulas	Mod	ifications		Indications		
			Bu Huan Jin Zheng		+ Huo Xiang,		Nauso	a, vomiting		
				Qi Sali	+ Wu Ling S			ea, edema	\dashv	
			Wei Ling Tang Jia Wei Ping Wei S	San	+ Shen Qu, I			retention	-	
				Jaii				+ Phlegm	\dashv	
			Ping Chen Tang		+ Er Chen Ta	ang	Damp	+ rniegni		
				Cold in Mi	ddle burner	King Herb	Poin	nts		
			Ping Wei San	Excess Cold	l-Damp	Cang Zhu	ST3	6 SP9		
			Li Zhong Wan	Deficiency	Cold	Gan Jiang	RN1			
HUO XIANG ZHENG	Hou Xiang	12	Damp stagnation in	n the Middl	n hurnor ± 1	Evtornal Wir	d-Cold: For	yor and chills hoad	ach(
QI SAN Agastache powder to recitify the qi 藿香正氣散(곽향정기산)	Hou Po Chen Pi Zi Su Ye Bai Zhi Ban Xia Da Fu Pi	9 9 6 6 9	sensation of fullne	ess and stifl and vomiting, /	ing oppressio	n in the o	hest, pain	in the epigastrium ee, ① white, greasy	an	
<u> Fransform Damp</u>	Bai Zhu	12	D.	W-: C				V: 71 0: 6		
	Fu Ling Jie Geng	9 9	PI	ing Wei San	Interior Damp			ng Zheng Qi San		
	Zhi Gan Cao	3			Interio			4		
	Sheng Jiang Da Zao	3p 1p		•			Exterior V	Vind-Cold		
Artemisia Yinchenhao decoction 행煉高湯(인진호당) Clear Damp-Heat BA ZHENG SAN Eight-herb powder for	Zhi Zi Da Huang Qu Mai Bian Xu	18 9-12 6	• Note: Also for swe • Damp-Heat clumpi	tion of the greasy yello ating from the ng in the	abdomen, u w coat, P sl ne head only. Lower burne	rinary diffic ippery or so er: Dark, to	ulty, heavy pggy urbid, scan	sensation in the	body ainfu	
Artemisia Yinchenhao decoction 國際高湯(인진호팅) Clear Damp-Heat BA ZHENG SAN Eight-herb powder for ectification 자正敵(필정산)	Zhi Zi Da Huang Qu Mai Bian Xu Hua Shi Che Qian Zi Mu Tong	9-12 6 6-12 6-12 12-30 9-15 3-6	body, slight disten fever, no thirst, ① • Note: Also for swe • Damp-Heat clumpi	tion of the greasy yello ating from the ng in the nouth and the v greasy coar	abdomen, u w coat, (P) sl ne head only. Lower burne iroat; possible t, (P) slippery,	rinary diffic lippery or so er: Dark, to e urinary re , rapid	ulty, heavy pggy urbid, scan	sensation in the l	body ainfu	
Artemisia Yinchenhao decoction 菌族高湯(인진호팅) Clear Damp-Heat BA ZHENG SAN Eight-herb powder for rectification 八正敵(晋정산)	Zhi Zi Da Huang Qu Mai Bian Xu Hua Shi Che Qian Zi Mu Tong Zhi Zi Da Huang	9-12 6 6-12 6-12 12-30 9-15 3-6 3-9 6-9	body, slight disten fever, no thirst, ① • Note: Also for swe • Damp-Heat clumpi urination; a dry mand pain, ① yellow	tion of the greasy yello ating from the nouth and the greasy coased for Blood	abdomen, u w coat, (P) sl ne head only. Lower burne iroat; possible t, (P) slippery,	rinary diffic lippery or so er: Dark, to e urinary re , rapid	ulty, heavy pggy urbid, scan	sensation in the l	body ainfu	
Artemisia Yinchenhao decoction 菌族高湯(인진호팅) Clear Damp-Heat BA ZHENG SAN Eight-herb powder for rectification 八正敵(晋정산)	Zhi Zi Da Huang Qu Mai Bian Xu Hua Shi Che Qian Zi Mu Tong Zhi Zi	9-12 6 6-12 6-12 12-30 9-15 3-6 3-9	body, slight disten fever, no thirst, ① • Note: Also for swe • Damp-Heat clumpi urination; a dry mand pain, ① yellow	tion of the greasy yello ating from the nouth and the greasy coased for Blood Associa Chi Sh	abdomen, uw coat, (P) sl ne head only. Lower burne aroat; possible t. (P) slippery, d Lin or Heat	rinary diffic ippery or so er: Dark, to e urinary re rapid Lin. O, Chi Fu Ling	ulty, heavy Iggy urbid, scan Itention, lo	sensation in the l ty, difficult and pa wer abdominal diste	body ainfu	
Artemisia Yinchenhao decoction 國際高湯(인진호팅) Clear Damp-Heat BA ZHENG SAN Eight-herb powder for ectification 자正敵(필정산)	Zhi Zi Da Huang Qu Mai Bian Xu Hua Shi Che Qian Zi Mu Tong Zhi Zi Da Huang Deng Xin Cao	9-12 6 6-12 12-30 9-15 3-6 3-9 6-9 3-6	body, slight disten fever, no thirst, ① • Note: Also for swe • Damp-Heat clumpi urination; a dry m and pain, ① yellov • Note: Commonly us Wu Lin San	tion of the greasy yello ating from the nouth and the greasy coased for Blood Associa Chi Sh Dang G	abdomen, u w coat, P sl ne head only. Lower burne aroat; possible t., P slippery, I Lin or Heat ted Formulas ao 30, Zhi Zi 3	rinary diffic ippery or so er: Dark, to e urinary re rapid Lin. 0, Chi Fu Ling 10 7.5 Jin Sha 30, Ji	ulty, heavy pggy urbid, scan stention, lov g 9, Nei Jin 9,	sensation in the ty, difficult and power abdominal diste	body ainfu	
Artemisia Yinchenhao decoction 國際高湯(인진호팅) Clear Damp-Heat BA ZHENG SAN Eight-herb powder for ectification 자正敵(필정산)	Zhi Zi Da Huang Qu Mai Bian Xu Hua Shi Che Qian Zi Mu Tong Zhi Zi Da Huang Deng Xin Cao	9-12 6 6-12 12-30 9-15 3-6 3-9 6-9 3-6	body, slight disten fever, no thirst, ① Note: Also for swe Damp-Heat clumpi urination; a dry m and pain, ① yellov Note: Commonly us Wu Lin San (5 Dysuria Powder) San Jin Tang	tion of the greasy yello ating from the nouth and the greasy coased for Blood Associa Chi Sh Dang (Jin Qia Qu Ma	abdomen, u w coat, slee head only. Lower burner aroat; possible t, slippery, Lin or Heat ted Formulas ao 30, Zhi Zi 3 Gui 7.5, Gan Ca an Cao 60, Hai	rinary diffic ippery or so er: Dark, to e urinary re rapid Lin. 0, Chi Fu Ling 10 7.5 Jin Sha 30, Ji Zi 12, Shi W	ulty, heavy pggy urbid, scan stention, lov g 9, Nei Jin 9,	sensation in the leading ty, difficult and paymen abdominal distensions Indications	body ainfu	
Artemisia Yinchenhao decoction 國際高湯(인진호팅) Clear Damp-Heat BA ZHENG SAN Eight-herb powder for ectification 자正敵(필정산)	Zhi Zi Da Huang Qu Mai Bian Xu Hua Shi Che Qian Zi Mu Tong Zhi Zi Da Huang Deng Xin Cao	9-12 6 6-12 12-30 9-15 3-6 3-9 6-9 3-6	body, slight disten fever, no thirst, ① Note: Also for swe Damp-Heat clumpi urination; a dry mand pain, ① yellov Note: Commonly us Wu Lin San (5 Dysuria Powder) San Jin Tang (3 Stone Decoction) Ba Zheng San	tion of the greasy yello ating from the nouth and the greasy coased for Blood Associa Chi Sh Dang (Jin Qia Qu Ma	abdomen, u w coat, solution by solution by solution coat; possible coat; possib	rinary diffic ippery or so er: Dark, to e urinary re rapid Lin. 0, Chi Fu Ling 10 7.5 Jin Sha 30, Ji Zi 12, Shi W	ulty, heavy pggy urbid, scan ptention, lov g 9, Nei Jin 9, ei 9	ty, difficult and payer abdominal diste	body ainfu	
Artemisia Yinchenhao decoction 國陳高湯(인진호팅) Clear Damp-Heat BA ZHENG SAN Eight-herb powder for rectification 八正散(晋정산)	Zhi Zi Da Huang Qu Mai Bian Xu Hua Shi Che Qian Zi Mu Tong Zhi Zi Da Huang Deng Xin Cao	9-12 6 6-12 12-30 9-15 3-6 3-9 6-9 3-6	body, slight disten fever, no thirst, ① Note: Also for swe Damp-Heat clumpi urination; a dry mand pain, ① yellov Note: Commonly us Wu Lin San (5 Dysuria Powder) San Jin Tang (3 Stone Decoction) Ba Zheng San	ng in the nouth and the greasy coarsed for Blood Associa Chi Sh Dang (Qu Ma) Long Dan Lin syndrome	abdomen, u w coat, solution by solution by solution coat; possible coat; possib	rinary difficippery or so er: Dark, to e urinary re, rapid Lin. O, Chi Fu Lingo 7.5 Jin Sha 30, Ji Zi 12, Shi W	ulty, heavy pggy urbid, scan ptention, lov g 9, Nei Jin 9, ei 9	ty, difficult and pawer abdominal disterminations Painful dysuria Stony painful dysuria Zhu Ling Tang	body ainfu	
Artemisia Vinchenhao decoction decoctification (工政(曾정산)	Qu Mai Bian Xu Hua Shi Che Qian Zi Mu Tong Zhi Zi Da Huang Deng Xin Cao Zhi Gan Cao	9-12 6 6-12 6-12 12-30 9-15 3-6 3-9 6-9 3-6 3-9	body, slight disten fever, no thirst, ① Note: Also for swe Damp-Heat clumpi urination; a dry mand pain, ① yellov Note: Commonly us Wu Lin San (5 Dysuria Powder) San Jin Tang (3 Stone Decoction) Ba Zheng San Acute L UB Damp-Heat	chi sh Dang (a LV/GB I	abdomen, u w coat, P sl ne head only. Lower burne aroat; possible c, P slippery, d Lin or Heat ted Formulas ao 30, Zhi Zi 3 Gui 7.5, Gan Ca n Cao 60, Hai ai 12, Dong Kui Kie Gan Tang	rinary difficiprery or some control of the control	ulty, heavy pggy urbid, scan ptention, lov g 9, Nei Jin 9, ei 9 meng San Lin s ute Lin	ty, difficult and payer abdominal disternable Indications Painful dysuria Stony painful dysuria Zhu Ling Tang syndrome Chronic Lin	ainfu	
Artemisia Vinchenhao decoction 國際高湯(인진호팅) Clear Damp-Heat BA ZHENG SAN Eight-herb powder for rectification 不正數(普召亞) Clear Damp-Heat	Zhi Zi Da Huang Qu Mai Bian Xu Hua Shi Che Qian Zi Mu Tong Zhi Zi Da Huang Deng Xin Cao	9-12 6 6-12 12-30 9-15 3-6 3-9 6-9 3-6	body, slight disten fever, no thirst, ① Note: Also for swe Damp-Heat clumpi urination; a dry mand pain, ① yellov Note: Commonly us Wu Lin San (5 Dysuria Powder) San Jin Tang (3 Stone Decoction) Ba Zheng San Acute L UB Damp-Heat lodging leg pain, weakness	Associa Chi Sh Dang Long Dan in syndrome LV/GB I in Lower b or atrophy ties, heavy sellor tin ferm the sellor to greasy yello Associa Chi Sh Dang Qu Ma Long Dan LV/GB I	abdomen, u w coat, P sl ne head only. Lower burne broat; possible c, P slippery, d Lin or Heat ted Formulas ao 30, Zhi Zi 3 Gui 7.5, Gan Ca nn Cao 60, Hai ai 12, Dong Kui Kie Gan Tang Damp-Heat urner: For a of lower ext	rinary difficiprery or some ser: Dark, to be urinary recording to the control of	ulty, heavy pggy urbid, scan ptention, lov g 9, Nei Jin 9, ei 9 heng San Lin s ute Lin disorders, i ginal discha	ty, difficult and payer abdominal disternable Indications Painful dysuria Stony painful dysuria Zhu Ling Tang syndrome Chronic Lin	an an	
Artemisia Vinchenhao decoction 國際高湯(인진호팅) Clear Damp-Heat BA ZHENG SAN Eight-herb powder for rectification 不正數(普召亞) Clear Damp-Heat	Qu Mai Bian Xu Hua Shi Che Qian Zi Mu Tong Zhi Zi Da Huang Deng Xin Cao Zhi Gan Cao	9-12 6 6-12 12-30 9-15 3-6 3-9 6-9 3-6 3-9	body, slight disten fever, no thirst, ① Note: Also for swe Damp-Heat clumpi urination; a dry mand pain, ① yellov Note: Commonly us Wu Lin San (5 Dysuria Powder) San Jin Tang (3 Stone Decoction) Ba Zheng San Acute L UB Damp-Heat Damp-Heat lodging leg pain, weakness the lower extremit	Associa Chi Sh Dang Long Dan in syndrome LV/GB I in Lower b or atrophy ties, heavy sellor tin ferm the sellor to greasy yello Associa Chi Sh Dang Qu Ma Long Dan LV/GB I	abdomen, u w coat, P sl ne head only. Lower burne broat; possible c, P slippery, d Lin or Heat ted Formulas ao 30, Zhi Zi 3 Gui 7.5, Gan Ca nn Cao 60, Hai ai 12, Dong Kui Kie Gan Tang Damp-Heat urner: For a of lower ext	rinary difficiprinary difficiprinary or some ser: Dark, to be urinary recorded to the control of	ulty, heavy pggy urbid, scan ptention, lov g 9, Nei Jin 9, ei 9 heng San Lin s ute Lin disorders, i ginal discha	ty, difficult and payer abdominal disternable of the service of th	anes on	
YIN CHEN HAO TANG Artemisia Vinchenhao decoction	Qu Mai Bian Xu Hua Shi Che Qian Zi Mu Tong Zhi Zi Da Huang Deng Xin Cao Zhi Gan Cao	9-12 6 6-12 12-30 9-15 3-6 3-9 6-9 3-6 3-9	body, slight disten fever, no thirst, ① Note: Also for swe Damp-Heat clumpi urination; a dry mand pain, ① yellov Note: Commonly us Wu Lin San (5 Dysuria Powder) San Jin Tang (3 Stone Decoction) Ba Zheng San Acute L UB Damp-Heat Damp-Heat lodging leg pain, weakness the lower extremit	chion of the greasy yello ating from the nouth and the nouth and the greasy coarsed for Blood Associa Chi Sh Dang (a Qu Ma) Long Dan Lin syndrome LV/GB I in Lower b or atrophyties, heavy sty	abdomen, u w coat, P sl ne head only. Lower burner aroat; possible t, P slippery, t Lin or Heat ted Formulas ao 30, Zhi Zi 3 Gui 7.5, Gan Ca an Cao 60, Hai ai 12, Dong Kui Kie Gan Tang Damp-Heat urner: For a of lower ext sensation in	rinary difficiprinary difficiprinary or solution of solution. Per: Dark, to enter unitary reconstruction of solution. O, Chi Fu Linguita of Sha 30, Ji Zi 12, Shi W Ba Zi Accountable of solution	ulty, heavy pggy urbid, scan ptention, lov g 9, Nei Jin 9, ei 9 heng San Lin s ute Lin disorders, i ginal discha no thirst,	ty, difficult and payer abdominal disternal di	an an	

WU LING SAN Five-ingredient powder with poria 五苓散(오랑산) Drain Damp	Ze Xie Fu Lin Zhu Li Bai Zh Gui Zl	ng 9 ing 9 nu 9	sensation greasy, (• Taiyang headach urinary (• Tan-Yin	of heaviness, diand of heaviness, diand of heaviness, diand of heaviness, diand of heaviness, difficulty, P floating	for UB water strong thirst	difficulty, possibly accumulation with but with vomitin	urination: Edema, generalized vomiting, ① thick white or h possible external Wind-Cold, ig immediately after drinking, bilicus, vomiting frothy saliva,		
				Taiyang Fu			Formula		
				r accumulation		Wu Ling San			
			Blood	accumulation		Tao He Cheng Q	ı lang		
			As	sociated Formulas	Modi	fications	Indications		
			Si Ling	San	Wu Ling San - (Gui Zhi	urinary difficulty		
			Yin Ch	en Wu Ling San	Wu Ling San +	Yin Chen	jaundice		
			Wei Li	ng Tang	Wu Ling San +	Ping Wei San	diarrhea, edema		
ZHU LING TANG Polyporus decoction 豬축湯(지정당) <u>Drain Damp</u>	Zhu Li Fu Lin Ze Xie Hua S E Jiao	e 6-9 hi 6-9	desire to	o drink, diarrhea, co	ugh, nausea, irr	itability, insomnia, p-Heat and injury	difficulty, fever, thirst with a The red with dry yellow coat, to the Yin. The Ling Tang		
				V	Vater accumulation	in the Lower burne	er		
				Possible external W	ind-Cold	Heat accur	nulation, injury to Yin		
				① pale, ② slippery or	superficial	① red, yello	w coating, (P) thin, rapid		
Five-peel powder 五皮散(오피산) Drain Damp	Sheng Fu Lin Chen Da Fu	Pi 9	Generali: and abo (P) deep	zed edema with a so	ensation of heaved heavy breath	riness, distension ling, urinary diffi	ma (<i>Pi Shui</i> 皮水 syndrome): and fullness in the epigastrium culty, ① white greasy coat,		
		Wu Ling	San	Zhu Ling Tang		Wu Pi San	Zhen Wu Tang		
		Ze XieFu LingZhu LingBai ZhuGui Zhi		 Zhu Ling Fu Ling Ze Xie Hua Shi E Jiao	• Sang I • Sheng • Fu Lin • Chen • Da Fu	Jiang Pi g Pi Pi	• Fu Zi • Bai Zhu • Fu Ling • Sheng Jiang • Bai Shao		
				Water accumulation UB Qi Heat accumulation SP Qi deficiency KD/SP					
		KD/SP Yang deficiency causing edema/pain							
LING GUI ZHU GAN TANG Poria, cinnamon twig, atractylodes macrocephala,	Fu Ling Gui Zhi Bai Zhu Chi Gan Cao LU Damp-Phlegm or Phlegm-fluid (<i>Tan Yin</i> 痰飲) syndrome: Cough with copious fullness in the chest and hypochondrium, palpitations, shortness of breath, dizzines ① pale and swollen with white slippery coat, ② wiry or soggy Note: Focuses on harmonizing the fluids and qi dynamic. For any condition marked in the Lower burner leading to thin mucus throughout the Triple burner.								
and licorice decoction 축柱朮甘湯(영계출감탕) <u>Transform Cold-Damp</u>			in the L	ower burner leading	to thin mucus	throughout the Tr	iple burner.		

SHI PI YIN Bolster the spleen decoction 實牌欽(실비음)	Fu Zi Gan Jiang Fu Ling Bai Zhu Mu Gua	6 6 6 6	t	rin edema due to SP/KD Yang deficiency: Gen he waist, cold extremities, chest and abdomi canty urination, liquidy unformed stools, ①	inal full	lness and distention, loss of appetite,		
Transform Cold-Damp	Hou Po Mu Xiang	6		Shi Pi Yin		Zhen Wu Tang		
	Da Fu Pi Cao Guo	6			n edema due to KD/SP Yang deficiency			
	Zhi Gan Cao	5		Focuses on the SP	2,0	Focuses on the KD		
	Sheng Jiang Da Zao	5p 1p		Todases on the st		rocuses on the KD		
BI XIE FEN QING YIN Dioscorea hypoglauca decoction to separate the clear 東蔣分浦欽(비해분청음) Transform Cold-Damp	Bi Xie Yi Zhi Ren Wu Yao Shi Chang Pu	9-12 9 9 9	r (Cloudy urination due to KD Yang Deficiency-Conilky or rice water appearance, and a dense submerged Note: Cloudy painful urinary dysfunction is kn	or gre	easy quality, ① pale with white coat,		
QIANG HUO SHENG SHI TANG Notopterigium decoction to overcome dampness 羌活勝進湯(강聖合自思) Dispel Wind-Damp	Qiang Huo Du Huo Gao Ben Fang Feng Chuan Xiong Man Jing Zi Zhi Gan Cao	6-9 6-9 3-4.5 3-4.5 3-4.5 1.8-2.7 3-4.5	ł s	Acute Bi syndrome due to Wind-Damp in lead, generalized sensation of heaviness, gipine, chills, mild fever, ① white coat, ② floote: The aim is to produce only a mild swe	eneraliz pating	• • • •		
JUAN BI TANG	Qiang Huo Du Huo	6	• /	Acute Bi syndrome due to Wind-Cold-Dam	ı p: Joir	nt pain that increases with cold and		
Remove painful obstruction	Qin Jiao	6		liminishes with warmth, possibly accompanied		sensation of heaviness and numbness in		
蠲痹湯(견비탕)	Sang Zhi Hai Feng Teng	18 18		he limbs, ${\mathbb T}$ thick white coat, ${\mathbb P}$ slow, slipp Note: This is an important formula for treatir	,	tivoly early stage painful obstruction		
Dispel Wind-Damp	Dang Gui	18	- 1		ig reiat			
	Chuan Xiong Ru Xiang	4.2 4.8		JUAN BI TANG [®] from Awakening of the Mind in Medical Studies (1732)		JUAN BI TANG [©] from Yang Family Formulas (1178)		
Mu Xiang 4.8 Rou Gui 3 Zhi Gan Cao 3			Н	iang Huo 6, Du Huo 6, Qin Jiao 6, Sang Zhi 18, ai Feng Teng 18, Dang Gui 18, Chuan Xiong 4.2, u Xiang 4.8, Mu Xiang 4.8, Rou Gui 3, Zhi Gan Cao 3	Huo 9, Fang Feng 9, Dang Gui 9, Bai Shao 9, Qi 9, Jiang Huang 9, Zhi Gan Cao 3			
				Remove Wind-Damp & All	eviates	painful obstruction		
				For treating relatively early-stage painful obstruction		For painful obstruction with deficiency of Qi and Blood		
DU HUO JI SHENG TANG Angelica pubescens and sangiisheng decoction 獨活寄生湯(독활기생탕) Dispel Wind-Damp	Du Huo Xi Xin Fang Feng Qin Jiao Sang Ji Sheng Du Zhong Niu Xi Rou Gui Dang Gui	9 6 6 6 15-30 6 6 6	e F	Chronic Bi syndrome due to Wind-Cold-Damp Heavy and painful sensation at fixed location occompanied by weakness and stiffness, a palpitations, shortness of breath, possible poot, toot, thin, weak, and slow Note: Popular formula for osteoarthritis, rheu	ons in aversior aresthe	the lower back and lower extremities in to cold and attraction to warmth, esias or numbness, ① pale with white		
	Chuan Xiong	6		Xiao Huo Luo Dan		Du Huo Ji Sheng Tang		
	Sheng Di Huang Bai Shao	6 6		Wind-Cold-Dam	p Bi syr	ndrome		
	Ren Shen Fu Ling Zhi Gan Cao	6 6 6		Acute Bi: excess (Wind-Phlegm + Blood stasis)		Chronic Bi: deficiency (LV/KD & Qi/Blood deficiency)		
				Associated Formulas		Actions: Expel Wind-Damp		
				San Bi Tang (Three Painful Obstruction Decoction))	↑LV/KD, ↑Qi/Blood		
				Da Qin Jiao Tang (Major Gentiana Qinjiao Decoct	ion)	↑Blood, clear Heat		
				Da Fang Feng Tang (Major Ledebouriella Decoctio	n)	↑Sinews/bones, move Qi/Blood		
GUI ZHI SHAO YAO ZHI MU TANG Cinnamon twig, peony, and anemarrhena	Gui Zhi Ma Huang Fu Zi Zhi Mu	12 6 15 12	t	Recurrent painful obstruction with localized be to touch and worsen at night, especially weating, weight loss, white greasy coat, to the coat of the	of the P wiry	e lower extremities, chills, absence of , slippery		
decoction 桂枝芍藥知母湯(계지작약지모탕)	Bai Shao Bai Zhu	9 15	• 1	Note: Originally for pan-arthralgia (Li Jie Bing	歷節病).			
Dispel Wind-Damp	Fang Feng Sheng Jiang	12 15						
ызрег үүни-иаттр	Gan Cao	6						

15. DISSOLVE PHLEGM **ER CHEN TANG** Ban Xia 15 . Damp-Phlegm syndrome in the Middle burner or LU: Cough with copious sputum that is Ju Hong 15 Two cured decoction easy to expectorate, focal distention and stifling sensation in the chest, palpitations, nausea Fu Ling 9 or vomiting, ① swollen, thick white greasy coat, ② slippery Zhi Gan Cao 4.5 Dissolve Damp-Phlegm Sheng Jiang 7р · Note: Even though this is a small formula, it accomplishes three approaches for treating Wu Mei 1p Phlegm including transforming Phlegm, moving Qi and strengthening the SP. PHLEGM: ① greasy ② slippery → ST40 Wen Dan Tang Er Chen Tang Ban Xia Bai Zhu Tian Ma Tang Damp-Phlegm Phlegm-Heat Wind-Phlegm ① white coat T yellow coat, P wiry, rapid ① white coat, ② wiry cough, copious sputum insomnia, anxiety dizziness, headache Er Chen Tang Modifications Indications Dao Tan Tang Er Chen Tang + Zhi Shi, Tian Nan Xing Wind-Phlegm Phlegm misting the HT Di Tan Tang Dao Tan Tang + Ren Shen, Shi Chang Pu Jin Shui Liu Jun Jian Er Chen Tang + Dang Gui, Shu Di Huang LU/Yin deficiency WEN DAN TANG Ban Xia • GB & ST disharmony with Phlegm-Heat: Dizziness, vertigo, nausea or vomiting, insomnia, Zhu Ru Warm the gallbladder palpitations, anxiety, indeterminate gnawing hunger, seizures accompanied by copious Zhi Shi 6 decoction sputum, focal distention of the chest, bitter taste in the mouth, slight thirst, ① greasy Chen Pi 溫膽湯(온담탕) Fu Ling 4.5 yellow coat, P rapid and slippery or wiry Dissolve Hot-Phlegm Zhi Gan Cao 3 · Note: Also used for Phlegm-Heat manifesting as HT conditions such as mania, depression, Sheng Jiang 5p schizophrenia, insomnia, palpitations or fright. Da Zao 1p Huang Lian Wen Dan Tang Wen Dan Tang + Huang Lian Severe Phlegm-Heat Wen Dan Tang - Zhu Ru Shi Wei Wen Dan Tang HT/GB deficiency + Suan Zao Ren, Yuan Zhi, Wu Wei Zi, Shu Di, Ren Shen QING QI HUA TAN Dan Nan Xing 9 • LU Phlegm-Heat causing cough: Sensation of fullness in the chest, nausea, bitter taste in Huang Qin WAN 6 the mouth, coughing of yellow viscous sputum, T greasy yellow coat, P slippery, rapid Gua Lou Ren 6 Clear the qi and • Note: The interrelationships between Fire, Qi, and Phlegm are complex and can be difficult Ban Xia 9 transform phlegm pill 7hi Shi 6 to treat, but as Zhu Dan-Xi said, "If the Qi is normalized, the body's fluids will follow and Chen Pi 6 will also normalize." Dissolve Hot-Phlegm Fu Ling 6 Xing Ren 6 BEI MU GUA LOU Chuan Bei Mu 4.5 . LU Dry-Phlegm causing cough: Cough with deep-seated sputum that is difficult to Gua Lou 3 expectorate, wheezing, dry and sore throat, ① red and dry with little coat, ② rapid and Tian Hua Fen 2.4 Fritillaria and thin, but strong Fu Ling 2.4 trichosanthes fruit 2.4 Ju Hong Bei Mu Gua Lou San Sheng Mai San Jie Geng 2.4 貝母栝樓散(패모과루산) Dryness attack LU LU Qi/Yin deficiency Dry cough Dissolve Dry-Phlegm P thin, rapid + strong P thin, rapid + weak SAN ZI YANG QIN · LU Phlegm-Cold with Qi stagnation: Wheezing, focal distention in the chest, loss of appetite, Zi Su Zi 6-9 TANG digestive difficulty, ① white greasy coat, ② slippery Lai Fu Zi 6-9 Three-seed decoction to · Note: Commonly used in the elderly. nourish one's parents 三子養親湯(삼자양친탕) Dissolve Cold-Phlegm BAN XIA BAI ZHU Ban Xia 9 • Internal Wind-Phlegm rising upward causing dizziness/vertigo: Dizziness, vertigo, headache, TIAN MA TANG Tian Ma 6 nausea, vomiting, stifling sensation in the chest, copious sputum, ① white greasy coat, Bai Zhu 15 Pinellia, atractylodes P wiry, slippery Ju Hong macrocephala, and Fu Ling 6 • Note: May be used for Meniere's disease. gastrodia decoction Gan Cao 3 Sheng Jiang 1p Tian Ma Gou Teng Yin Ban Xia Bai Zhu Tian Ma Tang Treat Wind-Phleam Da Zao Dizziness, headache, vertigo, P wiry LV Yang rising Wind-Phlegm rising T red, yellow P wiry, rapid T white greasy P wiry, slippery ZHI SOU SAN 7i Wan 9 • External Wind attacking the LU causing cough: Coughing and itchy throat, with or without 9 Bai Bu Stop coughing powder slight chills and fever, T thin white coat, P moderate and floating Bai Qian 9 · Note: Clinically this formula is very effective to stop cough in conditions including acute 9 Jie Geng Treat Wind-Phleam Chen Pi bronchitis and upper respiratory tract infections. Jing Jie 9 Gan Cao 3 Zhi Sou San Wind attacking the LU Cough with exterior condition itchy throat fever/chills, red eyes

			16. DIGESTIVE	
BAO HE WAN Preserve harmony pill 保和丸(보화환) Reduce Food Retention	Shan Zha Shen Qu Lai Fu Zi Ban Xia Chen Pi Fu Ling Lian Qiao Mai Ya (tea)	9-15 9-12 6-9 9-12 6-9 9-12 3-6 6-9	epigastrium, abdominal distention with ocregurgitation, nausea and vomiting, aversion coat, $oldsymbol{\mathbb{P}}$ slippery	cal distention and fullness in the chest and casional pain, rotten smelling belching, acid in to food, possibly diarrhea, ① yellow greasy underlying disorder. It will provide quick relief, as the root of the condition.
			Bao He Wan Food retention → ST36, RI Acute food retention	Jian Pi Wan N12, PC6, SP4, Inner-neiting Chronic food retention

			17. TREAT ABSCESSES	
WU WEI XIAO DU YIN Five-ingredient decoction to eliminate toxin 五味消毒飲(空间 소독음) Treat External Abscesses	Jin Yin Hua 20-3 Zi Hua Di Ding 10-1 Pu Gong Ying 10-1 Ye Ju Hua 10-1 Tian Kui Zi 10-1	.5 .5 • I	accompanied by chills, ① red with yellow convote: Especially for deep-rooted and hard les	
YANG HE TANG Yang-heartening decoction 陽和湯(영화당) Treat External Abscesses	Rou Gui 3 Pao Jiang 1.5 Shu Di Huang 30 Lu Jiao Jiao 9 Bai Jie Zi 6 Ma Huang 1.5 Gan Cao 3		"	nng deficiency: Localized painful swelling that no heat, and no change in texture or color, deficiency with Cold causing stagnation.
WEI JING TANG Reed decoction 華華湯(위경영) Treat Internal Abscesses	Lu Gen 60 Dong Gua Zi 24 Yi Yi Ren 30 Tao Ren 9	1		ne LU: Cough with foul-smelling sputum which d chest pain, dry and scaly skin, ① red with blazing of Toxic-Heat.

208 FORMULA LIST 83 CALE + 160 NCCAOM + 172 PAN-CANADIAN

						LIS I 83 CALE + 160 NCCAOM + 172 PAN-CANADIAN
		FORMULA	С	N	Р	INDICATIONS
	1	MA HUANG TANG		•		Exterior Wind-Cold of excess type
	2	GUI ZHI TANG	A	•		Exterior Wind-Cold of deficiency type
	3	GE GEN TANG		•		Exterior Wind-Cold of excess type with stiff neck
	4	XIAO QING LONG TANG		•		Exterior Wind-Cold with congested Phlegm-Fluid in the LU
	5	XIANG SU SAN		•		Exterior Wind-Cold with interior Qi stagnation
[4]	6	JIU WEI QIANG HUO TANG				Exterior Wind-Cold-Damp with concurrent internal accumulation of Heat
[1]	7	SANG JU YIN	A	•		Exterior Wind-Heat causing cough; Wind-Heat causing eye disorders
	8	YIN QIAO SAN	A	•		Exterior Wind-Heat with Heat-Toxin; Toxic-Heat causing Boils and Sores
	9	CHAI GE JIE JI TANG	A	•		Exterior Wind-Cold (Taiyang) transforming into interior Heat (Yangming)
	10	SHENG MA GE GEN TANG		•		Early stage of rashes due to externally contracted Heat
	11	REN SHEN BAI DU SAN	A	•		Exterior Wind-Cold-Damp with interior Qi deficiency
	12	JIA JIAN WEI RUI TANG		•		Exterior Wind-Heat with Yin deficiency
	13	DA CHENG QI TANG	A	•		Yangming organ syndrome causing severe constipation
	14	XIAO CHENG QI TANG	A	•		Moderate Yangming organ syndrome causing constipation
	15	TIAO WEI CHENG QI TANG	A	•		Mild Yangming organ syndrome causing mild constipation
[2]	16	DA HUANG FU ZI TANG				Cold accumulation in the interior causing constipation
[2]	17	WEN PI TANG				Cold accumulation in the interior with SP Yang deficiency
	18	RUN CHANG WAN	A	•		Constipation due to Blood deficiency → Desiccated Intestines
	19	MA ZI REN WAN	A	•		Constipation due to Intestinal Dryness & Heat → Spleen Bind
	20	JI CHUAN JIAN		•		Constipation due to KD Yang deficiency
	21	XIAO CHAI HU TANG	A	•		Shaoyang syndrome
	22	HAO QIN QING DAN TANG				Damp-Heat and Phlegm in Shaoyang channels constraining the Wei/Ying Qi
	23	SI NI SAN	A	•		LV Qi stagnation overacting on the SP causing cold extremities (Yang Jue)
[3]	24	XIAO YAO SAN	A	•		LV Qi stagnation with LV Blood & SP Qi deficiency
ادا	25	TONG XIE YAO FANG		•		LV Qi stagnation overacting on the SP causing diarrhea with abdominal pain
	26	BAN XIA XIE XIN TANG	A	•		Pi syndrome due to Cold-Heat complex
	27	GAN CAO XIE XIN TANG		•		Pi syndrome due to severe ST Qi deficiency
	28	SHENG JIANG XIE XIN TANG		•		Pi syndrome due to Water-Heat complex
	29	BAI HU TANG	A	•		Excess Heat in the Yangming channel or Qi level
	30	ZHU YE SHI GAO TANG		•	•	Qi-level Heat injuring the Qi & Fluid
	31	QING YING TANG		•	-	Heat entering the Nutritive level
	32	XI JIAO DI HUANG TANG		•		Heat entering the Blood level
	33	HUANG LIAN JIE DU TANG	A	•		Fire-Toxin from excessive Heat in the Triple burners
	34	XIE XIN TANG	A	•		Excess Heat in the Triple burners
	35	PU JI XIAO DU YIN		•		Epidemic Toxin with Wind-Heat & Damp-Phlegm
	36	LIANG GE SAN		•		Heat and clumping in the diaphragm region
	37	QING WEN BAI DU YIN		•		Severe Fire in the Qi/Blood levels
	38	MA XING SHI GAN TANG		•		Heat lodged in the LU
	39	XIE BAI SAN		•		Constrained LU Heat causing wheezing
	40	TING LI DA ZAO XIE FEI TANG			_	LU abscess with phlegm in the chest
	41	XIE HUANG SAN		•		Smoldering Fire in the SP/ST
F 43	42	QING WEI SAN	A	•	_	ST Heat accumulation
[4]	43	YU NU JIAN		•		ST Heat with Yin deficiency
	44	DAO CHI SAN	A	•		HT Fire transferring to the SI
	45	LONG DAN XIE GAN TANG	A	•		LV Fire blazing up; LV/GB Damp-Heat invading downward
	46	ZUO JIN WAN		•	_	LV Fire burning ST causing LV & ST disharmony
	47	SHAO YAO TANG		•		LI Damp-Heat with Qi & Blood stagnation causing dysentery
	48	BAI TOU WENG TANG	<u> </u>	•	•	Dysentery due to Toxic-Heat in the ST & Intestine
	49	QING HAO BIE JIA TANG	A	•	•	Yin deficiency with Heat in the Ying level during later stage of febrile disease
	50	QING GU SAN		•	•	KD/LV Yin deficiency leading to Steaming Bone disorder
	51	QIN JIAO BIE JIA SAN			-	Pathogenic Wind penetrating the interior with preexisting Yin deficiency
	52	DANG GUI LIU HUANG TANG	A	•	-	Yin deficiency with Empty-Heat causing night sweats
	53	QING LUO YIN			•	Mild Summer-Heat injuring the Qi level of the LU channel
	54	XIANG RU SAN		•	_	Exterior Cold with Interior Damp contracted in the summer
	55	XIN JIA XIANG RU SAN			-	Severe Summer-Heat in the LU Taiyin with contraction of cold in the exterior
	56 57	LIU YI SAN QING SHU YI QI TANG		•		Summer-Heat with interior Damp Summer-Heat injuring the Qi and Fluids
	58	DANG GUI SI NI TANG				Cold in the channels with underlying Blood deficiency
	59	HUANG QI GUI ZHI WU WU TANG				Painful obstruction of the Blood
	60	LI ZHONG WAN	A	•		Deficiency-Cold of the SP/ST
	61	WU ZHU YU TANG	<u> </u>	•		Deficiency-Cold of the ST (Yangming), LV (Jueyin), and KD (Shaoyin)
[5]	62	XIAO JIAN ZHONG TANG	<u> </u>	•		SP Yang deficiency with Cold causing abdominal pain
	63	DA JIAN ZHONG TANG	<u> </u>	•		Middle Burner Yang deficiency (root) + Vigorous Yin-cold (manifestation)
	64	SI NI TANG	<u> </u>	•		KD Yang deficiency with Cold-Evil in Shaoyin stage (<i>Yin Jue</i>); Yang collapse
	65	HUI YANG JIU JI TANG	_	_		Exhausted Yang with pathogenic Cold in Taiyin, Shaoyin, and Jueyin
	66	DA CHAI HU TANG		•	÷	Concurrent Shaoyang with Yangming syndromes
	67	FANG FENG TONG SHENG SAN				Heat excess in both the exterior and interior
[6]	68	GE GEN HUANG LIAN HUANG QIN T.		•		Incompletely resolved exterior with interior excess Heat
	69	WU JI SAN				Externally-contracted Wind-Cold with Internal injury due to Cold

		r				1
	70	SI JUN ZI TANG	A	•		SP/ST Qi deficiency
	71	SHEN LING BAI ZHU SAN	A	•	•	SP Qi deficiency & Damp causing diarrhea
	72	BU ZHONG YI QI TANG	A	•		SP/ST Qi deficiency causing intermittent fever; SP Qi sinking
	73	YU PING FENG SAN	A	•		Wei Qi deficiency causing sweating
	74	SHENG MAI SAN	A	•		Concurrent Qi & Yin deficiency, primarily of the LU
	75	SI WU TANG	A	•		Blood deficiency + Blood stasis
	76	DANG GUI BU XUE TANG	A	•		Blood & Qi deficiency with floating Yang
	77	SHAO YAO GAN CAO TANG		•		Blood deficiency with injury to the Fluids
	78	BA ZHEN TANG	A	•	•	Qi & Blood deficiency
	79	SHI QUAN DA BU TANG	A	•		Qi & Blood deficiency with mild Deficiency-Cold
	80	REN SHEN YANG RONG TANG				HT/SP Qi & Blood deficiency with internal Heat and Dryness
	81	GUI PI TANG	A	•		SP Qi & HT Blood deficiency causing insomnia; SP Qi Not Controlling Blood
	82	ZHI GAN CAO TANG	_	•		Qi & Blood deficiency causing irregular pulse
	83	TAI SHAN PAN SHI SAN		•	_	Qi & Blood deficiency with unsecured Chong & Ren vessels
				_		, ,
[7]	84	LIU WEI DI HUANG WAN	A	•	-	KD & LV Yin deficiency
	85	DU QI WAN		•		Chronic wheezing disorders or spermatorrhea from KD deficiency
	86	QI JU DI HUANG WAN		•		Eye disorders due to LV & KD Yin deficiency
	87	ZHI BAI DI HUANG WAN				Empty-Heat due to KD & LV Yin deficiency
	88	ZUO GUI WAN	A	•	-	KD Yin/Essence deficiency for severe case (more potent)
	89	ZUO GUI YIN		•		KD Yin/Essence deficiency for moderate case (less potent)
	90	DA BU YIN WAN		•	•	Severe KD & LV Yin/Essence deficiency with Empty Heat
	91	YI GUAN JIAN		•	•	LV & KD Yin deficiency with mild LV Qi stagnation
	92	ER ZHI WAN		•		KD & LV Yin deficiency
	93	BAI HE GU JIN TANG	A	•		Internal Dryness of the LU
	94	JIN GUI SHEN QI WAN	A	•		KD Yang deficiency
	95	JI SHENG SHEN QI WAN				KD Yang deficiency with water accumulation
	96	YOU GUI WAN	A	•		KD Yang/Essence deficiency for severe case (more potent)
	97	YOU GUI YIN		•		KD Yang/Essence deficiency for moderate case (less potent)
	98	DI HUANG YIN ZI				KD Yin/Yang deficiency with Phlegm turbidity blocking the Orifices
	99	ER XIAN TANG		•		KD Yin/Yang deficiency with Empty-Fire
	100	MU LI SAN		•		Unstable protective Qi with injury to the HT Yin
	101	ZHEN REN YANG ZANG TANG		•		SP & KD Yang deficiency causing unremitting diarrhea
	102	SI SHEN WAN	_	•	-	
			<u> </u>		_	SP & KD Yang deficiency causing daybreak diarrhea
[8]		JIN SUO GU JING WAN	A	•	-	Spermatorrhea due to KD deficiency
	104	SANG PIAO XIAO SAN		•		Qi deficiency of the KD & HT
		SHOU TAI WAN		•		KD deficiency leading to instability of the Chong & Ren channels
	106	GU JING WAN	A	•		Constrained LV Fire injuring Chong & Ren causing Beng Lou syndrome
	107	WAN DAI TANG	A	•		Leukorrhea due to Dai/SP deficiency with Damp & Qi stagnation
	108	TIAN WANG BU XIN DAN		•		HT & KD Yin deficiency with Empty-Fire
	109	BAI ZI YANG XIN TANG				HT & KD Yin deficiency with Blood deficiency
	110	SUAN ZAO REN TANG	A	•		LV Blood & HT Yin deficiency with Empty-Heat
[9]	111	HUANG LIAN E JIAO TANG	A	•		Fire from Yin deficiency affecting Spirit
	112	GAN MAI DA ZAO TANG	A	•		HT Yin deficiency with LV Qi stagnation causing Zang Zao disorder
		ZHU SHA AN SHEN WAN	_	_		Vigorous HT Fire injuring the Blood and Yin
		CI ZHU WAN				Ascendant HT Yang with lack of communication between the HT & KD
		YUE JU WAN	A	•		Six Stagnations of Qi, Blood, Phlegm, Damp, Fire and Food
	116	CHAI HU SHU GAN SAN	_	•	-	LV Qi stagnation causing pain
	117	ZHI SHI XIE BAI GUI ZHI TANG		_		Painful obstruction of the chest with severe clumping of Qi
		BAN XIA HOU PO TANG	A			LV Qi & Phlegm stagnation lodging in the throat causing Plum-pit syndrome
			_	•		
		HOU PO WEN ZHONG TANG		_		Damp-Cold injuring the SP & ST
		LIANG FU WAN		•		LV Qi stagnation with ST Cold causing pain
[10]		JIN LING ZI SAN		•		Pain due to LV stagnation with Heat
[-5]	122	TIAN TAI WU YAO SAN		•		Cold invading the LV channel causing Qi stagnation
				•		Cold from LV & KD deficiency
	124	SU ZI JIANG QI TANG	A	•	•	LU Cold-Phlegm (excess above) with KD Yang deficiency (deficiency below)
	125	DING CHUAN TANG		•		Internal LU Phlegm-heat with external Wind-Cold causing rebellious LU Qi
	126	XUAN FU DAI ZHE TANG		•	•	Rebellious ST Qi due to ST deficiency with Damp-Phlegm
		JU PI ZHU RU TANG	A	•		Rebellious ST Qi due to ST deficiency with Heat
		DING XIANG SHI DI TANG		•		Rebellious ST Qi due to ST Deficiency-Cold
			A	•	-	Accumulation of Blood stasis & Heat in the Lower burner
		XUE FU ZHU YU TANG	_	•		Blood stasis with Qi stagnation in the chest
		GE XIA ZHU YU TANG	-			Blood stasis with Qi stagnation in the Epigastrium
				•		
		SHAO FU ZHU YU TANG		•		Blood stasis with Cold stagnation in the Lower Abdomen
		SHEN TONG ZHU YU TANG		•		Blood stasis with Qi stagnation in the Channels/Collaterals
	134	BU YANG HUAN WU TANG		•	•	Hemiplegia due to Qi/Blood stagnation in the channels with Qi deficiency
[11]		FU YUAN HUO XUE TANG		•		Blood stasis & Qi stagnation in the trunk due to trauma
	136	WEN JING TANG	A	•		Chong & Ren Deficiency-Cold with Blood stasis causing irregular menstruation
	137	SHENG HUA TANG	A	•		Blood & Cold stagnation causing postpartum lochial retention
	138	GUI ZHI FU LING WAN	A	•		Blood stasis in the uterus during pregnancy
	139	SHI XIAO SAN		•	•	Blood stasis in the lower abdomen causing pain
	140	DAN SHEN YIN	A	•		Blood & Qi stagnation in the Upper/Middle burners causing chest pain
	141	BIE JIA JIAN WAN				Malaria with splenomegaly due to Qi/Yang def., Qi/Blood stag., Damp-Phlegm
	141	DIE JIA JIAN WAN				$_{\parallel}$ istatana with spicifolitegaly due to Qi/Talig del., Qi/Di000 Stag., Damp-Phlegm

		SHI HUI SAN		•	•	Acute bleeding due to LV & ST Fire with Blood Heat
	143		\square			LV Fire attacking and scorching the LU
		XIAO JI YIN ZI		•	•	Heat causing urinary bleeding
		HUAI HUA SAN	A	•	•	Rectal bleeding due to LI Wind-Heat or Damp-Heat Toxin
		HUANG TU TANG			•	Bleeding due to SP Yang deficiency
		JIAO AI TANG	A	•		Uterine bleeding due to Chong & Ren Deficiency-Cold with Blood deficiency
	148			•		Headache from exterior Wind
	149			•	•	Wind causing nasal congestion or discharge
		XIAO HUO LUO DAN	A	•		Wind-Phlegm obstruction with Blood stasis in the channels & collaterals
	151					Channel-stroke from Wind-Phlegm with symptoms confined to the head/face
[12]		XIAO FENG SAN	A	•	•	Wind-Damp-Heat in the skin causing pruritis
	153			•		Heat from excess in the LV channel generating internal Wind
		ZHEN GAN XI FENG TANG	A	•	•	LV Yang rising & internal Wind due to LV & KD Yin deficiency
		TIAN MA GOU TENG YIN	A	•	•	LV Yang rising; LV Yang rising causing Internal Wind
	156				•	Internal stirring of Wind due to Yin deficiency
		XING SU SAN	A	•	•	Cool-Dryness
	158			•	•	Warm-Dryness
	159			•	•	Dryness attacking the LU
[13]	160		A	•	•	LU/ST Qi & Yin deficiency
		YANG YIN QING FEI TANG			•	Diphtherial disorder due to Yin deficiency and internal clumping of Heat
		YU YE TANG			•	Xiao Ke syndrome due to deficiency of the primal Qi
		ZENG YE TANG			•	Constipation due to exhaustion of the Fluids
		PING WEI SAN	<u> </u>	•	•	Damp-Cold stagnation in the SP/ST
	165		A	•		Damp stagnation in the Middle burner + External Wind-Cold
	166					Early-stage Damp-Warmth disease affecting Wei/Qi levels (Damp > Heat)
	167				_	Early-stage Damp-Warmth disease affecting Qi level (Damp = Heat)
	168			•	•	Jaundice due to LV/GB Damp-Heat
	169		A	•	•	Damp-Heat clumping in the Lower burner
	170			•	•	Damp-Heat lodging in Lower burner
	171		A	•		Water-Damp retention marked by edema; Taiyang Fu syndrome
		ZHU LING TANG	A	•	•	Water & Heat retention in the UB with Yin injury
[14]		WU PI SAN	A	•	•	SP Qi deficiency with excessive Damp causing skin edema (Pi Shui)
		FANG JI HUANG QI TANG				Wind-Water syndrome due to Qi deficiency at the exterior
		LING GUI ZHU GAN TANG		•		LU Damp-Phlegm or Phlegm-fluid (<i>Tan Yin</i>) syndrome
		ZHEN WU TANG	A	•	•	KD & SP Yang deficiency causing Water retention
	177			•	•	Yin edema due to SP & KD Yang deficiency
		BI XIE FEN QING YIN		•		Cloudy urination due to KD Yang Deficiency-Cold
		QIANG HUO SHENG SHI TANG		•	•	Acute Bi syndrome due to Wind-Damp in the channel and muscle layer
	180	JUAN BI TANG	A	•		Acute Bi syndrome due to Wind-Cold-Damp
	181			•	•	Chronic Bi syndrome with LV/KD deficiency & Qi/Blood deficiency
	182	GUI ZHI SHAO YAO ZHI MU TANG		•		Recurrent painful obstruction with localized Heat
	183	ER CHEN TANG	A	•		Damp-Phlegm syndrome in the Middle burner or LU
	184	WEN DAN TANG	A	•		GB & ST disharmony with Phlegm-Heat
	185	QING QI HUA TAN WAN	A	•		LU Phlegm-Heat causing cough
		XIAO XIAN XIONG TANG				Clumping in the chest due to Phlegm and Heat in the epigastrium
	187					Combination of excessive Heat and chronic phlegm
[15]	188		A	•	•	LU Dry-Phlegm causing cough
		LING GAN WU WEI JIANG XIN TANG				Cold-type thin mucus due to Yang deficiency and Yin excess
	190	SAN ZI YANG QIN TANG		•	•	LU Phlegm-Cold with Qi stagnation
	191		A	•	•	Internal Wind-Phlegm rising upward causing dizziness/vertigo
	192					Seizure disorder arising from a combination of Wind and Phlegm
	193	ZHI SOU SAN	A	•	•	External Wind attacking the LU causing cough
	194		A	•	•	Food retention in the Middle burner
		ZHI SHI DAO ZHI WAN				Accumulation of food that transforms into Damp-Heat
	196					Accumulation of food obstructing the Middle burner or dysenteric diarrhea
[16]	197					Childhood nutritional impairment from an accumulation of parasites
		JIAN PI WAN				SP/ST deficiency with food accumulation and interior Heat accumulation
		ZHI ZHU WAN	\vdash		-	SP/ST deficiency with food stagnation
[17]	200	ZHI SHI XIAO PI WAN WU MEI WAN	\vdash		-	SP deficiency and Qi stagnation with mutual clumping of Heat and Cold Roundworms characterized by Heat in the ST and Cold in the Intestines
[1/]		XIAN FANG HUO MING YIN	\vdash			Early onset of sores and abscesses from Toxic-Heat & Blood stasis
	202		\vdash	•		All types of boils and carbuncles due to accumulation of Toxic-Heat
		SI MIAO YONG AN TANG	\vdash	_		Ulcerated sores or gangrene due to Toxic-Heat leading to Blood stasis
[18]		YANG HE TANG	\vdash	•		Yin-type (deep-rooted) localized swelling due to Blood & Yang deficiency
[20]	206		\vdash	•		Lung abscesses from Toxic-Heat accompanied by Phlegm and Blood stasis
	207		\vdash	_		Early-stage Intestinal abscess due to interior clumping of Heat and Blood
		YI YI FU ZI BAI JIANG SAN	\vdash			Intestinal abscess where pus has already formed
	200	II II IO ZI DAI JIANG JAN			_	intestinal absects where pus has already formed