

| |
|------------------------|
| HERB CATEGORIES |
|------------------------|

| BENSKY CHAPTERS | SUBCATEGORIES |
|-----------------------------------------|----------------------------|
| CH1. RELEASE THE EXTERIOR | 1. DISPERSE WIND-COLD |
| | 2. DISPERSE WIND-HEAT |
| CH2. CLEAR HEAT | 3. CLEAR & PURGE HEAT |
| | 4. CLEAR BLOOD-HEAT |
| | 5. CLEAR DAMP-HEAT |
| | 6. CLEAR TOXIC-HEAT |
| | 7. CLEAR DEFICIENCY-HEAT |
| CH3. DOWNWARD-DRAINING | 8. PURGATIVES |
| | 9. LAXATIVES |
| | 10. CATHARTICS |
| CH4. DRAIN DAMPNESS | 11. DRAIN DAMP |
| CH5. DISPEL WIND-DAMPNESS | 12. DISPEL WIND-DAMP |
| CH6. TRANSFORM PHLEGM AND STOP COUGHING | 13. DISSOLVE HOT-PHLEGM |
| | 14. DISSOLVE COLD-PHLEGM |
| | 15. STOP COUGH & WHEEZING |
| CH7. AROMATICS THAT TRANSFORM DAMPNESS | 16. AROMATICS FOR DAMP |
| CH8. RELIEVE FOOD STAGNATION | 17. DIGESTIVES |
| CH9. REGULATE QI | 18. REGULATE QI |
| CH10. REGULATE BLOOD | 19. STOP BLEEDING |
| | 20. ACTIVATE BLOOD |
| CH11. WARM THE INTERIOR AND EXPEL COLD | 21. WARM INTERIOR |
| | 22. QI TONICS |
| CH12. TONIFYING HERBS | 23. BLOOD TONICS |
| | 24. YANG TONICS |
| | 25. YIN TONICS |
| CH13. STABILIZE AND BIND | 26. ASTRINGENTS |
| CH14. CALM THE SPIRIT | 27. ANCHOR & CALM SHEN |
| | 28. NOURISH & CALM SHEN |
| CH15. AROMATICS THAT OPEN THE ORIFICES | 29. AROMATICS FOR ORIFICES |
| CH16. EXTINGUISH WIND AND STOP TREMORS | 30. EXTINGUISH LIVER WIND |
| CH17. EXPEL PARASITES | 31. EXPEL PARASITES |
| CH18. TOPICAL APPLICATION | 32. EXTERNAL USE |
| CH19. OBSOLETE SUBSTANCES | 33. OBSOLETE SUBSTANCES |

HERB LIST CALE + NCCAOM + PAN-CANADIAN

| PINYIN | CN/KR | C | N | P | LATIN | ENGLISH |
|----------------------------------|----------|---|---|---|--------------------------------|----------------------|
| 1. DISPERSE WIND-COLD | | | | | | |
| MA HUANG | 麻黃(마황) | | ● | ■ | Ephedrae Herba | ephedra stem |
| GUI ZHI | 桂枝(계지) | ▲ | ● | ■ | Cinnamomi Ramulus | cinnamon twig |
| ZI SU YE | 紫蘇葉(자소엽) | ▲ | ● | ■ | Perillae Folium | perilla leaf |
| JING JIE | 荊芥(형개) | ▲ | ● | ■ | Schizonepetae Herba | schizonepeta |
| FANG FENG | 防風(방풍) | ▲ | ● | ■ | Saposhnikoviae Radix | siler |
| QIANG HUO | 羌活(강활) | ▲ | ● | ■ | Notopterygii Rhizoma seu Radix | notopterygium root |
| GAO BEN | 藁本(고본) | ▲ | ● | ■ | Ligustici Rhizoma | chinese lovage root |
| BAI ZHI | 白芷(백지) | ▲ | ● | ■ | Angelicae Dahuricae Radix | angelica root |
| XI XIN | 細辛(세신) | | | ■ | Asari Herba | chinese wild ginger |
| SHENG JIANG | 生薑(생강) | ▲ | ● | ■ | Zingiberis Rhizoma Recens | fresh ginger |
| XIANG RU | 香薷(향유) | ▲ | ● | ■ | Moslae Herba | aromatic madder |
| CANG ER ZI | 蒼耳子(창이자) | ▲ | ● | ■ | Xanthii Fructus | xanthium fruit |
| XIN YI HUA | 辛夷花(신이화) | ▲ | ● | ■ | Magnoliae Flos | magnolia flower |
| 2. DISPERSE WIND-HEAT | | | | | | |
| BO HE | 薄荷(박하) | ▲ | ● | ■ | Menthae Haplocalycis Herba | field mint |
| NIU BANG ZI | 牛蒡子(우방자) | ▲ | ● | ■ | Arctii Fructus | burdock fruit |
| CHAN TUI | 蟬蛻(선태) | ▲ | ● | ■ | Cicadae Periostracum | cicada moulting |
| SANG YE | 桑葉(상엽) | ▲ | ● | ■ | Mori Folium | mulberry leaf |
| JU HUA | 菊花(국화) | ▲ | ● | ■ | Chrysanthemi Flos | chrysanthemum flower |
| MAN JING ZI | 蔓荊子(만형자) | ▲ | ● | ■ | Vitidis Fructus | vitex fruit |
| DAN DOU CHI | 淡豆豉(담두시) | ▲ | ● | ■ | Sojae Semen Preparatum | prepared soybean |
| MU ZEI | 木賊(목적) | ▲ | ● | | Equiseti Hiemalis herba | scouring rush |
| GE GEN | 葛根(갈근) | ▲ | ● | ■ | Puerariae Radix | kudzu root |
| CHAI HU | 柴胡(사호) | ▲ | ● | ■ | Bupleuri Radix | hare's ear root |
| SHENG MA | 升麻(승마) | ▲ | ● | ■ | Cimicifugae Rhizoma | bugbane rhizome |
| 3. CLEAR & PURGE HEAT | | | | | | |
| SHI GAO | 石膏(석고) | ▲ | ● | ■ | Gypsum Fibrosum | gypsum |
| ZHI MU | 知母(지모) | ▲ | ● | ■ | Anemarrhenae Rhizoma | anemarrhena rhizome |
| ZHI ZI | 梔子(차자) | ▲ | ● | ■ | Gardeniae Fructus | gardenia fruit |
| DAN ZHU YE | 淡竹葉(담죽엽) | ▲ | ● | ■ | Lophatheri Herba | lophatherum |
| XIA KU CAO | 夏枯草(하고초) | ▲ | ● | ■ | Prunellae Spica | selfheal spike |
| LU GEN | 蘆根(노근) | ▲ | ● | ■ | Phragmitis Rhizoma | reed rhizome |
| TIAN HUA FEN | 天花粉(천화분) | ▲ | ● | ■ | Trichosanthis Radix | trichosanthes root |
| JUE MING ZI | 決明子(결명자) | ▲ | ● | ■ | Cassiae Semen | cassia seed |
| 4. CLEAR BLOOD-HEAT | | | | | | |
| SHUI NIU JIAO | 水牛角(수우각) | ▲ | ● | ■ | Bubali Cornu | water buffaloo horn |
| SHENG DI HUANG | 生地黃(생지황) | ▲ | ● | ■ | Rehmanniae Radix | rehmannia root |

| | | | | | | |
|---------------------------------|--------------|---|---|---|----------------------------|---------------------------|
| XUAN SHEN | 玄參(현삼) | ▲ | ● | ■ | Scrophulariae Radix | figwort root |
| MU DAN PI | 牡丹皮(목단피) | ▲ | ● | ■ | Moutan Cortex | tree peony bark |
| ZI CAO | 紫草(자초) | | | ■ | Arnebiae/Lithospermi Radix | lithospermum root |
| 5. CLEAR DAMP-HEAT | | | | | | |
| HUANG QIN | 黃芩(황금) | ▲ | ● | ■ | Scutellariae Radix | scute |
| HUANG LIAN | 黃連(황련) | ▲ | ● | ■ | Coptidis Rhizoma | coptis root |
| HUANG BAI | 黃柏(황백) | ▲ | ● | ■ | Phellodendri Cortex | amur cork-tree bark |
| LONG DAN CAO | 龍膽草(용담초) | ▲ | ● | ■ | Gentianae Radix | gentiana |
| KU SHEN | 苦參(고삼) | ▲ | ● | ■ | Sophorae Flavescens Radix | sophora root |
| QIN PI | 秦皮(진피) | ▲ | ● | ■ | Fraxini Cortex | ash bark |
| 6. CLEAR TOXIC-HEAT | | | | | | |
| JIN YIN HUA | 金銀花(금은화) | ▲ | ● | ■ | Lonicerae Flos | honeysuckle flower |
| LIAN QIAO | 連翹(연교) | ▲ | ● | ■ | Forsythiae Fructus | forsythia fruit |
| DA QING YE | 大青葉(대청엽) | | | ■ | Isatidis Folium | isatidis leaf |
| BAN LAN GEN | 板藍根(판남근) | ▲ | ● | ■ | Isatidis Radix | isatidis root |
| QING DAI | 靑黛(청대) | | | ■ | Indigo naturalis | indigo |
| PU GONG YING | 浦公英(포공영) | ▲ | ● | ■ | Taraxaci Herba | dandelion |
| ZI HUA DI DING | 紫花地丁(자화지정) | | | ■ | Viola Herba | violet |
| YE JU HUA | 野菊花(야국화) | | ● | | Chrysanthemi indici Flos | wild chrysanthemum flower |
| SI GUA LUO | 絲瓜絡(사과락) | | | ■ | Luffae Fructus Retinervus | loofah |
| BAI JIANG CAO | 敗醬草(패장초) | ▲ | ● | ■ | Patriniae Herba | patrinia |
| YU XING CAO | 魚腥草(어성초) | | ● | ■ | Houttuyniae Herba | houத்துynia |
| BAI HUA SHE SHE CAO | 白花蛇舌草(백화사설초) | | ● | ■ | Hedyotis diffusa Herba | heydyotis, oldenlandia |
| BAI TOU WENG | 白頭翁(백두옹) | ▲ | ● | ■ | Pulsatillae Radix | pulsatilla |
| HE YE | 荷葉(하엽) | ▲ | ● | | Nelumbinis Folium | lotus leaf |
| LU DOU | 綠豆(녹두) | | ● | | Phaseoli raiati Semen | mung bean |
| HONG TENG | 紅藤(홍등) | | | ■ | Sargentodoxae Caulis | sargentodoxa vine |
| BAI XIAN PI | 白鮮皮(백선피) | | ● | ■ | Dictamni Cortex | dictamnus root bark |
| TU FU LING | 土茯苓(토복령) | ▲ | ● | ■ | Smilacis Glabrae Rhizoma | smilax |
| MA BO | 馬勃(마밭) | | ● | | Lasio-sphaera/Calvatia | puffball |
| SHAN DOU GEN | 山豆根(산두근) | ▲ | ● | ■ | Sophorae Tonkinensis Radix | bushy sophora |
| SHE GAN | 射干(사간) | ▲ | ● | ■ | Belamcandae Rhizoma | blackberry lily rhizome |
| 7. CLEAR DEFICIENCY-HEAT | | | | | | |
| QING HAO | 靑蒿(청호) | ▲ | ● | ■ | Artemisiae Annuae Herba | sweet wormwood |
| DI GU PI | 地骨皮(지골피) | ▲ | ● | ■ | Lycii Cortex | wolfberry root bark |
| BAI WEI | 白薇(백미) | ▲ | ● | ■ | Cynanchi Atrati Radix | swallowwort root |
| YIN CHAI HU | 銀柴胡(은시호) | | | ■ | Stellariae Radix | stellaria root |
| HU HUANG LIAN | 胡黃蓮(호황련) | | | ■ | Picrorhizae Rhizoma | picrorhiza rhizoma |
| 8. PURGATIVES | | | | | | |
| DA HUANG | 大黃(대황) | ▲ | ● | ■ | Rhei Radix et Rhizoma | rhubarb root |
| MANG XIAO | 芒硝(망초) | ▲ | ● | ■ | Natrii Sulfas | mirabilite |

| | | | | | | |
|-----------------------------|-----------|---|---|---|-------------------------------|-------------------------|
| FAN XIE YE | 番瀉葉(번사엽) | | ● | ■ | Sennae Folium | senna leaf |
| LU HUI | 蘆薈(노회) | ▲ | ● | ■ | Aloe | aloe |
| 9. LAXATIVES | | | | | | |
| HUO MA REN | 火麻仁(화마인) | ▲ | ● | ■ | Cannabis Semen | hemp seeds |
| YU LI REN | 郁李仁(육리인) | | | ■ | Pruni Semen | bush cherry pit |
| 10. CATHARTICS | | | | | | |
| GAN SUI | 甘遂(감수) | | | ■ | Kansui Radix | kan-sui root |
| DA JI | 大戟(대극) | ▲ | | ■ | Euphorbiae Pekinensis Radix | euphorbia root |
| YUAN HUA | 芫花(원화) | | | ■ | Genkwa Flos | genkwa flower |
| 11. DRAIN DAMP | | | | | | |
| FU LING | 茯苓(복령) | ▲ | ● | ■ | Poria | poria |
| ZHU LING | 豬苓(저령) | ▲ | ● | ■ | Polyporus | polyporus |
| ZE XIE | 澤瀉(택사) | ▲ | ● | ■ | Alismatis Rhizoma | water plantain |
| YI YI REN | 薏苡仁(यी이인) | ▲ | ● | ■ | Coicis Semen | coix seed |
| CHE QIAN ZI | 車前子(차전자) | ▲ | ● | ■ | Plantaginis Semen | plantago seed |
| HUA SHI | 滑石(활석) | ▲ | ● | ■ | Talcum | talc |
| MU TONG | 木通(목통) | ▲ | ● | ■ | Akebiae Caulis | akebia caulis |
| CHUAN MU TONG | 川木通(천목통) | ▲ | | | Clematidis Armandii Caulis | clematidis caulis |
| TONG CAO | 通草(통초) | | ● | ■ | Tetrapanacis Medulla | rice paper plant pith |
| DENG XIN CAO | 燈心草(등심초) | ▲ | ● | | Junci Medulla | juncus pith |
| QU MAI | 瞿麥(구맥) | ▲ | ● | ■ | Dianthi Herba | lilac pink |
| BIAN XU | 篇蓄(편축) | ▲ | ● | ■ | Polygoni Avicularis Herba | knotgrass |
| SHI WEI | 石葦(석위) | ▲ | ● | ■ | Pyrrosiae Folium | pyrrosia leaf |
| DI FU ZI | 地膚子(지부자) | ▲ | ● | ■ | Kochiae Fructus | broom cypress fruit |
| DONG GUA ZI | 冬瓜子(동과자) | ▲ | ● | | Benincasae Semen | winter melon seed |
| DONG GUA PI | 冬瓜皮(동과피) | | | ■ | Benincasae Exocarpium | winter melon rind |
| DONG KUI ZI | 冬葵子(동규자) | ▲ | ● | ■ | Malvae Fructus | mallow fruit |
| BI XIE | 萆薢(비해) | ▲ | ● | ■ | Dioscoreae Hypoglaucæ Rhizoma | tokoro |
| JIN QIAN CAO | 金錢草(금전초) | | | ■ | Lysimachiae Herba | lysimachia |
| HAI JIN SHA | 海金沙(해금사) | | | ■ | Lygodii Spora | lygodium spore |
| CHI XIAO DOU | 赤小豆(적소두) | | | ■ | Phaseoli Semen | adzuki bean |
| YIN CHEN | 茵陳(인진) | ▲ | ● | ■ | Artemisiae Scopariae Herba | virgate wormwood |
| HAN FANG JI | 漢防己(한방기) | ▲ | ● | ■ | Stephaniae Tetrandrae Radix | stephania root |
| BAN BIAN LIAN | 半邊蓮(반변련) | | | ■ | Lobeliae Chinensis Herba | chinese lobelia |
| YU MI XU | 玉米鬚(옥미수) | | | ■ | Maydis Stigma | cornsilk |
| SHENG JIANG PI | 生薑皮(생강피) | ▲ | ● | | Zingiberis Rhizomatis Cortex | peel of fresh ginger |
| 12. DISPEL WIND-DAMP | | | | | | |
| DU HUO | 獨活(독활) | ▲ | ● | ■ | Angelicae Pubescentis Radix | pubescent angelica root |
| WEI LING XIAN | 威靈仙(위령선) | ▲ | ● | ■ | Clematidis Radix | clematis root |
| HAI TONG PI | 海桐皮(해동피) | ▲ | ● | | Erythrinae Cortex | coral-bean bark |
| MU GUA | 木瓜(목과) | ▲ | ● | ■ | Chaenomelis Fructus | chinese quince fruit |

| | | | | | | |
|--------------------------------------|----------|---|---|---|--------------------------------|---------------------------|
| CAN SHA | 蠶砂(잠사) | | | ■ | Bombycis Faeces | silkworm feces |
| SANG JI SHENG | 桑寄生(상기생) | ▲ | ● | ■ | Taxilli Herba | mulberry mistletoe |
| WU JIA PI | 五加皮(오가피) | ▲ | ● | ■ | Acanthopanax Cortex | acanthopanax root bark |
| QIN JIAO | 秦艽(진교) | ▲ | ● | ■ | Gentianae Macrophyllae Radix | gentiana macrophylla root |
| SANG ZHI | 桑枝(상지) | ▲ | ● | ■ | Mori Ramulus | mulberry twig |
| XI XIAN CAO | 豨薟草(희렴초) | ▲ | ● | ■ | Siegesbeckiae Herba | siegesbeckia |
| BAI HUA SHE | 白花蛇(백화사) | ▲ | ● | | Agkistrodon/Bungarus | multibanded krati |
| 13. DISSOLVE HOT-PHLEGM | | | | | | |
| QIAN HU | 前胡(전호) | ▲ | ● | ■ | Peucedani Radix | hog-fennel root |
| CHUAN BEI MU | 川貝母(천패모) | ▲ | ● | ■ | Fritillariae Cirrhosae Bulbus | sichuan fritillaria bulb |
| ZHE BEI MU | 浙貝母(절패모) | ▲ | ● | ■ | Fritillariae Thunbergii Bulbus | zhejiang fritillaria bulb |
| GUA LOU | 瓜蒌(과루) | | ● | ■ | Trichosanthis Fructus | trichosanthes fruit |
| GUA LOU PI | 瓜蒌皮(과루피) | ▲ | ● | | Trichosanthis Pericarpium | trichosanthes peel |
| GUA LOU REN | 瓜蒌仁(과루인) | ▲ | ● | | Trichosanthis Semen | trichosanthes seed |
| ZHU RU | 竹茹(죽어) | ▲ | ● | ■ | Bambusae Caulis in Taeniam | bamboo shavings |
| FU HAI SHI | 浮海石(부해석) | | | ■ | Pumex | pumice |
| HAI GE KE | 海蛤殼(해합각) | | | ■ | Meretricis/Cyclinae Concha | clam shell |
| KUN BU | 昆布(곤포) | | | ■ | Eckloniae Thallus | kelp |
| HAI ZAO | 海藻(해조) | ▲ | ● | ■ | Sargassum | seaweed |
| HUANG YAO ZI | 黃藥子(황약자) | | | ■ | Dioscoreae Bulbiferae Rhizoma | dioscorea bulbifera tuber |
| DAN NAN XING | 膽南星(담남성) | ▲ | ● | | Arisaema Cum Bile | bile-prepared Arisaema |
| 14. DISSOLVE COLD-PHLEGM | | | | | | |
| BAN XIA | 半夏(반하) | ▲ | ● | ■ | Pinelliae Rhizoma | pinellia |
| TIAN NAN XING | 天南星(천남성) | ▲ | ● | ■ | Arisaematis Rhizoma | jack-in-the-pulpit |
| BAI FU ZI | 白附子(백부자) | | | ■ | Typhonii Rhizoma | typhonium rhizome |
| BAI JIE ZI | 白芥子(백개자) | ▲ | ● | ■ | Sinapis Semen | white mustard seed |
| ZAO JIAO CI | 皂角子(조각자) | | | ■ | Gleditsiae Spina | gleditsia thorn |
| JIE GENG | 桔梗(길경) | ▲ | ● | ■ | Platycodi Radix | balloon flower root |
| XUAN FU HUA | 旋覆花(선복화) | ▲ | ● | ■ | Inulae Flos | inula flower |
| BAI QIAN | 白前(백전) | ▲ | ● | ■ | Cynanchi Stauntonii Rhizoma | swallow wort rhizome |
| 15. STOP COUGH & WHEEZING | | | | | | |
| XING REN | 杏仁(행인) | ▲ | ● | ■ | Armeniaca Semen Amarum | apricot kernel |
| ZI WAN | 紫菀(자완) | ▲ | ● | ■ | Asteris Radix | aster root |
| KUAN DONG HUA | 款冬花(관동화) | | ● | ■ | Farfarae Flos | tussilago flower |
| ZI SU ZI | 紫蘇子(자소자) | ▲ | ● | ■ | Perillae Fructus | perilla fruit |
| PI PA YE | 枇杷葉(비파엽) | ▲ | ● | ■ | Eriobotryae Folium | loquat leaf |
| BAI BU | 百部(백부) | ▲ | ● | ■ | Stemonae Radix | stemona root |
| SANG BAI PI | 桑白皮(상백피) | ▲ | ● | ■ | Mori Cortex | mulberry root bark |
| TING LI ZI | 葶藶子(정력자) | | | ■ | Lepidii/Descurainiae Semen | tingli seed |
| 16. AROMATICS FOR DAMP | | | | | | |
| CANG ZHU | 蒼朮(창술) | ▲ | ● | ■ | Atractylodis Rhizoma | atractylodes rhizome |

| | | | | | | |
|--------------------------|----------|---|---|---|--------------------------------------|--------------------------|
| HOU PO | 厚朴(후박) | ▲ | ● | ■ | Magnoliae Officinalis Cortex | magnolia bark |
| HUO XIANG | 藿香(곽향) | ▲ | ● | ■ | Pogostemonis/Agastaches Herba | patchouli |
| PEI LAN | 佩蘭(패란) | | | ■ | Eupatorii Herba | eupatorium |
| SHA REN | 砂仁(사인) | ▲ | ● | ■ | Amomi Fructus | grains-of-paradise fruit |
| BAI DOU KOU | 白豆蔻(백두구) | ▲ | ● | ■ | Amomi Fructus Rotundus | round cardamon |
| CAO DOU KOU | 草豆蔻(초두구) | ▲ | ● | ■ | Alpiniae Katsumadai Semen | katsumada galangal seed |
| CAO GUO | 草果(초과) | ▲ | ● | ■ | Tsaoko Fructus | tsaoko fruit |
| 17. DIGESTIVES | | | | | | |
| SHAN ZHA | 山楂(산사) | ▲ | ● | ■ | Crataegi Fructus | hawthorn fruit |
| SHEN QU | 神麴(신곡) | ▲ | ● | ■ | Massa medicata Fermentata | medicated leaven |
| MAI YA | 麥芽(맥아) | ▲ | ● | ■ | Hordei Fructus Germinatus | barley sprout |
| GU YA | 穀芽(곡아) | ▲ | ● | ■ | Setariae Fructus Germinatus | grain sprout |
| LAI FU ZI | 萊菔子(내복자) | ▲ | ● | ■ | Raphani Semen | radish seed |
| JI NEI JIN | 雞內金(계내금) | ▲ | ● | ■ | Gigeriae Galli Endothelium Corneum | chicken gizzard |
| 18. REGULATE QI | | | | | | |
| CHEN PI (JU PI) | 陳皮(진피) | ▲ | ● | ■ | Citri Reticulatae Pericarpium | tangerine peel |
| JU HONG | 橘紅(글홍) | ▲ | ● | | Citri Reticulatae Exocarpium Rubrum | tangerine flavedo |
| JU HE | 橘核(글핵) | | | ■ | Citri Reticulatae Semen | tangerine seed |
| QING PI | 青皮(청피) | ▲ | ● | ■ | Citri Reticulatae Viride Pericarpium | immature tangerine peel |
| ZHI SHI | 枳實(지실) | ▲ | ● | ■ | Aurantii Fructus Immaturus | immature bitter orange |
| ZHI KE | 枳殼(지각) | ▲ | ● | ■ | Aurantii Fructus | bitter orange |
| FO SHOU | 佛手(불수) | | ● | ■ | Citri Sarcodactylis Fructus | Buddha's hand |
| DA FU PI | 大腹皮(대복피) | ▲ | ● | ■ | Arecae Pericarpium | areca husk |
| XIANG FU | 香附(향부) | ▲ | ● | ■ | Cyperi Rhizoma | cyperus |
| MU XIANG | 木香(목향) | | ● | ■ | Aucklandiae Radix | saussurea |
| WU YAO | 烏藥(오약) | ▲ | ● | ■ | Linderae Radix | lindera root |
| CHEN XIANG | 沈香(침향) | ▲ | ● | ■ | Aquilariae Lignum Resinatum | aquilaria wood |
| TAN XIANG | 檀香(단향) | ▲ | ● | ■ | Santali Albi Lignum | sandalwood |
| XIE BAI | 薤白(해백) | | ● | ■ | Allii Macrostemi Bulbus | garlic chives |
| MEI GUI HUA | 玫瑰花(매괴화) | | ● | | Rosae Rugosae Flos | chinese Rose bud |
| CHUAN LIAN ZI | 川楝子(천련자) | ▲ | ● | ■ | Toosendan Fructus | sichuan chinaberry |
| LI ZHI HE | 荔枝核(여지핵) | | | ■ | Litchi Semen | leechie nut |
| SHI DI | 柿蒂(시체) | | | ■ | Kaki Calyx | persimmon calyx |
| 19. STOP BLEEDING | | | | | | |
| SAN QI | 三七(삼칠) | ▲ | ● | ■ | Notoginseng Radix | pseudoginseng |
| PU HUANG | 蒲黃(포황) | ▲ | ● | ■ | Typhae Pollen | cattail pollen |
| QIAN CAO | 茜草(천초) | ▲ | ● | ■ | Rubiae Radix | madder root |
| DA JI | 大薊(대계) | | ● | ■ | Cirsii Japonici Herba sive Radix | large thistle |
| XIAO JI | 小薊(소계) | | ● | ■ | Cirsii Herba | small thistle |
| DI YU | 地榆(지유) | ▲ | ● | ■ | Sanguisorbae Radix | garden burnet root |

| | | | | | | |
|-----------------------------------------|------------|---|---|---|-----------------------------------|---------------------------|
| HUAI HUA | 槐花(괴화) | ▲ | ● | ■ | Sophorae Flos Immaturus | pagoda tree bud |
| CE BAI YE | 側柏葉(측백엽) | ▲ | ● | ■ | Platycladi Cacumen | chinese arborvitae |
| BAI MAO GEN | 白茅根(백모근) | ▲ | ● | ■ | Imperatae Rhizoma | alang grass rhizome |
| XIAN HE CAO | 仙鶴草(선학초) | ▲ | ● | ■ | Agrimoniae Herba | agrimony |
| BAI JI | 白芨(백급) | | ● | ■ | Bletillae Rhizoma | bletilla rhizome |
| XUE YU TAN | 血餘炭(혈여탄) | | | ■ | Crinis Carbonisatus | charred human hair |
| ZONG LU PI | 棕櫚皮(중려피) | | | ■ | Trachycarpi Petiolus | trachycarpus stiple fiber |
| OU JIE | 藕節(우절) | | ● | ■ | Nelumbinis Nodus Rhizomatis | lotus rhizome node |
| AI YE | 艾葉(애엽) | ▲ | ● | ■ | Artemisiae Argyi Folium | mugwort leaf |
| PAO JIANG | 炮薑(포강) | ▲ | ● | ■ | Zingiberis Rhizoma Preparatum | processed ginger |
| 20. ACTIVATE BLOOD | | | | | | |
| CHUAN XIONG | 川芎(전궁) | ▲ | ● | ■ | Chuanxiong Rhizoma | cnidium |
| DAN SHEN | 丹參(단삼) | ▲ | ● | ■ | Salviae Miltiorrhizae Radix | salvia root |
| JI XUE TENG | 雞血藤(계혈등) | | ● | ■ | Spatholobi Caulis | spatholobus root and vine |
| YAN HU SUO | 延胡索(연호색) | ▲ | ● | ■ | Corydalis Rhizoma | corydalis |
| YU JIN | 鬱金(을금) | ▲ | ● | ■ | Curcumae Radix | curcuma |
| JIANG HUANG | 薑黃(강황) | ▲ | ● | ■ | Curcumae Longae Rhizoma | turmeric |
| YI MU CAO | 益母草(익모초) | ▲ | ● | ■ | Leonuri Herba | motherwort herb |
| ZE LAN | 澤蘭(택란) | ▲ | ● | ■ | Lycopi Herba | bugleweed |
| HU ZHANG | 虎杖(호장) | | | ■ | Polygoni Cuspidati Rhizoma | bushy knotweed rhizome |
| CHI SHAO | 赤芍(적작) | ▲ | ● | ■ | Paeoniae Radix Rubra | red peony root |
| TAO REN | 桃仁(도인) | ▲ | ● | ■ | Persicae Semen | peach kernel |
| HONG HUA | 紅花(홍화) | ▲ | ● | ■ | Carthami Flos | safflower |
| E ZHU | 莪朮(아술) | ▲ | ● | ■ | Curcumae Rhizoma | curcuma zedoaria |
| SAN LENG | 三棱(삼릉) | ▲ | ● | ■ | Sparganii Rhizoma | bur-reed rhizome |
| RU XIANG | 乳香(유향) | ▲ | ● | ■ | Olibanum | frankincense |
| MO YAO | 沒藥(몰약) | ▲ | ● | ■ | Myrrha | myrrh |
| HUAI NIU XI | 懷牛膝(회우슬) | ▲ | ● | ■ | Achyranthis Bidentatae Radix | achyranthes root |
| CHUAN NIU XI | 川牛膝(천우슬) | ▲ | ● | | Cyathulae Radix | cyathula root |
| WANG BU LIU XING | 王不留行(왕불유행) | ▲ | ● | ■ | Vaccariae Semen | vaccaria seed |
| LIU JI NU | 劉寄奴(유기노) | | | ■ | Artemisiae Anomalae Herba | anomalous artemesia |
| XUE JIE | 血竭(혈갈) | | | ■ | Daemonoropis Resina | dragon's blood |
| SU MU | 蘇木(소목) | | | ■ | Sappan Lignum | sappan wood |
| WU LING ZHI | 五靈脂(오령지) | | | ■ | Trogopterori Faeces | flying squirrel feces |
| JIANG XIANG | 降香(강향) | | | ■ | Dalbergiae Odoriferae Lignum | scented rosewood |
| WA LENG ZI | 瓦楞子(와릉자) | | | ■ | Arcae Concha | ark shell |
| SHUI ZHI | 水蛭(수집) | | | ■ | Hirudo | leech |
| TU BIE CHONG <small>(ZHE CHONG)</small> | 土鳖蟲(토별충) | | | ■ | Eupolyphaga/Steoleophaga | ground beetle |
| MENG CHONG | 虻蟲(맹충) | | | ■ | Tabanus | horse fly |
| 21. WARM INTERIOR | | | | | | |
| FU ZI | 附子(부자) | ▲ | ● | ■ | Aconiti Radix Lateralis Preparata | aconite accessory root |

| | | | | | | |
|-------------------------|------------|---|---|---|------------------------------------|----------------------------|
| CAO WU | 草烏(초오) | ▲ | ● | | Aconiti Kusnezoffii Preparata | wild aconite root |
| GAN JIANG | 乾薑(건강) | ▲ | ● | ■ | Zingiberis Rhizoma | dried ginger |
| WEI JIANG | 煨薑(외강) | | | ■ | Zingiberis Rhizoma Recens (baked) | baked ginger |
| ROU GUI | 肉桂(육계) | ▲ | ● | ■ | Cinnamomi Cortex | cinnamon bark |
| WU ZHU YU | 吳茱萸(오수유) | ▲ | ● | ■ | Evodiae Fructus | evodia fruit |
| HUA JIAO | 花椒(화초) | ▲ | ● | ■ | Zanthoxyli Pericarpium | prickly-ash peel |
| GAO LIANG JIANG | 高良薑(고량강) | ▲ | ● | ■ | Alpiniae Officinarum Rhizoma | galanga |
| DING XIANG | 丁香(정향) | ▲ | ● | ■ | Caryophylli Flos | clove |
| XIAO HUI XIANG | 小茴香(소회향) | ▲ | ● | ■ | Foeniculi Fructus | fennel fruit |
| BI BA | 華荜(필발) | ▲ | ● | | Piperis Longi Fructus | long pepper |
| HU JIAO | 胡椒(호초) | ▲ | ● | ■ | Piperis Fructus | pepper |
| 22. QI TONICS | | | | | | |
| REN SHEN | 人蔘(인삼) | ▲ | ● | ■ | Ginseng Radix | ginseng |
| DANG SHEN | 黨參(당삼) | ▲ | ● | ■ | Codonopsis Radix | codonopsis |
| TAI ZI SHEN | 太子蔘(태자삼) | | ● | ■ | Pseudostellariae Radix | pseudostellaria root |
| HUANG QI | 黃芪(황기) | ▲ | ● | ■ | Astragali Radix | milkvetch root |
| SHAN YAO | 山藥(산약) | ▲ | ● | ■ | Dioscoreae Rhizoma | chinese yam |
| BAI ZHU | 白朮(백출) | ▲ | ● | ■ | Atractylodis Macrocephalae Rhizoma | white atractylodes |
| DA ZAO | 大棗(대조) | ▲ | ● | ■ | Jujubae Fructus | jujube |
| GAN CAO | 甘草(감초) | ▲ | ● | ■ | Glycyrrhizae Radix | licorice root |
| ZHI GAN CAO | 炙甘草(자감초) | ▲ | ● | | Glycyrrhizae Radix Preparata | prepared licorice |
| HUANG JING | 黃精(황정) | | ● | ■ | Polygonati Rhizoma | siberian solomon's seal |
| BAI BIAN DOU | 白扁豆(백편두) | ▲ | ● | ■ | Lablab Semen Album | hyacinth bean |
| YI TANG | 飴糖(이당) | ▲ | ● | | Maltosum | malt sugar |
| FENG MI | 蜂蜜(봉밀) | | | ■ | Mel | honey |
| JING MI | 粳米(경미) | ▲ | ● | | Oryzae Semen | nonglutinous Rice |
| 23. BLOOD TONICS | | | | | | |
| SHU DI HUANG | 熟地黃(숙지황) | ▲ | ● | ■ | Rehmanniae Radix Preparata | cooked rehmannia |
| HE SHOU WU | 何首烏(허수오) | | ● | ■ | Polygoni Multiflori Radix | fleeceflower root |
| DANG GUI | 當歸(당귀) | ▲ | ● | ■ | Angelicae Sinensis Radix | chinese angelica root |
| BAI SHAO | 白芍(백작) | ▲ | ● | ■ | Paeoniae Radix Alba | white peony root |
| E JIAO | 阿膠(아교) | ▲ | ● | ■ | Asini Corii Colla | donkey-hide gelatin |
| GOU QI ZI | 枸杞子(구기자) | ▲ | ● | ■ | Lycii Fructus | chinese wolfberry |
| SANG SHEN | 桑椹(상삼) | ▲ | ● | ■ | Mori Fructus | mulberry fruit |
| LONG YAN ROU | 龍眼肉(용안육) | ▲ | ● | ■ | Longan Arillus | longan fruit |
| 24. YANG TONICS | | | | | | |
| LU RONG | 鹿茸(녹용) | ▲ | ● | ■ | Cervi Cornu Pantotrichum | hairy deer horn |
| LU JIAO JIAO | 鹿角膠(녹각교) | ▲ | ● | | Cervi Cornu Colla | deer horn gelatin |
| GE JIE | 蛤蚧(할개) | | | ■ | Gecko | gecko |
| DONG CHONG XIA CAO | 冬蟲夏草(동충하초) | | ● | ■ | Cordyceps | chinese caterpillar fungus |

| | | | | | | |
|------------------------|----------|---|---|---|-----------------------------|---------------------------------|
| ROU CONG RONG | 肉蓯蓉(육충용) | | ● | ■ | Cistanches Herba | cistanche |
| SUO YANG | 鎖陽(쇄양) | ▲ | ● | ■ | Cynomorii Herba | cynomorium |
| YIN YANG HUO | 淫羊藿(음양곽) | ▲ | ● | ■ | Epimedii Herba | epimedium |
| BA JI TIAN | 巴戟天(파극천) | ▲ | ● | ■ | Morindae Officinalis Radix | morinda root |
| HU TAO REN | 胡桃仁(호도인) | ▲ | ● | ■ | Juglandis Semen | walnut |
| BU GU ZHI | 補骨脂(보골지) | ▲ | ● | ■ | Psoraleae Fructus | psoralea fruit |
| YI ZHI REN | 益智仁(익지인) | ▲ | ● | ■ | Alpiniae Oxyphyllae Fructus | black cardamon |
| XIAN MAO | 仙茅(선묘) | ▲ | ● | ■ | Curculiginis Rhizoma | golden eye-grass |
| DU ZHONG | 杜仲(두충) | ▲ | ● | ■ | Eucommiae Cortex | eucommia bark |
| GOU JI | 狗脊(구척) | ▲ | ● | ■ | Cibotii Rhizoma | chain fern |
| XU DUAN | 續斷(속단) | ▲ | ● | ■ | Dipsaci Radix | himalayan teasel root |
| GU SUI BU | 骨碎補(골쇄보) | ▲ | ● | ■ | Drynariae Rhizoma | drynaria rhizome |
| TU SI ZI | 菟絲子(토사자) | ▲ | ● | ■ | Cuscutae Semen | dodder seed |
| SHA YUAN ZI | 沙苑子(사원자) | ▲ | ● | ■ | Astragali Complanati Semen | flat-stem milkvetch seed |
| 25. YIN TONICS | | | | | | |
| BEI SHA SHEN | 北沙參(북사삼) | ▲ | ● | ■ | Glehniae Radix | glehnia root |
| NAN SHA SHEN | 南沙參(남사삼) | ▲ | ● | | Adenophorae Radix | adenophora root |
| XI YANG SHEN | 西洋參(서양삼) | | ● | ■ | Panacis Quinquefolii Radix | american ginseng root |
| MAI MEN DONG | 麥門冬(맥문동) | ▲ | ● | ■ | Ophiopogonis Radix | ophiopogon tuber |
| TIAN MEN DONG | 天門冬(천문동) | ▲ | ● | ■ | Asparagi Radix | asparagus tuber |
| SHI HU | 石斛(석곡) | | ● | ■ | Dendrobii Herba | dendrobium |
| YU ZHU | 玉竹(옥죽) | | | ■ | Polygonati Odorati Rhizoma | scented solomon's seal rhizome |
| BAI HE | 百合(백합) | ▲ | ● | ■ | Lilii Bulbus | lily bulb |
| HAN LIAN CAO | 旱蓮草(한련초) | | ● | ■ | Ecliptae Herba | eclipta |
| NU ZHEN ZI | 女貞子(여정자) | ▲ | ● | ■ | Ligustri Lucidi Fructus | privet fruit |
| HEI ZHI MA | 黑芝麻(흑지마) | ▲ | ● | ■ | Sesami Semen Nigrum | black sesame seed |
| GUI BAN | 龜板(구판) | ▲ | ● | ■ | Testudinis Plastrum | tortise plastron (ventral side) |
| GUI BAN JIAO | 龜板膠(구판교) | ▲ | ● | | Testudinis Plastris Colla | tortise plastron gelatin |
| BIE JIA | 鱉甲(별갑) | ▲ | ● | ■ | Trionycis Carapax | turtle shell (dorsal side) |
| JI ZI HUANG | 鷄子黃(계지황) | ▲ | | | Galli Vitellus | chicken egg yolk |
| 26. ASTRINGENTS | | | | | | |
| SHAN ZHU YU | 山茱萸(산수유) | ▲ | ● | ■ | Corni Fructus | asiatic cornelian cherry fruit |
| WU WEI ZI | 五味子(오미자) | ▲ | ● | ■ | Schisandrae Fructus | schisandra fruit |
| WU MEI | 烏梅(오매) | ▲ | ● | ■ | Mume Fructus | mume |
| HE ZI | 訶子(가자) | ▲ | ● | ■ | Chebulae Fructus | myrobalan fruit |
| ROU DOU KOU | 肉豆蔻(육두구) | ▲ | ● | ■ | Myristicae Semen | nutmeg |
| SHI LIU PI | 石榴皮(석류피) | | | ■ | Granati Pericarpium | pomegranate husk |
| CHUN PI | 椿皮(춘피) | ▲ | ● | | Ailanthi Cortex | ailanthus bark |
| CHI SHI ZHI | 赤石脂(적석지) | ▲ | ● | ■ | Halloysitum Rubrum | halloysite |
| LIAN ZI | 蓮子(연자) | ▲ | ● | ■ | Nelumbinis Semen | lotus seed |

| | | | | | | |
|------------------------------------|----------|---|---|---|----------------------------|----------------------------------|
| LIAN XU | 蓮鬚(연수) | ▲ | ● | | Nelumbinis Stamen | lotus stamen |
| QIAN SHI | 芡實(검실) | ▲ | ● | ■ | Euryales Semen | euryale seed |
| JIN YING ZI | 金櫻子(금영자) | ▲ | ● | ■ | Rosae Laevigatae Fructus | cherokee rosehip |
| FU PEN ZI | 覆盆子(복분자) | ▲ | ● | ■ | Rubi Fructus | palm-leaf raspberry |
| WU BEI ZI | 五倍子(오배자) | | | ■ | Galla Chinensis | gallnut of chinese sumac |
| BAI GUO | 白果(백과) | ▲ | ● | ■ | Ginkgo Semen | ginkgo nut |
| FU XIAO MAI | 浮小麥(부소맥) | ▲ | ● | ■ | Tritici Fructus Levis | light wheat |
| MA HUANG GEN | 麻黃根(마황근) | | | ■ | Ephedrae Radix | ephedra root |
| HAI PIAO XIAO (WU ZEI GU) | 海螵蛸(해표소) | ▲ | ● | ■ | Sepiae Endoconcha | cuttlefish bone |
| SANG PIAO XIAO | 桑螵蛸(상표소) | | ● | ■ | Mantidis Ootheca | mantis egg-case |
| 27. ANCHOR & CALM SHEN | | | | | | |
| LONG GU | 龍骨(용골) | ▲ | ● | ■ | Fossilia Ossis Mastodi | fossilized animal bones |
| MU LI | 牡蠣(모리) | ▲ | ● | ■ | Ostreae Concha | oyster shell |
| CI SHI | 磁石(자석) | ▲ | ● | ■ | Magnetitum | magnetite |
| ZHEN ZHU | 珍珠(진주) | ▲ | ● | | Margarita | pearl |
| ZHEN ZHU MU | 珍珠母(진주모) | | | ■ | Margaritiferae Concha Usta | mother-of-pearl |
| HU PO | 琥珀(호박) | | | ■ | Succinum | amber |
| 28. NOURISH & CALM SHEN | | | | | | |
| SUAN ZAO REN | 酸棗仁(산조인) | ▲ | ● | ■ | Ziziphi Spinosae Semen | sour jujube seed |
| BAI ZI REN | 柏子仁(백자인) | ▲ | ● | ■ | Platycladi Semen | chinese arborvitae seed |
| YUAN ZHI | 遠志(원지) | ▲ | ● | ■ | Polygalae Radix | thin-leaf milkwort |
| HE HUAN PI | 合歡皮(합환피) | | ● | ■ | Albiziae Cortex | silktree bark |
| YE JIAO TENG | 夜交藤(야교등) | ▲ | ● | ■ | Polygoni Multiflori Caulis | polygonum vine |
| FU SHEN | 茯神(복신) | | ● | | Poria Paradicis | innermost part of poria |
| 29. AROMATICS FOR ORIFICES | | | | | | |
| BING PIAN | 冰片(빙편) | | | ■ | Borneolum | borneol |
| SHI CHANG PU | 石菖蒲(석창포) | | ● | ■ | Acori Tatarinowii Rhizoma | grassleaf sweetflag rhizome |
| NIU HUANG | 牛黃(우황) | ▲ | ● | ■ | Bovis Calculus | cattle bezoar |
| 30. EXTINGUISH LIVER WIND | | | | | | |
| GOU TENG | 鉤藤(구등) | ▲ | ● | ■ | Uncariae Ramulus Cum Uncis | gambir |
| TIAN MA | 天麻(천마) | | ● | ■ | Gastrodiae Rhizoma | gastrodia rhizome |
| BAI JI LI (CI JI LI) | 白蒺藜(백질러) | ▲ | ● | ■ | Tribuli Fructus | puncture-vine caltrop fruit |
| SHI JUE MING | 石決明(석결명) | ▲ | ● | ■ | Haliotidis Concha | abalone shell |
| DI LONG | 地龍(지룡) | ▲ | ● | ■ | Pheretima | earthworm |
| JIANG CAN | 僵蠶(강잠) | | | ■ | Bombyx Batryticatus | silkworm |
| QUAN XIE | 全蠍(전갈) | | | ■ | Scorpio | scorpion |
| WU GONG | 蜈蚣(오공) | | | ■ | Scolopendra | centipede |
| DAI ZHE SHI | 代赭石(대자석) | ▲ | ● | ■ | Haematitum | hematite |
| 31. EXPEL PARASITES | | | | | | |
| SHI JUN ZI | 使君子(사군자) | | | ■ | Quisqualis Fructus | rangoon creeper fruit with seeds |
| KU LIAN PI | 苦楝皮(고련피) | | | ■ | Meliae Cortex | melia bark or root bark |

| | | | | | | |
|--------------------------------|----------|---|---|---|-----------------------------|-------------------------|
| BING LANG | 檳榔(빈랑) | | | ■ | Arecae Semen | areaca |
| NAN GUA ZI | 南瓜子(남과자) | | | ■ | Cucurbitae Moschatae Semen | pumpkin seeds and husks |
| 32. EXTERNAL USE | | | | | | |
| MING FAN | 明礬(명반) | | | ■ | Alumen | alum |
| LU GAN SHI | 礬甘石(노감석) | | | ■ | Calamina | smithsonite |
| LIU HUANG | 硫磺(유황) | | | ■ | Sulfur | sulfur |
| SHE CHUANG ZI | 蛇床子(사상자) | ▲ | ● | ■ | Cnidii Fructus | cnidium fruit |
| ER CHA | 兒茶(아차) | | | ■ | Catechu | black cutch |
| BAN MAO | 斑蝥(반모) | | | ■ | Mylabris | mylabris, cantharides |
| LU FENG FANG | 露蜂房(노봉방) | | | ■ | Vespae Nidus | wasp nest |
| 33. OBSOLETE SUBSTANCES | | | | | | |
| YING SU KE | 罌粟殼(앵속각) | | | ■ | Papaveris Pericarpium | opium poppy husk |
| MA QIAN ZI | 馬錢子(마전자) | | | ■ | Strychni Semen | nux-vomica seeds |
| MA DOU LING | 馬兜鈴(마두령) | | | ■ | Aristolochiae Fructus | birthwort fruit |
| GUANG FANG JI | 廣防己(광방기) | | | ■ | Aristolochiae Fangchi Radix | southern fangji root |
| XIONG HUANG | 雄黃(웅황) | | | ■ | Realgar | realgar |