

287 PAN-CANADIAN FORMULAS (2020)

	FORMULA		CH/KR	INDICATIONS	
RELEASE EXTERIOR	EARLY-STAGE	CONG CHI JIE GENG TANG	蔥豉桔梗湯(총시길경탕)	Early stage of exterior Wind-Heat with interior Qi-level Heat	
	Wind-Cold	MA HUANG TANG	麻黃湯(마황탕)	Exterior Wind-Cold of excess type	
		DA QING LONG TANG	大青龍湯(대청룡탕)	Exterior Wind-Cold with Heat constraint in the interior	
		GUI ZHI TANG	桂枝湯(계지탕)	Exterior Wind-Cold of deficiency type	
		XIAO QING LONG TANG	小青龍湯(소청룡탕)	Exterior Wind-Cold with congested Phlegm-Fluid in the LU	
		SHE GAN MA HUANG TANG	射干麻黃湯(사간마황탕)	Exterior Wind-Cold with congested Phlegm-Fluid in the LU + LU Rebellious Qi	
		JIU WEI QIANG HUO TANG	九味羌活湯(구미강활탕)	Exterior Wind-Cold-Damp with concurrent internal accumulation of Heat	
		JIA WEI XIANG SU SAN	加味香蘇散(가미향소산)	Exterior Wind-Cold with interior Qi stagnation	
	Wind-Heat	SANG JU YIN	桑菊飲(상국음)	Exterior Wind-Heat causing cough; Wind-Heat causing eye disorders	
		YIN QIAO SAN	銀翹散(은교산)	Exterior Wind-Heat with Heat-Toxin; Toxic-Heat causing Boils and Sores	
		CHAI GE JIE JI TANG	柴葛解肌湯(시갈해기탕)	Exterior Wind-Cold (Taiyang) transforming into interior Heat (Yangming)	
		SHENG MA GE GEN TANG	升麻葛根湯(승마갈근탕)	Early stage of rashes due to externally contracted Heat	
		NIU BANG JIE JI TANG	牛蒡解肌湯(우방해기탕)	Localized abscesses and swelling due to Wind-Heat	
	Interior Deficiency	REN SHEN BAI DU SAN	人參敗毒散(인삼패독산)	Exterior Wind-Cold-Damp with interior Qi deficiency	
		JING FANG BAI DU SAN	荊防敗毒散(형방패독산)	Exterior Wind-Cold-Damp with Early-stage abscess or sores	
		ZAI ZAO SAN	再造散(재조산)	Exterior Wind-Cold in a patient with Qi and Yang deficiency	
		CONG BAI QI WEI YIN	蔥白七味飲(총백칠미음)	Exterior Wind-Cold with simultaneous deficient Blood/Yin	
		JIA JIAN WEI RUI TANG	加減葶藶湯(가감위유탕)	Exterior Wind-Heat with Yin deficiency	
	DRAIN DOWNWARD	Heat Accumulation	DA CHENG QI TANG	大承氣湯(대승기탕)	Yangming organ syndrome causing severe constipation
			XIAO CHENG QI TANG	小承氣湯(소승기탕)	Moderate Yangming organ syndrome causing constipation
TIAO WEI CHENG QI TANG			調胃承氣湯(조위승기탕)	Mild Yangming organ syndrome causing mild constipation	
Cold Accumulation		DA HUANG FU ZI TANG	大黃附子湯(대황부자탕)	Cold accumulation in the interior causing constipation	
		WEN PI TANG	溫脾湯(온비탕)	Cold accumulation in the interior with SP Yang deficiency	
Intestinal Dryness		MA ZI REN WAN	麻子仁丸(마자인환)	Constipation due to Intestinal Dryness & Heat → Spleen Bind	
		JI CHUAN JIAN	濟川煎(제천전)	Constipation due to KD Yang deficiency	
HARMONIZE	Shao Yang	XIAO CHAI HU TANG	小柴胡湯(소시호탕)	Shaoyang syndrome	
		HAO QIN QING DAN TANG	蒿芩清膽湯(호금청담탕)	Damp-Heat and Phlegm in Shaoyang channels constraining the Wei/Ying Qi	
	Liver & Spleen	SI NI SAN	四逆散(사역산)	LV Qi stagnation overacting on the SP causing cold extremities (Yang Jue)	
		XIAO YAO SAN	逍遙散(소요산)	LV Qi stagnation with LV Blood & SP Qi deficiency	
		JIA WEI XIAO YAO SAN	加味逍遙散(가미소요산)	LV Qi stagnation with LV Blood & SP Qi deficiency + Interior Heat	
		TONG XIE YAO FANG	痛瀉要方(통사요방)	LV Qi stagnation overacting on the SP causing diarrhea with abdominal pain	
	Stomach & Intestines	BAN XIA XIE XIN TANG	半夏瀉心湯(반하사심탕)	Pi syndrome due to Cold-Heat complex	

CLEAR HEAT	Qi Level	BAI HU TANG	白虎湯(백호탕)	Excess Heat in the Yangming channel or Qi level
		ZHU YE SHI GAO TANG	竹葉石膏湯(죽엽석고탕)	Qi-level Heat injuring the Qi & Fluid
	Ying/Blood Levels	QING YING TANG	清營湯(청영탕)	Heat entering the Nutritive level
		XI JIAO DI HUANG TANG	犀角地黄湯(서각지황탕)	Heat entering the Blood level
	Toxic-Heat	HUANG LIAN JIE DU TANG	黃連解毒湯(황련해독탕)	Fire-Toxin from excessive Heat in the Triple burners
		XIE XIN TANG	瀉心湯(사심탕)	Excess Heat in the Triple burners
		PU JI XIAO DU YIN	普濟消毒飲(보제소독음)	Epidemic Toxin with Wind-Heat & Damp-Phlegm
	Qi/Blood Levels	LIANG GE SAN	涼膈散(양격산)	Heat and clumping in the diaphragm region
		QING WEN BAI DU YIN	清瘟敗毒散(청온패독산)	Severe Fire in the Qi/Blood levels
	Organ-Heat	MA XING SHI GAN TANG	麻杏石甘湯(마행석감탕)	Heat lodged in the LU
		YUE BI JIA ZHU TANG	越婢加朮湯(월비가출탕)	Wind at the exterior with Water accumulation
		XIE BAI SAN	瀉白散(사백산)	Constrained LU Heat causing wheezing
		TING LI DA ZAO XIE FEI TANG	葶藶大棗瀉肺湯(정력대조사폐탕)	LU abscess with phlegm in the chest
		XIE HUANG SAN	瀉黃散(사황산)	Smoldering Fire in the SP/ST
		QING WEI SAN	清胃散(청위산)	ST Heat accumulation
		YU NU JIAN	玉女煎(옥녀전)	ST Heat with Yin deficiency
		DAO CHI SAN	導赤散(도적산)	HT Fire transferring to the SI
		LONG DAN XIE GAN TANG	龍膽瀉肝湯(용담사간탕)	LV Fire blazing up; LV/GB Damp-Heat invading downward
		ZUO JIN WAN	左金丸(좌금환)	LV Fire burning ST causing LV & ST disharmony
		DAI GE SAN	黛蛤散(대합산)	LV Fire Scorches the LU causing cough and wheezing
		SHAO YAO TANG	芍藥湯(작약탕)	LI Damp-Heat with Qi & Blood stagnation causing dysentery
		BAI TOU WENG TANG	白頭翁湯(백두옹탕)	Dysentery due to Toxic-Heat in the ST & Intestine
		Deficiency-Heat	QING HAO BIE JIA TANG	青蒿鳖甲湯(청호별갑탕)
	QING GU SAN		清骨散(청골산)	KD/LV Yin deficiency leading to Steaming Bone disorder
	QING JING SAN		清經散(청경산)	Heat from deficiency leading to early periods
	QIN JIAO BIE JIA SAN		秦艽鳖甲散(진교별갑산)	Pathogenic Wind penetrating the interior with preexisting Yin deficiency
	DANG GUI LIU HUANG TANG		當歸六黃湯(당귀육황탕)	Yin deficiency with Empty-Heat causing night sweats
	Summer-Heat	QING LUO YIN	清絡飲(청락음)	Mild Summer-Heat injuring the Qi level of the LU channel
		XIN JIA XIANG RU YIN	新加香薷飲(신가향유음)	Severe Summer-Heat in the LU Taiyin with contraction of cold in the exterior
		LIU YI SAN	六一散(육일산)	Summer-Heat with interior Damp
		QING SHU YI QI TANG	清暑益氣湯(청서익기탕)	Summer-Heat injuring the Qi and Fluids

WARM INTERIOR	Channel	DANG GUI SI NI TANG	當歸四逆湯(당귀사역탕)	Cold in the channels with underlying Blood deficiency
		HUANG QI GUI ZHI WU WU TANG	黃芪桂枝五物湯(황기계지오물탕)	Painful obstruction of the Blood
	Middle Burner	LI ZHONG WAN	理中丸(이중환)	Deficiency-Cold of the SP/ST
		FU ZI LI ZHONG WAN	附子理中丸(부자이중환)	Deficiency-Cold of the SP and KD
		WU ZHU YU TANG	吳茱萸湯(오수유탕)	Deficiency-Cold of the ST (Yangming), LV (Jueyin), and KD (Shaoyin)
		XIAO JIAN ZHONG TANG	小建中湯(소건중탕)	SP Yang deficiency with Cold causing abdominal pain
		DA JIAN ZHONG TANG	大建中湯(대건중탕)	Middle Burner Yang deficiency (root) + Vigorous Yin-cold (manifestation)
	Yang Collapse	SI NI TANG	四逆湯(사역탕)	KD Yang deficiency with Cold-Evil in Shaoyin stage (Yin Jue); Yang collapse
		HUI YANG JIU JI TANG	回陽救急湯(회양구급탕)	Exhausted Yang with pathogenic Cold in Taiyin, Shaoyin, and Jueyin
SHEN FU TANG		參附湯(삼부탕)	Severe deficiency of the Source Qi with Sudden Collapse of the Yang Qi	
RELEASE EXTERIOR & INTERIOR EXCESS	Interior Excess	DA CHAI HU TANG	大柴胡湯(대시호탕)	Concurrent Shaoyang with Yangming syndromes
		FANG FENG TONG SHENG SAN	防風通聖散(방풍통성산)	Heat excess in both the exterior and interior
	Interior Heat	GE GEN HUANG QIN HUANG LIAN TANG	葛根黃芩黃連湯(갈근황금황련탕)	Incompletely resolved exterior with interior excess Heat
	Interior Cold	WU JI SAN	五積散(오적산)	Externally-contracted Wind-Cold with Internal injury due to Cold
	Qi Deficiency	SI JUN ZI TANG	四君子湯(사군자탕)	SP/ST Qi deficiency
		YI GONG SAN	異功散(이공산)	SP/ST Qi deficiency + Qi stagnation
		LIU JUN ZI TANG	六君子湯(육군자탕)	SP/ST Qi deficiency + Phlegm
		XIANG SHA LIU JUN ZI TANG	香砂六君子湯(향사육군자탕)	SP/ST Qi deficiency + Phlegm + Damp
		BAO YUAN TANG	保元湯(보원탕)	SP/ST Qi deficiency + deficiency Cold
		SHEN LING BAI ZHU SAN	參苓白朮散(삼령백출산)	SP/ST Qi deficiency & Damp causing diarrhea
		QI WEI BAI ZHU SAN	七味白朮散(칠미백출산)	SP/ST Qi deficiency causing recurring diarrhea and vomiting
		BU ZHONG YI QI TANG	補中益氣湯(보중익기탕)	SP/ST Qi deficiency causing intermittent fever; SP Qi sinking
		JU YUAN JIAN	舉元煎(거원전)	SP/ST Qi deficiency causing organ prolapse or profuse bleeding
		SHENG XIAN TANG	升陷湯(승함탕)	Sinking of Gathering Qi in the chest
		YU PING FENG SAN	玉屏風散(옥병풍산)	Wei Qi deficiency causing sweating
		SHENG MAI SAN	生脈散(생맥산)	Concurrent Qi & Yin deficiency, primarily of the LU
		REN SHEN GE JIE SAN	人參蛤蚧散(인삼합개산)	LU and KD Qi deficiency with Phlegm-Heat collecting internally
		REN SHEN WU WEI ZI TANG	人參五味子湯(인삼오미자탕)	SP Qi deficiency and Yin deficiency causing chronic cough
	Blood Deficiency	SI WU TANG	四物湯(사물탕)	Blood deficiency + Blood stasis (more tonifying)
		TAO HONG SI WU TANG	桃紅四物湯(도홍사물탕)	Blood deficiency + Blood stasis (more moving)
		SHENG YU TANG	聖愈湯(성유탕)	Blood deficiency + Qi deficiency
		DANG GUI BU XUE TANG	當歸補血湯(당귀보혈탕)	Blood & Qi deficiency with floating Yang
		BAO YIN JIAN	保陰煎(보음전)	Blood Deficiency with Blood Heat causing threatened miscarriage
		XIAO YING JIAN	小營煎(소영전)	Blood Deficiency causing delayed menstrual period

TONIFY	Qi & Blood Deficiency	BA ZHEN TANG	八珍湯(팔진탕)	Qi & Blood deficiency	
		SHI QUAN DA BU TANG	十全大補湯(십전대보탕)	Qi & Blood deficiency with mild Deficiency-Cold	
		NEI BU HUANG QI TANG	內補黃芪湯(내보황기탕)	Qi & Blood deficiency with late-stage abscesses and sores	
		REN SHEN YANG RONG TANG	人蔘養榮湯(인삼양영탕)	HT/SP Qi & Blood deficiency with internal Heat and Dryness	
		GUI PI TANG	歸脾湯(귀비탕)	SP Qi & HT Blood deficiency causing insomnia; SP Qi Not Controlling Blood	
		ZHI GAN CAO TANG	炙甘草湯(자감초탕)	Qi & Blood deficiency causing irregular pulse	
		TAI SHAN PAN SHI SAN	泰山盤石散(태산반석산)	Qi & Blood deficiency with unsecured Chong & Ren vessels	
		HE REN YIN	何人飲(하인음)	Malarial disorders with Qi and Blood deficiency	
		QI FU YIN	七福飲(칠복음)	HT Blood and SP Qi Deficiency causing sexual performance anxiety	
		TAI YUAN YIN	胎元飲(태원음)	Qi/Blood deficiency causing threatening miscarriage	
	Yin Deficiency	LIU WEI DI HUANG WAN	六味地黃丸(육미지황환)	KD & LV Yin deficiency	
		DU QI WAN	都氣丸(도기환)	Chronic wheezing disorders or spermatorrhea from KD deficiency	
		QI JU DI HUANG WAN	杞菊地黃丸(기국지황환)	LV & KD Yin deficiency causing eye disorders	
		ZHI BAI DI HUANG WAN	知柏地黃丸(지백지황환)	KD & LV Yin deficiency causing empty Heat	
		MAI WEI DI HUANG WAN	麥味地黃丸(맥미지황환)	KD & LU Yin deficiency causing cough	
		ZUO GUI WAN	左歸丸(좌귀환)	KD Yin/Essence deficiency for severe case (more potent)	
		ZUO GUI YIN	左歸飲(좌귀음)	KD Yin/Essence deficiency for moderate case (less potent)	
		DA BU YUAN JIAN	大補元煎(대보원전)	KD Source Qi and Blood deficiency	
		DA BU YIN WAN	大補陰丸(대보음환)	Severe KD & LV Yin/Essence deficiency with Empty Heat	
		HU QIAN WAN	虎潛丸(호잠환)	Atrophy disorder due to LV and KD deficiency	
		YI GUAN JIAN	一貫煎(일관전)	LV & KD Yin deficiency with mild LV Qi stagnation	
		ER ZHI WAN	二至丸(이지환)	KD & LV Yin deficiency	
		BAI HE GU JIN TANG	百合固金湯(백합고금탕)	Internal Dryness of the LU	
		YUE HUA WAN	月華丸(월화환)	LU & KD Yin deficiency characterized by chronic cough	
		SHI HU YE GUANG WAN	石斛夜光丸(석곡야광환)	Visual disturbance due to LV/KD deficiency leading to Fire and LV Wind	
		LIANG DI TANG	兩地湯(양지탕)	KD Yin deficiency with Empty Fire rising	
		YI YIN JIAN	一陰煎(일음전)	Yin deficiency with Heat causing bleeding	
		Yang Deficiency	JIN GUI SHEN QI WAN	金櫃腎氣丸(금래신기환)	KD Yang deficiency
			JI SHENG SHEN QI WAN	자생신기환	KD Yang deficiency with water accumulation
	WU BI SHAN YAO WAN		無比山藥丸(무비산약환)	KD Yang/Essence deficiency	
	YOU GUI WAN		右歸丸(우귀환)	KD Yang/Essence deficiency for severe case (more potent)	
	YOU GUI YIN		右歸飲(우귀음)	KD Yang/Essence deficiency for moderate case (less potent)	
	GUI SHEN WAN		歸腎丸(귀신환)	KD Yang/Jing deficiency causing menstrual disorders	
	BU SHEN GU CHONG TANG		補腎固沖湯(보신고충탕)	KD Yang deficiency and Qi/Blood deficiency causing habitual miscarriage	
	Yin & Yang Deficiency	DI HUANG YIN ZI	地黃飲子(지황음자)	KD Yin/Yang deficiency with Phlegm turbidity blocking the Orifices	
		GUI LU ER XIAN JIAO	龜鹿二仙膠(귀늑이선교)	KD Yin/Yang deficiency with Essence/Blood insufficiency in the Ren/Du	
		ER XIAN TANG	二仙湯(이선탕)	KD Yin/Yang deficiency with Empty-Fire	

STABILIZE & BIND	Exterior	MU LI SAN	牡蠣散(모려산)	Unstable protective Qi with injury to the HT Yin
	Lungs	JIU XIAN SAN	九仙散(구선산)	Chronic cough due to LU Qi and Yin deficiency
	Intestine	ZHEN REN YANG ZANG TANG	真人養臟湯(진인양장탕)	SP & KD Yang deficiency causing unremitting diarrhea
		TAO HUA TANG	桃花湯(도화탕)	Injury to the Collaterals of the Intestines with SP & KD Yang deficiency
		SI SHEN WAN	四神丸(사신환)	SP & KD Yang deficiency causing daybreak diarrhea
	Essence	JIN SUO GU JING WAN	金鎖固精丸(금쇄고정환)	Spermatorrhea due to KD deficiency
		SANG PIAO XIAO SAN	桑螵蛸散(상표초산)	Qi deficiency of the KD & HT
		SUO QUAN WAN	縮泉丸(축천환)	Frequent urination due to KD deficiency Cold
		SHOU TAI WAN	壽胎丸(수태환)	KD deficiency leading to instability of the Chong & Ren channels
	Womb	GU CHONG TANG	固衝湯(고충탕)	Instability of the Chong vessel causing excess menstrual bleeding
		GU JING WAN	固經丸(고경환)	Constrained LV Fire injuring Chong & Ren causing Beng Lou syndrome
		WAN DAI TANG	完帶湯(완대탕)	Leukorrhea due to Dai/SP deficiency with Damp & Qi stagnation
		YI HUANG TANG	易黃湯(이황탕)	SP or KD Qi deficiency with Damp-Heat from Constraint
		ZHI DAI FANG	止帶方(지대방)	Vaginal discharge due to Damp-Heat
	CALM SPIRIT	Heart Deficiency	TIAN WANG BU XIN DAN	天王補心丹(천왕보심단)
BAI ZI YANG XIN WAN			柏子養心丸(백자양심환)	HT & KD Yin deficiency with Blood deficiency
SUAN ZAO REN TANG			酸棗仁湯(산조인탕)	LV Blood & HT Yin deficiency with Empty-Heat
KONG ZI ZHEN ZHONG DAN			孔子枕中丹(공자침중단)	Forgetfulness and insomnia due to Phlegm turbidity and deficiency Heat
GAN MAI DA ZAO TANG			甘麥大棗湯(감맥대조탕)	HT Yin deficiency with LV Qi stagnation causing Zang Zao disorder
AN SHEN DING ZHI WAN			安神定志丸(안신정지환)	HT and GB Qi deficiency due to shock or fright
Heart Excess		ZHU SHA AN SHEN WAN	朱砂安神丸(주사안신환)	Vigorous HT Fire injuring the Blood and Yin
		CI ZHU WAN	磁珠丸(자주환)	Ascendant HT Yang with lack of communication between the HT & KD
REGULATE QI	Qi Stagnation	YUE JU WAN	越鞠丸(월국환)	Six Stagnations of Qi, Blood, Phlegm, Damp, Fire and Food
		CHAI HU SHU GAN SAN	柴胡疏肝散(시호소간산)	LV Qi stagnation causing pain
		ZHI SHI XIE BAI GUI ZHI TANG	枳實薤白桂枝湯(지실해백계지탕)	Painful obstruction of the chest (Xiong Bi) with interior Cold
		GUA LOU XIE BAI BAI JIU TANG	栝蒌薤白白酒湯(과루해백백주탕)	Painful obstruction of the chest (Xiong Bi) with milder function
		GUA LOU XIE BAI BAN XIA TANG	栝蒌薤白半夏湯(과루해백반하탕)	Painful obstruction of the chest (Xiong Bi) with severe Phlegm
		BAN XIA HOU PO TANG	半夏厚朴湯(반하후박탕)	LV Qi & Phlegm stagnation lodging in the throat causing Plum-pit syndrome
		HOU PO WEN ZHONG TANG	厚朴溫中湯(후박온중탕)	Damp-Cold injuring the SP & ST
		LIANG FU WAN	良附丸(양부환)	LV Qi stagnation with ST Cold causing pain
		JIN LING ZI SAN	金鈴子散(금령자산)	Pain due to LV stagnation with Heat
		SI MO TANG	四磨湯(사마탕)	LV Qi stagnation caused by instability of the seven emotions
		WU MO YIN ZI	五磨飲子(오마음자)	LV Qi stagnation caused by instability of the seven emotions (stronger)
		LIU MO TANG	六磨湯(육마탕)	LV Qi stagnation causing constipation or abdominal distention
		TIAN TAI WU YAO SAN	天台烏藥散(천태오약산)	Cold invading the LV channel causing Qi stagnation
		JU HE WAN	橘核丸(글핵환)	Damp-Cold invading the LV channel
		NUAN GAN JIAN	暖肝煎(난간전)	Cold from LV & KD deficiency

	Rebellious Qi	SU ZI JIANG QI TANG	蘇子降氣湯(소자강기탕)	LU Cold-Phlegm (excess above) with KD Yang deficiency (deficiency below)
		DING CHUAN TANG	定喘湯(정천탕)	Internal LU Phlegm-heat with external Wind-Cold causing rebellious LU Qi
		XUAN FU DAI ZHE TANG	旋覆代赭湯(신복대자탕)	Rebellious ST Qi due to ST deficiency with Damp-Phlegm
		JU PI ZHU RU TANG	橘皮竹茹湯(글피죽여탕)	Rebellious ST Qi due to ST deficiency with Heat
		DING XIANG SHI DI TANG	丁香柿蒂湯(정향시제탕)	Rebellious ST Qi due to ST Deficiency-Cold
		GAN JIANG REN SHEN BAN XIA WAN	乾薑人蔘半夏丸(건강인삼반하환)	Vomiting due to pregnancy or SP/ST deficiency Cold
REGULATE BLOOD	Blood Stasis	TAO HE CHENG QI TANG	桃核承氣湯(도핵승기탕)	Accumulation of Blood stasis & Heat in the Lower burner
		XUE FU ZHU YU TANG	血府逐瘀湯(혈부축어탕)	Blood stasis with Qi stagnation in the chest
		TONG QIAO HUO XUE TANG	通竅活血湯(통규활혈탕)	Blood stasis in the head and face
		GE XIA ZHU YU TANG	膈下逐瘀湯(격하축어탕)	Blood stasis with Qi stagnation in the Epigastrium
		SHAO FU ZHU YU TANG	少腹逐瘀湯(소부축어탕)	Blood stasis with Cold stagnation in the Lower Abdomen
		SHEN TONG ZHU YU TANG	身痛逐瘀湯(신통축어탕)	Blood stasis with Qi stagnation in the Channels/Collaterals
		BU YANG HUAN WU TANG	補陽還五湯(보양환오탕)	Hemiplegia due to Qi/Blood stagnation in the channels with Qi deficiency
		FU YUAN HUO XUE TANG	復元活血湯(복원활혈탕)	Blood stasis & Qi stagnation in the trunk due to trauma
		QI LI SAN	七厘散(칠리산)	Traumatic injury causing Qi and Blood stagnation
		WEN JING TANG	溫經湯(온경탕)	Chong & Ren Deficiency-Cold with Blood stasis causing irregular menstruation
		AI FU NUAN GONG WAN	艾附暖宮丸(애부난궁환)	Deficiency Cold of the womb causing infertility or irregular menstruation
		SHENG HUA TANG	生化湯(생화탕)	Blood & Cold stagnation causing postpartum lochial retention
		GUI ZHI FU LING WAN	桂枝茯苓丸(계지부령환)	Blood stasis in the uterus during pregnancy
		SHI XIAO SAN	失笑散(실소산)	Blood stasis in the lower abdomen causing pain
		HUO LUO XIAO LING DAN	活絡效靈丹(활락효령단)	Pain due to Qi and Blood stagnation obstructing the Collaterals
		DAN SHEN YIN	丹蔘飲(단삼음)	Blood & Qi stagnation in the Upper/Middle burners causing chest pain
		BIE JIA JIAN WAN	鳖甲煎丸(별갑전환)	Malaria with splenomegaly due to Qi/Blood stagnation and Damp-Phlegm
		DA HUANG ZHE CHONG WAN	大黃蟪蟲丸(대홍자충환)	Accumulation of Dry Blood in the interior due to five consumptive lifestyle
	Bleeding	SHI HUI SAN	十灰散(십회산)	Acute bleeding due to LV & ST Fire with Blood Heat
		SI SHENG WAN	四生丸(사생환)	Upper-burner manifestations of Blood Heat
KE XUE FANG		咳血方(해혈방)	LV Fire attacking and scorching the LU	
XIAO JI YIN ZI		小蓴飲子(소계음자)	Heat causing urinary bleeding	
HUAI HUA SAN		槐花散(괴화산)	Rectal bleeding due to LI Wind-Heat or Damp-Heat Toxin	
HUANG TU TANG		黃土湯(황토탕)	Bleeding due to SP Yang deficiency	
JIAO AI TANG		膠艾湯(교에탕)	Uterine bleeding due to Chong & Ren Deficiency-Cold with Blood deficiency	
YUE YING JIAN		約營煎(약영전)	Rectal bleeding due to Blood Heat	

EXPEL WIND	External Wind	CHUAN XIONG CHA TIAO SAN	川芎茶調散(천궁다조산)	Headache from exterior Wind
		CANG ER ZI SAN	蒼耳子散(창이자산)	Wind causing nasal congestion or discharge
		DA QIN JIAO TANG	大秦芎湯(대진교탕)	Early or middle stage Wind-Stroke in the channels
		XIAO HUO LUO DAN	小活絡丹(소활락단)	Wind-Phlegm obstruction with Blood stasis in the channels & collaterals
		QIAN ZHENG SAN	牽正散(견정산)	Channel-stroke from Wind-Phlegm with symptoms confined to the head/face
		YU ZHEN SAN	玉真散(옥진산)	Invasion of Wind and Toxin through a wound or sore
		XIAO FENG SAN	消風散(소풍산)	Wind-Damp-Heat in the skin causing pruritis
		DANG GUI YIN ZI	當歸飲子(당귀음자)	Skin disorders caused by Blood deficiency and exterior Wind
	Internal Wind	LING JIAO GOU TENG TANG	羚羊鉤藤湯(영각구등탕)	Heat from excess in the LV channel generating internal Wind
		ZHEN GAN XI FENG TANG	鎮肝熄風湯(진간식풍탕)	LV Yang rising & internal Wind due to LV & KD Yin deficiency
		TIAN MA GOU TENG YIN	天麻鉤藤飲(천마구등음)	LV Yang rising; LV Yang rising causing Internal Wind
		SAN JIA FU MAI TANG	三甲復脈湯(삼갑복맥탕)	Late-stage warm pathogen disorder where the Yin has been injured
		DA DING FENG ZHU	大定風株(대정풍주)	Internal stirring of Wind due to Yin deficiency
		E JIAO JI ZI HUANG TANG	阿膠雞子黃湯(아교계자황탕)	Blood and Yin-fluid insufficiency that leads to stirring of internal Wind
	TREAT DRYNESS	Exterior Dryness	XING SU SAN	杏蘇散(행소산)
SANG XING TANG			桑杏湯(상행탕)	Warm-Dryness
QING ZAO JIU FEI TANG			清燥救肺湯(청조구폐탕)	Dryness attacking the LU
SHA SHEN MAI MEN DONG TANG			沙蔘麥門冬湯(사삼맥문동탕)	Injury to the LU, ST, and Fluids from Dryness
Interior Dryness		MAI MEN DONG TANG	麥門冬湯(맥문동탕)	LU/ST Qi & Yin deficiency
		YANG YIN QING FEN TANG	養陰清肺湯(양음청폐탕)	Diphtherial disorder due to Yin deficiency and internal clumping of Heat
		YU YE TANG	玉液湯(옥역탕)	Xiao Ke syndrome due to deficiency of the primal Qi
		ZENG YE TANG	增液湯(증역탕)	Constipation due to exhaustion of the Fluids
EXPEL DAMPNES	Damp Turbidity	PING WEI SAN	平胃散(평위산)	Damp-Cold stagnation in the SP/ST
		HUO XIANG ZHENG QI SAN	藿香正氣散(곽향정기산)	Damp stagnation in the Middle burner + External Wind-Cold
	Damp-Heat	SAN REN TANG	三仁湯(삼인탕)	Early-stage Damp-Warmth disease affecting Wei/Qi levels (Damp > Heat)
		GAN LU XIAO DU DAN	甘露消毒飲 甘露消毒丹	Early-stage Damp-Warmth disease affecting Qi level (Damp = Heat)
		LIAN PO YIN	連朴飲(연박음)	Sudden turmoil disorder due to an aggregation of Damp-Heat
		YIN CHEN HAO TANG	茵陳蒿湯(인진호탕)	Jaundice due to LV/GB Damp-Heat
		BA ZHENG SAN	八正散(팔정산)	Damp-Heat clumping in the Lower burner
		ER MIAO SAN	二妙散(이묘산)	Damp-Heat lodging in Lower burner
		SAN MIAO WAN	三妙散(삼묘산)	Damp-Heat lodging in Lower burner (more guiding down)
		SI MIAO WAN	四妙散(사묘산)	Damp-Heat lodging in Lower burner (more draining Damp)
		ZHONG MAN FEN XIAO WAN	中滿分消丸(중만분소환)	Drum-like abdominal distention due to Damp-Heat
	Water Irregularity	WU LING SAN	五苓散(오령산)	Water-Damp retention marked by edema; Taiyang Fu syndrome
		WEI LING TANG	胃苓湯(위령탕)	Cold-Damp encumbering the SP and the accumulation of fluids
		ZHU LING TANG	豬苓湯(지령탕)	Water & Heat retention in the UB with Yin injury
		WU PI SAN	五皮散(오피산)	SP Qi deficiency with excessive Damp causing skin edema (Pi Shui)
FANG JI HUANG QI TANG		防己黃芪湯(방기황기탕)	Wind-Water syndrome due to Qi deficiency at the exterior	

	Cold-Damp	LING GUI ZHU GAN TANG	苓桂朮甘湯(영계출감탕)	LU Damp-Phlegm or Phlegm-fluid (Tan Yin) syndrome
		ZHEN WU TANG	眞武湯(진무탕)	KD & SP Yang deficiency causing Water retention
		SHI PI YIN	實脾飲(실비음)	Yin edema due to SP & KD Yang deficiency
		BI XIE FEN QING YIN	萆薢分清飲(비해분청음)	Cloudy urination due to KD Yang Deficiency-Cold
	Wind-Damp	QIANG HUO SHENG SHI TANG	羌活勝濕湯(강활승습탕)	Acute Bi syndrome due to Wind-Damp in the channel and muscle layer
		JUAN BI TANG	蠲痺湯(견비탕)	Acute Bi syndrome due to Wind-Cold-Damp
DU HUO JI SHENG TANG		獨活寄生湯(독활기생탕)	Chronic Bi syndrome with LV/KD deficiency & Qi/Blood deficiency	
DISSOLVE PHLEGM	Damp-Phlegm	ER CHEN TANG	二陳湯(이진탕)	Damp-Phlegm syndrome in the Middle burner or LU
		JIN SHUI LIU JUN JIAN	金水六君煎(금수육군전)	LU and KD Yin deficiency with rising Phlegm
		DAO TAN TANG	導痰湯(도담탕)	Fainting due to Wind-Phlegm or Phlegm stagnation in the chest
		FU LING WAN	茯苓丸(복령환)	Phlegm stagnation in the epigastrium and the channels/collaterals
		WEN DAN TANG	溫膽湯(온담탕)	GB & ST disharmony with Phlegm-Heat
	Hot-Phlegm	QING QI HUA TAN WAN	清氣化痰丸(청기화담환)	LU Phlegm-Heat causing cough
		XIAO XIAN XIONG TANG	小陷胸湯(소함흉탕)	Clumping in the chest due to Phlegm and Heat in the epigastrium
		GUN TAN WAN	滾痰丸(근담환)	Combination of excessive Heat and chronic phlegm
		QING JIN JIANG HUO TANG	清金降火湯(청금강화탕)	Cough and Phlegm due to LU and ST Heat
	Phlegm-Nodule	HAI ZAO YU HU TANG	海藻玉壺湯(해조옥호탕)	Goiter due to stagnation of Dampness, Phlegm, Qi, and Blood
	Dry-Phlegm	BEI MU GUA LOU SAN	貝母栝蒌散(매모과루산)	LU Dry-Phlegm causing cough
	Cold-Phlegm	LING GAN WU WEI JIANG XIN TANG	苓甘五味薑辛湯(영감오미강신탕)	Cold-type thin mucus due to Yang deficiency and Yin excess
		LENG XIAO WAN	冷哮丸(냉효환)	Clumping and accumulation of stubborn Phlegm in the chest
		SAN ZI YANG QIN TANG	三子養親湯(삼자양친탕)	LU Phlegm-Cold with Qi stagnation
	Wind-Phlegm	BAN XIA BAI ZHU TIAN MA TANG	半夏白朮天麻湯(반하백출천마탕)	Internal Wind-Phlegm rising upward causing dizziness/vertigo
		DING XIAN WAN	定癇丸(정간환)	Seizure disorder arising from a combination of Wind and Phlegm
		ZHI SOU SAN	止嗽散(지수산)	External Wind attacking the LU causing cough
	DIGESTIVE	Excess	BAO HE WAN	保和丸(보화환)
ZHI SHI DAO ZHI WAN			枳實導滯丸(지실도체환)	Accumulation of food that transforms into Damp-Heat
MU XIANG BING LANG WAN			木香檳榔丸(목향빈랑환)	Accumulation of food obstructing the Middle burner or dysenteric diarrhea
FEI ER WAN			肥兒丸(비아환)	Childhood nutritional impairment from an accumulation of parasites
XIAO RU WAN			消乳丸(소유환)	Infantile food stagnation and vomiting
Excess + Deficiency		JIAN PI WAN	健脾丸(건비환)	SP deficiency with food accumulation and interior Heat accumulation
		ZI SHENG WAN	資生丸(자생환)	SP deficiency with food accumulation
		ZHI ZHU WAN	枳朮丸(지출환)	SP deficiency with food stagnation
ZHI SHI XIAO PI WAN	枳實消痞丸(지실소미환)	SP deficiency and Qi stagnation with mutual clumping of Heat and Cold		
EXPEL PARASITES	Parasites	WU MEI WAN	烏梅丸(오매환)	Roundworms characterized by Heat in the ST and Cold in the Intestines
		BU DAI WAN	布袋丸(포대환)	Childhood nutritional impairment due to parasites

TREAT ABSCESS	External Abscess	XIAN FANG HUO MING YIN	仙方活命飲(선방활명음)	Early onset of sores and abscesses from Toxic-Heat & Blood stasis
		LIAN QIAO BAI DU SAN	連翹敗毒散(연교배독산)	Mumps or neck nodules from Wind-Heat and Toxic-Heat
		WU WEI XIAO DU YIN	五味消毒飲(오미소독음)	All types of boils and carbuncles due to accumulation of Toxic-Heat
		SI MIAO YONG AN TANG	四妙勇安湯(사묘용안탕)	Ulcerated sores or gangrene due to Toxic-Heat leading to Blood stasis
		XI HUANG WAN	犀黃丸(서황환)	Yang-type abscesses due to stagnation of Fire, Phlegm, Heat, and Toxins
		YANG HE TANG	陽和湯(양화탕)	Yin-type (deep-rooted) localized swelling due to Blood & Yang deficiency
	Internal Abscess	WEI JING TANG	葶莖湯(위경탕)	Lung abscesses from Toxic-Heat accompanied by Phlegm and Blood stasis
		DA HUANG MU DAN TANG	大黃牡丹湯(대황목단탕)	Early-stage Intestinal abscess due to interior clumping of Heat and Blood
		QING CHANG YIN	清腸飲(청장음)	Early-stage Intestinal abscess with Yin deficiency and hyperactivity of Fire
		YI YI FU ZI BAI JIANG SAN	薏苡附子敗醬散(의이부자배장산)	Intestinal abscess where pus has already formed
YI YI REN TANG	薏苡仁湯(의이인탕)	Early-stage Intestinal abscess with Dampness and Blood stasis		