287 PAN-CANADIAN FORMULAS

| | | FORMULA | CH/KR | INDICATIONS |
|------------------|----------------------|------------------------|--------------|---|
| | EARLY-STAGE | CONG CHI JIE GENG TANG | 蔥豉桔梗湯(총시길경탕) | Early stage of exterior Wind-Heat with interior Qi-level Heat |
| | | MA HUANG TANG | 麻黄湯(마황탕) | Exterior Wind-Cold of excess type |
| | | DA QING LONG TANG | 大靑龍湯(대청룡탕) | Exterior Wind-Cold with Heat constraint in the interior |
| | | GUI ZHI TANG | 桂枝湯(계지탕) | Exterior Wind-Cold of deficiency type |
| | Wind-Cold | XIAO QING LONG TANG | 小靑龍湯(소청룡탕) | Exterior Wind-Cold with congested Phlegm-Fluid in the LU |
| | | SHE GAN MA HUANG TANG | 射干麻黃湯(사간마황탕) | Exterior Wind-Cold with congested Phlegm-Fluid in the LU + LU Rebellious Qi |
| | | JIU WEI QIANG HUO TANG | 九味羌活湯(구미강활탕) | Exterior Wind-Cold-Damp with concurrent internal accumulation of Heat |
| | | JIA WEI XIANG SU SAN | 加味香蘇散(가미향소산) | Exterior Wind-Cold with interior Qi stagnation |
| RELEASE EXTERIOR | | SANG JU YIN | 桑菊飮(상국음) | Exterior Wind-Heat causing cough; Wind-Heat causing eye disorders |
| RELEASE EXTERIOR | | YIN QIAO SAN | 銀翹散(은교산) | Exterior Wind-Heat with Heat-Toxin; Toxic-Heat causing Boils and Sores |
| | Wind-Heat | CHAI GE JIE JI TANG | 柴葛解肌湯(시갈해기탕) | Exterior Wind-Cold (Taiyang) transforming into interior Heat (Yangming) |
| | | SHENG MA GE GEN TANG | 升麻葛根湯(승마갈근탕) | Early stage of rashes due to externally contracted Heat |
| | | NIU BANG JIE JI TANG | 牛蒡解肌湯(우방해기탕) | Localized abscesses and swelling due to Wind-Heat |
| | | REN SHEN BAI DU SAN | 人蔘敗毒散(인삼괘독산) | Exterior Wind-Cold-Damp with interior Qi deficiency |
| | Interior Deficiency | JING FANG BAI DU SAN | 荊防敗毒散(형방패독산) | Exterior Wind-Cold-Damp with Early-stage abscess or sores |
| | | ZAI ZAO SAN | 再造散(재조산) | Exterior Wind-Cold in a patient with Qi and Yang deficiency |
| | | CONG BAI QI WEI YIN | 蔥白七味飮(총백칠미음) | Exterior Wind-Cold with simultaneous deficient Blood/Yin |
| | | JIA JIAN WEI RUI TANG | 加減葳蕤湯(가감위유탕) | Exterior Wind-Heat with Yin deficiency |
| | Heat Accumulation | DA CHENG QI TANG | 大承氣湯(대승기탕) | Yangming organ syndrome causing severe constipation |
| | | XIAO CHENG QI TANG | 小承氣湯(소승기탕) | Moderate Yangming organ syndrome causing constipation |
| | | TIAO WEI CHENG QI TANG | 調胃承氣湯(조위승기탕) | Mild Yangming organ syndrome causing mild constipation |
| DRAIN DOWNWARD | Cold Accumulation | DA HUANG FU ZI TANG | 大黄附子湯(대황부자탕) | Cold accumulation in the interior causing constipation |
| | | WEN PI TANG | 溫脾湯(온비탕) | Cold accumulation in the interior with SP Yang deficiency |
| | Intestinal Dryness | MA ZI REN WAN | 麻子仁丸(마자인환) | Constipation due to Intestinal Dryness & Heat $ ightarrow$ Spleen Bind |
| | intestinal bryness | JI CHUAN JIAN | 濟川煎(제천전) | Constipation due to KD Yang deficiency |
| | Shao Yang | XIAO CHAI HU TANG | 小柴胡湯(소시호탕) | Shaoyang syndrome |
| | Shao Yang | HAO QIN QING DAN TANG | 蒿芩淸膽湯(호금청담탕) | Damp-Heat and Phlegm in Shaoyang channels constraining the Wei/Ying Qi |
| | | SI NI SAN | 四逆散(사역산) | LV Qi stagnation overacting on the SP causing cold extremities (Yang Jue) |
| HARMONIZE | Liver & Calcon | XIAO YAO SAN | 逍遙散(소요산) | LV Qi stagnation with LV Blood & SP Qi deficiency |
| | Liver & Spleen | JIA WEI XIAO YAO SAN | 加味逍遙散(가미소요산) | LV Qi stagnation with LV Blood & SP Qi deficiency + Interior Heat |
| | | TONG XIE YAO FANG | 痛瀉要方(통사요방) | LV Qi stagnation overacting on the SP causing diarrhea with abdominal pain |
| | Stomach & Intestines | BAN XIA XIE XIN TANG | 半夏瀉心湯(반하사심탕) | Pi syndrome due to Cold-Heat complex |

| | Qi Level | BAI HU TANG | 白虎湯(백호탕) | Excess Heat in the Yangming channel or Qi level |
|-------------|-------------------|-----------------------------|------------------|--|
| | | ZHU YE SHI GAO TANG | 竹葉石膏湯(죽엽석고탕) | Qi-level Heat injuring the Qi & Fluid |
| | Ying/Blood Levels | QING YING TANG | 淸營湯(청영탕) | Heat entering the Nutritive level |
| | | XI JIAO DI HUANG TANG | 犀角地黃湯(서각지황탕) | Heat entering the Blood level |
| | | HUANG LIAN JIE DU TANG | 黃連解毒湯(황련해독탕) | Fire-Toxin from excessive Heat in the Triple burners |
| | Toxic-Heat | XIE XIN TANG | 瀉心湯(사심탕) | Excess Heat in the Triple burners |
| | TOXIC-HEAT | PU JI XIAO DU YIN | 普濟消毒飮(보제소독음) | Epidemic Toxin with Wind-Heat & Damp-Phlegm |
| | | LIANG GE SAN | 凉膈散(양격산) | Heat and clumping in the diaphragm region |
| | Qi/Blood Levels | QING WEN BAI DU YIN | 淸瘟敗毒散(청온패독산) | Severe Fire in the Qi/Blood levels |
| | | MA XING SHI GAN TANG | 麻杏石甘湯(마행석감탕) | Heat lodged in the LU |
| | | YUE BI JIA ZHU TANG | 越婢加朮湯(월비가출탕) | Wind at the exterior with Water accumulation |
| | | XIE BAI SAN | 瀉白散(사백산) | Constrained LU Heat causing wheezing |
| | | TING LI DA ZAO XIE FEI TANG | 葶藶大棗瀉肺湯(정력대조사폐탕) | LU abscess with phlegm in the chest |
| CLEAR HEAT | | XIE HUANG SAN | 瀉黃散(사황산) | Smoldering Fire in the SP/ST |
| | | QING WEI SAN | 淸胃散(청위산) | ST Heat accumulation |
| | Organ-Heat | YU NU JIAN | 玉女煎(옥녀전) | ST Heat with Yin deficiency |
| | | DAO CHI SAN | 導赤散(도적산) | HT Fire transferring to the SI |
| | | LONG DAN XIE GAN TANG | 龍膽瀉肝湯(용담사간탕) | LV Fire blazing up; LV/GB Damp-Heat invading downward |
| | | ZUO JIN WAN | 左金丸(좌금환) | LV Fire burning ST causing LV & ST disharmony |
| | | DAI GE SAN | 黛蛤散(대합산) | LV Fire Scorches the LU causing cough and wheezing |
| | | SHAO YAO TANG | 芍藥湯(작약탕) | LI Damp-Heat with Qi & Blood stagnation causing dysentery |
| | | BAI TOU WENG TANG | 白頭翁湯(백두옹탕) | Dysentery due to Toxic-Heat in the ST & Intestine |
| | Deficiency-Heat | QING HAO BIE JIA TANG | 靑蒿鱉甲湯(청호별갑탕) | Yin deficiency with Heat in the Ying level during later stage of febrile disease |
| | | QING GU SAN | 淸骨散(청골산) | KD/LV Yin deficiency leading to Steaming Bone disorder |
| | | QING JING SAN | 淸經散(청경산) | Heat from deficiency leading to early periods |
| | | QIN JIAO BIE JIA SAN | 秦艽鱉甲散(진교별갑산) | Pathogenic Wind penetrating the interior with preexisting Yin deficiency |
| | | DANG GUI LIU HUANG TANG | 當歸六黃湯(당귀육황탕) | Yin deficiency with Empty-Heat causing night sweats |
| | | QING LUO YIN | 淸絡飮(청락음) | Mild Summer-Heat injuring the Qi level of the LU channel |
| DISPEL | | XIN JIA XIANG RU YIN | 新加香薷飮(신가향유음) | Severe Summer-Heat in the LU Taiyin with contraction of cold in the exterior |
| SUMMER-HEAT | Summer-Heat | LIU YI SAN | 六一散(육일산) | Summer-Heat with interior Damp |
| | | QING SHU YI QI TANG | 淸暑益氣湯(청서익기탕) | Summer-Heat injuring the Qi and Fluids |
| | | | | 1 |

| | | DANG GUI SI NI TANG | 當歸四逆湯(당귀사역탕) | Cold in the channels with underlying Blood deficiency |
|-------------------|------------------|----------------------------------|------------------|---|
| | Channel | HUANG QI GUI ZHI WU WU TANG | 黄芪桂枝五物湯(황기계지오물탕) | Painful obstruction of the Blood |
| | | LI ZHONG WAN | 理中丸(이중환) | Deficiency-Cold of the SP/ST |
| | | FU ZI LI ZHONG WAN | 附子理中丸(부자이중환) | Deficiency-Cold of the SP and KD |
| | Middle Burner | WU ZHU YU TANG | | Deficiency-Cold of the ST (Yangming), LV (Jueyin), and KD (Shaoyin) |
| WARM INTERIOR | | XIAO JIAN ZHONG TANG | 小建中湯(소건중탕) | SP Yang deficiency with Cold causing abdominal pain |
| | | DA JIAN ZHONG TANG | 大建中湯(대건중탕) | Middle Burner Yang deficiency (root) + Vigorous Yin-cold (manifestation) |
| | | SI NI TANG | 四逆湯(사역탕) | KD Yang deficiency with Cold-Evil in Shaoyin stage (Yin Jue); Yang collapse |
| | Yang Collapse | HUI YANG JIU JI TANG | 回陽救急湯(회양구급탕) | Exhausted Yang with pathogenic Cold in Taiyin, Shaoyin, and Jueyin |
| | | SHEN FU TANG | 蔘附湯(삼부탕) | Severe deficiency of the Source Qi with Sudden Collapse of the Yang Qi |
| | Later Company | DA CHAI HU TANG | 大柴胡湯(대시호탕) | Concurrent Shaoyang with Yangming syndromes |
| RELEASE EXTERIOR | Interior Excess | FANG FENG TONG SHENG SAN | 防風通聖散(방풍통성산) | Heat excess in both the exterior and interior |
| & INTERIOR EXCESS | Interior Heat | GE GEN HUANG QIN HUANG LIAN TANG | 葛根黄芩黄連湯(갈근황금황련탕) | Incompletely resolved exterior with interior excess Heat |
| | Interior Cold | WU JI SAN | 五積散(오적산) | Externally-contracted Wind-Cold with Internal injury due to Cold |
| | | SI JUN ZI TANG | 四君子湯(사군자탕) | SP/ST Qi deficiency |
| | Qi Deficiency | YI GONG SAN | 異功散(이공산) | SP/ST Qi deficiency + Qi stagnation |
| | | LIU JUN ZI TANG | 六君子湯(육군자탕) | SP/ST Qi deficiency + Phlegm |
| | | XIANG SHA LIU JUN ZI TANG | 香砂六君子湯(향사육군자탕) | SP/ST Qi deficiency + Phlegm + Damp |
| | | BAO YUAN TANG | 保元湯(보원탕) | SP/ST Qi deficiency + deficiency Cold |
| | | SHEN LING BAI ZHU SAN | 蔘苓白朮散(삼령백출산) | SP/ST Qi deficiency & Damp causing diarrhea |
| | | QI WEI BAI ZHU SAN | 七味白朮散(칠미백출산) | SP/ST Qi deficiency causing recurring diarrhea and vomiting |
| | | BU ZHONG YI QI TANG | 補中益氣湯(보중익기탕) | SP/ST Qi deficiency causing intermittent fever; SP Qi sinking |
| | | JU YUAN JIAN | 擧元煎(거원전) | SP/ST Qi deficiency causing organ prolapse or profuse bleeding |
| | | SHENG XIAN TANG | 升陷湯(승함탕) | Sinking of Gathering Qi in the chest |
| | | YU PING FENG SAN | 玉屛風散(옥병풍산) | Wei Qi deficiency causing sweating |
| | | SHENG MAI SAN | 生脈散(생맥산) | Concurrent Qi & Yin deficiency, primarily of the LU |
| | | REN SHEN GE JIE SAN | 人蔘蛤蚧散(인삼합개산) | LU and KD Qi deficiency with Phlegm-Heat collecting internally |
| | | REN SHEN WU WEI ZI TANG | 人蔘五味子湯(인삼오미자탕) | SP Qi deficiency and Yin deficiency causing chronic cough |
| | | SI WU TANG | 四物湯(사물탕) | Blood deficiency + Blood stasis (more tonifying) |
| | | TAO HONG SI WU TANG | 桃紅四物湯(도홍사물탕) | Blood deficiency + Blood stasis (more moving) |
| | Blood Deficiency | SHENG YU TANG | 聖愈湯(성유탕) | Blood deficiency + Qi deficiency |
| | 20030101 | DANG GUI BU XUE TANG | 當歸補血湯(당귀보혈탕) | Blood & Qi deficiency with floating Yang |
| | | BAO YIN JIAN | 保陰煎(보음전) | Blood Deficiency with Blood Heat causing threatened miscarriage |
| | | XIAO YING JIAN | 小營 煎(소영전) | Blood Deficiency causing delayed menstrual period |

| | | BA ZHEN TANG | 八珍湯(팔진탕) | Qi & Blood deficiency |
|--------|-----------------------|-------------------------|------------------|---|
| | | SHI QUAN DA BU TANG | 十全大補湯(십전대보탕) | Qi & Blood deficiency with mild Deficiency-Cold |
| | | NEI BU HUANG QI TANG | 内補黄芪湯(내보황기탕) | |
| | | REN SHEN YANG RONG TANG | 人蔘養榮湯(인삼양영탕) | Qi & Blood deficiency with late-stage abscesses and sores HT/SP Qi & Blood deficiency with internal Heat and Dryness |
| | | | | |
| | Qi & Blood Deficiency | GUI PI TANG | 歸牌湯(귀비탕) | SP Qi & HT Blood deficiency causing insomnia; SP Qi Not Controlling Blood |
| | | ZHI GAN CAO TANG | 炙甘草湯(자감초탕) | Qi & Blood deficiency causing irregular pulse |
| | | TAI SHAN PAN SHI SAN | 泰山盤石散(태산반석산) | Qi & Blood deficiency with unsecured Chong & Ren vessels |
| | | HE REN YIN | 何人飮(하인음) | Malarial disorders with Qi and Blood deficiency |
| | | QI FU YIN | 七福飲(칠복음) | HT Blood and SP Qi Deficiency causing sexual performance anxiety |
| | | TAI YUAN YIN | 胎元飮(태원음) | Qi/Blood deficiency causing threatening miscarriage |
| | | LIU WEI DI HUANG WAN | 六味地黃丸(육미지황환) | KD & LV Yin deficiency |
| | | DU QI WAN | 都氣丸(도기환) | Chronic wheezing disorders or spermatorrhea from KD deficiency |
| | | QI JU DI HUANG WAN | 杞菊地黄丸(기국지황환) | LV & KD Yin deficiency causing eye disorders |
| | | ZHI BAI DI HUANG WAN | 知柏地黃丸(지백지황환) | KD & LV Yin deficiency causing empty Heat |
| | | MAI WEI DI HUANG WAN | 麥味地黃丸(맥미지황환) | KD & LU Yin deficiency causing cough |
| | | ZUO GUI WAN | 左歸丸(좌귀환) | KD Yin/Essence deficiency for severe case (more potent) |
| | Yin Deficiency | ZUO GUI YIN | 左歸飮(좌귀음) | KD Yin/Essence deficiency for moderate case (less potent) |
| | | DA BU YUAN JIAN | 大補元煎(대보원전) | KD Source Qi and Blood deficiency |
| TONIFY | | DA BU YIN WAN | 大補陰丸(대보음환) | Severe KD & LV Yin/Essence deficiency with Empty Heat |
| | | HU QIAN WAN | 虎潛丸(호잠환) | Atrophy disorder due to LV and KD deficiency |
| | | YI GUAN JIAN | 一貫 煎(일관전) | LV & KD Yin deficiency with mild LV Qi stagnation |
| | | ER ZHI WAN | 二至丸(이지환) | KD & LV Yin deficiency |
| | | BAI HE GU JIN TANG | 百合固金湯(백합고금탕) | Internal Dryness of the LU |
| | | YUE HUA WAN | 月華丸(월화환) | LU & KD Yin deficiency characterized by chronic cough |
| | | SHI HU YE GUANG WAN | 石斛夜光丸(석곡야광환) | Visual disturbance due to LV/KD deficiency leading to Fire and LV Wind |
| | | LIANG DI TANG | 兩地湯(양지탕) | KD Yin deficiency with Empty Fire rising |
| | | YI YIN JIAN | 一陰煎 (일음전) | Yin deficiency with Heat causing bleeding |
| | | JIN GUI SHEN QI WAN | 金櫃腎氣丸(금궤신기환) | KD Yang deficiency |
| | | JI SHENG SHEN QI WAN | 濟生腎氣丸(제생신기환) | KD Yang deficiency with water accumulation |
| | | WU BI SHAN YAO WAN | 無比山藥丸(무비산약환) | KD Yang/Essence deficiency |
| | Yang Deficiency | YOU GUI WAN | 右歸丸(우귀환) | KD Yang/Essence deficiency for severe case (more potent) |
| | | YOU GUI YIN | 右歸飮(우귀음) | KD Yang/Essence deficiency for moderate case (less potent) |
| | | GUI SHEN WAN | 歸腎丸(귀신환) | KD Yang/Jing deficiency causing menstrual disorders |
| | | BU SHEN GU CHONG TANG | 補腎固沖湯(보신고충탕) | KD Yang deficiency and Qi/Blood deficiency causing habitual miscarriage |
| | | DI HUANG YIN ZI | 地黃飮子(지황음자) | KD Yin/Yang deficiency with Phlegm turbidity blocking the Orifices |
| | Yin & Yang Deficiency | GUI LU ER XIAN JIAO | 龜鹿二仙膠(귀녹이선교) | KD Yin/Yang deficiency with Essence/Blood insufficiency in the Ren/Du |
| | J, | ER XIAN TANG | 二仙湯(이선탕) | KD Yin/Yang deficiency with Empty-Fire |
| | | | | 1 |

| | Exterior | MU LI SAN | 牡蠣散(모려산) | Unstable protective Qi with injury to the HT Yin |
|------------------|------------------|------------------------------|------------------|---|
| | Lungs | JIU XIAN SAN | 九仙散(구선산) | Chronic cough due to LU Qi and Yin deficiency |
| | Intestine | ZHEN REN YANG ZANG TANG | 眞人養臟湯(진인양장탕) | SP & KD Yang deficiency causing unremitting diarrhea |
| | | TAO HUA TANG | 桃花湯(도화탕) | Injury to the Collaterals of the Intestines with SP & KD Yang deficiency |
| | | SI SHEN WAN | 四神丸(사신환) | SP & KD Yang deficiency causing daybreak diarrhea |
| | | JIN SUO GU JING WAN | 金鎖固精丸(금쇄고정환) | Spermatorrhea due to KD deficiency |
| | | SANG PIAO XIAO SAN | 桑螵蛸散(상표초산) | Qi deficiency of the KD & HT |
| STABILIZE & BIND | Essence | SUO QUAN WAN | 縮泉丸(축천환) | Frequent urination due to KD deficiency Cold |
| | | SHOU TAI WAN | 壽胎丸(수태환) | KD deficiency leading to instability of the Chong & Ren channels |
| | | GU CHONG TANG | 固衝湯(고충탕) | Instability of the Chong vessel causing excess menstrual bleeding |
| | | GU JING WAN | 固經丸(고경환) | Constrained LV Fire injuring Chong & Ren causing Beng Lou syndrome |
| | Womb | WAN DAI TANG | 完帶湯(완대탕) | Leukorrhea due to Dai/SP deficiency with Damp & Qi stagnation |
| | | YI HUANG TANG | 易黃湯(이황탕) | SP or KD Qi deficiency with Damp-Heat from Constraint |
| | | ZHI DAI FANG | 止帶方(지대방) | Vaginal discharge due to Damp-Heat |
| | | TIAN WANG BU XIN DAN | 天王補心丹(천왕보심단) | HT & KD Yin deficiency with Empty-Fire |
| | | BAI ZI YANG XIN WAN | 柏子養心丸(백자양심환) | HT & KD Yin deficiency with Blood deficiency |
| | | SUAN ZAO REN TANG | 酸棗仁湯(산조인탕) | LV Blood & HT Yin deficiency with Empty-Heat |
| CALM SPIRIT | Heart Deficiency | KONG ZI ZHEN ZHONG DAN | 孔子枕中丹(공자침중단) | Forgetfulness and insomnia due to Phlegm turbidity and deficiency Heat |
| CALIVI SPIRII | | GAN MAI DA ZAO TANG | 甘麥大棗湯(감맥대조탕) | HT Yin deficiency with LV Qi stagnation causing Zang Zao disorder |
| | | AN SHEN DING ZHI WAN | 安神定志丸(안신정지환) | HT and GB Qi deficiency due to shock or fright |
| | Heart Excess | ZHU SHA AN SHEN WAN | 朱砂安神丸(주사안신환) | Vigorous HT Fire injuring the Blood and Yin |
| | | CI ZHU WAN | 磁硃丸(자주환) | Ascendant HT Yang with lack of communication between the HT & KD |
| | | YUE JU WAN | 越鞠丸(월국환) | Six Stagnations of Qi, Blood, Phlegm, Damp, Fire and Food |
| | | CHAI HU SHU GAN SAN | 柴胡疏肝散(시호소간산) | LV Qi stagnation causing pain |
| | | ZHI SHI XIE BAI GUI ZHI TANG | 枳實薤白桂枝湯(지실해백계지탕) | Painful obstruction of the chest (Xiong Bi) with interior Cold |
| | | GUA LOU XIE BAI BAI JIU TANG | 栝蔞薤白白酒湯(과루해백백주탕) | Painful obstruction of the chest (Xiong Bi) with milder function |
| | | GUA LOU XIE BAI BAN XIA TANG | 栝蔞薤白半夏湯(과루해백반하탕) | Painful obstruction of the chest (Xiong Bi) with severe Phlegm |
| | | BAN XIA HOU PO TANG | 半夏厚朴湯(반하후박탕) | LV Qi & Phlegm stagnation lodging in the throat causing Plum-pit syndrome |
| | | HOU PO WEN ZHONG TANG | 厚朴溫中湯(후박온중탕) | Damp-Cold injuring the SP & ST |
| REGULATE QI | Qi Stagnation | LIANG FU WAN | 良附丸(양부환) | LV Qi stagnation with ST Cold causing pain |
| | | JIN LING ZI SAN | 金鈴子散(금령자산) | Pain due to LV stagnation with Heat |
| | | SI MO TANG | 四磨湯(사마탕) | LV Qi stagnation caused by instability of the seven emotions |
| | | WU MO YIN ZI | 五磨飮子(오마음자) | LV Qi stagnation caused by instability of the seven emotions (stronger) |
| | | LIU MO TANG | 六磨湯(육마탕) | LV Qi stagnation causing constipation or abdominal distention |
| | | TIAN TAI WU YAO SAN | 天台烏藥散(천태오약산) | Cold invading the LV channel causing Qi stagnation |
| | | JU HE WAN | 橘核丸(귤핵환) | Damp-Cold invading the LV channel |
| | | NUAN GAN JIAN | 暖肝煎(난간전) | Cold from LV & KD deficiency |

| | | SU ZI JIANG QI TANG | 蘇子降氣湯(소자강기탕) | LU Cold-Phlegm (excess above) with KD Yang deficiency (deficiency below) |
|----------------|---------------|--------------------------------|------------------|--|
| | Rebellious Qi | DING CHUAN TANG | 定喘湯(정천탕) | Internal LU Phlegm-heat with external Wind-Cold causing rebellious LU Qi |
| | | XUAN FU DAI ZHE TANG | 旋覆代赭湯(선복대자탕) | Rebellious ST Qi due to ST deficiency with Damp-Phlegm |
| | | JU PI ZHU RU TANG | 橘皮竹茹湯(귤피죽여탕) | Rebellious ST Qi due to ST deficiency with Heat |
| | | DING XIANG SHI DI TANG | 丁香柹蔕湯(정향시체탕) | Rebellious ST Qi due to ST Deficiency-Cold |
| | | GAN JIANG REN SHEN BAN XIA WAN | 乾薑人蔘半夏丸(건강인삼반하환) | Vomiting due to pregnancy or SP/ST deficiency Cold |
| | | TAO HE CHENG QI TANG | 桃核承氣湯(도핵승기탕) | Accumulation of Blood stasis & Heat in the Lower burner |
| | | XUE FU ZHU YU TANG | 血府逐瘀湯(혈부축어탕) | Blood stasis with Qi stagnation in the chest |
| | | TONG QIAO HUO XUE TANG | 通竅活血湯(통규활혈탕) | Blood stasis in the head and face |
| | | GE XIA ZHU YU TANG | 膈下逐瘀湯(격하축어탕) | Blood stasis with Qi stagnation in the Epigastrium |
| | | SHAO FU ZHU YU TANG | 少腹逐瘀湯(소복축어탕) | Blood stasis with Cold stagnation in the Lower Abdomen |
| | | SHEN TONG ZHU YU TANG | 身痛逐瘀湯(신통축어탕) | Blood stasis with Qi stagnation in the Channels/Collaterals |
| | | BU YANG HUAN WU TANG | 補陽還五湯(보양환오탕) | Hemiplegia due to Qi/Blood stagnation in the channels with Qi deficiency |
| | Blood Stasis | FU YUAN HUO XUE TANG | 復元活血湯(복원활혈탕) | Blood stasis & Qi stagnation in the trunk due to trauma |
| | | QI LI SAN | 七厘散(칠리산) | Traumatic injury causing Qi and Blood stagnation |
| | | WEN JING TANG | 溫經湯(온경탕) | Chong & Ren Deficiency-Cold with Blood stasis causing irregular menstruation |
| | | AI FU NUAN GONG WAN | 艾附暖宮丸(애부난궁환) | Deficiency Cold of the womb causing infertility or irregular menstruation |
| | | SHENG HUA TANG | 生化湯(생화탕) | Blood & Cold stagnation causing postpartum lochial retention |
| REGULATE BLOOD | | GUI ZHI FU LING WAN | 桂枝茯苓丸(계지복령환) | Blood stasis in the uterus during pregnancy |
| REGOLATE BEOOD | | SHI XIAO SAN | 失笑散(실소산) | Blood stasis in the lower abdomen causing pain |
| | | HUO LUO XIAO LING DAN | 活絡效靈丹(활락효령단) | Pain due to Qi and Blood stagnation obstructing the Collaterals |
| | | DAN SHEN YIN | 丹蔘飮(단삼음) | Blood & Qi stagnation in the Upper/Middle burners causing chest pain |
| | | BIE JIA JIAN WAN | 鱉甲煎丸(별갑전환) | Malaria with splenomegaly due to Qi/Blood stagnation and Damp-Phlegm |
| | | DA HUANG ZHE CHONG WAN | 大黃蟅蟲丸(대황자충환) | Accumulation of Dry Blood in the interior due to five consumptive lifestyle |
| | | SHI HUI SAN | 十灰散(십회산) | Acute bleeding due to LV & ST Fire with Blood Heat |
| | | SI SHENG WAN | 四生丸(사생환) | Upper-burner manifestations of Blood Heat |
| | | KE XUE FANG | 咳血方(해혈방) | LV Fire attacking and scorching the LU |
| | Bleeding | XIAO JI YIN ZI | 小薊飮子(소계음자) | Heat causing urinary bleeding |
| | Diccuing | HUAI HUA SAN | 槐花散(괴화산) | Rectal bleeding due to LI Wind-Heat or Damp-Heat Toxin |
| | | HUANG TU TANG | 黃土湯(황토탕) | Bleeding due to SP Yang deficiency |
| | | JIAO AI TANG | 膠艾湯(교애탕) | Uterine bleeding due to Chong & Ren Deficiency-Cold with Blood deficiency |
| | | YUE YING JIAN | 約營煎(약영전) | Rectal bleeding due to Blood Heat |

| | | CHUAN XIONG CHA TIAO SAN | 川芎茶調散(천궁다조산) | Headache from exterior Wind |
|-----------------|--------------------|----------------------------|----------------|---|
| | | CANG ER ZI SAN | 蒼耳子散(창이자산) | Wind causing nasal congestion or discharge |
| | | DA QIN JIAO TANG | 大秦艽湯(대진교탕) | Early or middle stage Wind-Stroke in the channels |
| F | External Wind | XIAO HUO LUO DAN | 小活絡丹(소활락단) | Wind-Phlegm obstruction with Blood stasis in the channels & collaterals |
| | External villa | QIAN ZHENG SAN | 牽正散(견정산) | Channel-stroke from Wind-Phlegm with symptoms confined to the head/face |
| | | YU ZHEN SAN | 玉眞散(옥진산) | Invasion of Wind and Toxin through a wound or sore |
| EXPEL WIND | | XIAO FENG SAN | 消風散(소풍산) | Wind-Damp-Heat in the skin causing pruritus |
| LAI LE WIIID | | DANG GUI YIN ZI | 當歸飮子(당귀음자) | Skin disorders caused by Blood deficiency and exterior Wind |
| | | LING JIAO GOU TENG TANG | 羚角鉤藤湯(영각구등탕) | Heat from excess in the LV channel generating internal Wind |
| | | ZHEN GAN XI FENG TANG | 鎭肝熄風湯(진간식풍탕) | LV Yang rising & internal Wind due to LV & KD Yin deficiency |
| | Internal Wind | TIAN MA GOU TENG YIN | 天麻鉤藤飮(천마구등음) | LV Yang rising; LV Yang rising causing Internal Wind |
| " | internal wind | SAN JIA FU MAI TANG | 三甲復脈湯(삼갑복맥탕) | Late-stage warm pathogen disorder where the Yin has been injured |
| | | DA DING FENG ZHU | 大定風株(대정풍주) | Internal stirring of Wind due to Yin deficiency |
| | | E JIAO JI ZI HUANG TANG | 阿膠雞子黃湯(아교계자황탕) | Blood and Yin-fluid insufficiency that leads to stirring of internal Wind |
| | | XING SU SAN | 杏蘇散(행소산) | Cool-Dryness |
| | Exterior Dryness | SANG XING TANG | 桑杏湯(상행탕) | Warm-Dryness |
| _ | Exterior Dryness | QING ZAO JIU FEI TANG | 淸燥救肺湯(청조구폐탕) | Dryness attacking the LU |
| TREAT DRYNESS | | SHA SHEN MAI MEN DONG TANG | 沙蔘麥門多湯(사삼맥문동탕) | Injury to the LU, ST, and Fluids from Dryness |
| TREAT DRINESS | | MAI MEN DONG TANG | 麥門冬湯(맥문동탕) | LU/ST Qi & Yin deficiency |
| | Interior Dryness | YANG YIN QING FEN TANG | 養陰淸肺湯(양음청폐탕) | Diphtherial disorder due to Yin deficiency and internal clumping of Heat |
| " | | YU YE TANG | 玉液湯(옥액탕) | Xiao Ke syndrome due to deficiency of the primal Qi |
| | | ZENG YE TANG | 增液湯(증액탕) | Constipation due to exhaustion of the Fluids |
| | Damp Turbidity | PING WEI SAN | 平胃散(평위산) | Damp-Cold stagnation in the SP/ST |
| | | HUO XIANG ZHENG QI SAN | 藿香正氣散(곽향정기산) | Damp stagnation in the Middle burner + External Wind-Cold |
| | | SAN REN TANG | 三仁湯(삼인탕) | Early-stage Damp-Warmth disease affecting Wei/Qi levels (Damp > Heat) |
| | | GAN LU XIAO DU DAN | 甘露消毒丹(감로소독단) | Early-stage Damp-Warmth disease affecting Qi level (Damp = Heat) |
| | | LIAN PO YIN | 連朴飮(연박음) | Sudden turmoil disorder due to an aggregation of Damp-Heat |
| | | YIN CHEN HAO TANG | 茵蔯蒿湯(인진호탕) | Jaundice due to LV/GB Damp-Heat |
| | Damp-Heat | BA ZHENG SAN | 八正散(팔정산) | Damp-Heat clumping in the Lower burner |
| EXPEL DAMPNESS | | ER MIAO SAN | 二妙散(이묘산) | Damp-Heat lodging in Lower burner |
| EXILE DAMINICOS | | SAN MIAO WAN | 三妙散(삼묘산) | Damp-Heat lodging in Lower burner (more guiding down) |
| | | SI MIAO WAN | 四妙散(사묘산) | Damp-Heat lodging in Lower burner (more draining Damp) |
| | | ZHONG MAN FEN XIAO WAN | 中滿分消丸(중만분소환) | Drum-like abdominal distention due to Damp-Heat |
| | | WU LING SAN | 五苓散(오령산) | Water-Damp retention marked by edema; Taiyang Fu syndrome |
| | | WEI LING TANG | 胃苓湯(위령탕) | Cold-Damp encumbering the SP and the accumulation of fluids |
| v | Water Irregularity | ZHU LING TANG | 豬苓湯(저령탕) | Water & Heat retention in the UB with Yin injury |
| | | WU PI SAN | 五皮散(오피산) | SP Qi deficiency with excessive Damp causing skin edema (Pi Shui) |
| | | FANG JI HUANG QI TANG | 防己黃芪湯(방기황기탕) | Wind-Water syndrome due to Qi deficiency at the exterior |

| | | LING GUI ZHU GAN TANG | 苓桂朮甘湯(영계출감탕) | LU Damp-Phlegm or Phlegm-fluid (Tan Yin) syndrome |
|-----------------|---------------------|--------------------------------|------------------|---|
| | Cold-Damp | ZHEN WU TANG | 眞武湯(진무탕) | KD & SP Yang deficiency causing Water retention |
| | | SHI PI YIN | 實脾飮(실비음) | Yin edema due to SP & KD Yang deficiency |
| | | BI XIE FEN QING YIN | 萆薢分淸飮(비해분청음) | Cloudy urination due to KD Yang Deficiency-Cold |
| | | QIANG HUO SHENG SHI TANG | 羌活勝濕湯(강활승습탕) | Acute Bi syndrome due to Wind-Damp in the channel and muscle layer |
| | Wind-Damp | JUAN BI TANG | 獨痺湯(견비탕) | Acute Bi syndrome due to Wind-Cold-Damp |
| | | DU HUO JI SHENG TANG | 獨活寄生湯(독활기생탕) | Chronic Bi syndrome with LV/KD deficiency & Qi/Blood deficiency |
| | | ER CHEN TANG | 二陳湯(이진탕) | Damp-Phlegm syndrome in the Middle burner or LU |
| | | JIN SHUI LIU JUN JIAN | 金水六君煎(금수육군전) | LU and KD Yin deficiency with rising Phlegm |
| | Damp-Phlegm | DAO TAN TANG | 導痰湯(도담탕) | Fainting due to Wind-Phlegm or Phlegm stagnation in the chest |
| | | FU LING WAN | 茯苓丸(복령환) | Phlegm stagnation in the epigastrium and the channels/collaterals |
| | | WEN DAN TANG | 溫膽湯(온담탕) | GB & ST disharmony with Phlegm-Heat |
| | | QING QI HUA TAN WAN | 淸氣化痰丸(청기화담환) | LU Phlegm-Heat causing cough |
| | Hat Blds and | XIAO XIAN XIONG TANG | 小陷胸湯(소합흥탕) | Clumping in the chest due to Phlegm and Heat in the epigastrium |
| | Hot-Phlegm | GUN TAN WAN | 滾痰丸(곤담환) | Combination of excessive Heat and chronic phlegm |
| DISSOLVE PHLEGM | | QING JIN JIANG HUO TANG | 淸金降火湯(청금강화탕) | Cough and Phlegm due to LU and ST Heat |
| | Phlegm-Nodule | HAI ZAO YU HU TANG | 海藻玉壺湯(해조옥호탕) | Goiter due to stagnation of Dampness, Phlegm, Qi, and Blood |
| | Dry-Phlegm | BEI MU GUA LOU SAN | 貝母栝蔞散(괘모과루산) | LU Dry-Phlegm causing cough |
| | Cold-Phlegm | LING GAN WU WEI JIANG XIN TANG | 苓甘五味薑辛湯(영감오미강신탕) | Cold-type thin mucus due to Yang deficiency and Yin excess |
| | | LENG XIAO WAN | 冷哮丸(냉효환) | Clumping and accumulation of stubborn Phlegm in the chest |
| | | SAN ZI YANG QIN TANG | 三子養親湯(삼자양친탕) | LU Phlegm-Cold with Qi stagnation |
| | Wind-Phlegm | BAN XIA BAI ZHU TIAN MA TANG | 半夏白朮天麻湯(반하백출천마탕) | Internal Wind-Phlegm rising upward causing dizziness/vertigo |
| | | DING XIAN WAN | 定癎丸(정간환) | Seizure disorder arising from a combination of Wind and Phlegm |
| | | ZHI SOU SAN | 止嗽散(지수산) | External Wind attacking the LU causing cough |
| | | BAO HE WAN | 保和丸(보화환) | Food retention in the Middle burner |
| | | ZHI SHI DAO ZHI WAN | 枳實導滯丸(지실도체환) | Accumulation of food that transforms into Damp-Heat |
| | Excess | MU XIANG BING LANG WAN | 木香檳榔丸(목향빈랑환) | Accumulation of food obstructing the Middle burner or dysenteric diarrhea |
| | | FEI ER WAN | 肥兒丸(비아환) | Childhood nutritional impairment from an accumulation of parasites |
| DIGESTIVE | | XIAO RU WAN | 消乳丸(소유환) | Infantile food stagnation and vomiting |
| | | JIAN PI WAN | 健脾丸(건비환) | SP deficiency with food accumulation and interior Heat accumulation |
| | Excess + Deficiency | ZI SHENG WAN | 資生丸(자생환) | SP deficiency with food accumulation |
| | excess + Deficiency | ZHI ZHU WAN | 枳朮丸(지출환) | SP deficiency with food stagnation |
| | | ZHI SHI XIAO PI WAN | 枳實消痞丸(지실소비환) | SP deficiency and Qi stagnation with mutual clumping of Heat and Cold |
| EXPEL PARASITES | Parasites | WU MEI WAN | 烏梅丸(오매환) | Roundworms characterized by Heat in the ST and Cold in the Intestines |
| EXITE I AMOITES | Parasites | BU DAI WAN | 布袋丸(포대환) | Childhood nutritional impairment due to parasites |

| | External Abscess | XIAN FANG HUO MING YIN | 仙方活命飮(선방활명음) | Early onset of sores and abscesses from Toxic-Heat & Blood stasis |
|---------------|------------------|---------------------------|------------------|--|
| | | LIAN QIAO BAI DU SAN | 連翹敗毒散(연교괘독산) | Mumps or neck nodules from Wind-Heat and Toxic-Heat |
| | | WU WEI XIAO DU YIN | 五味消毒飮(오미소독음) | All types of boils and carbuncles due to accumulation of Toxic-Heat |
| | | SI MIAO YONG AN TANG | 四妙勇安湯(사묘용안탕) | Ulcerated sores or gangrene due to Toxic-Heat leading to Blood stasis |
| | | XI HUANG WAN | 犀黃丸(서황환) | Yang-type abscesses due to stagnation of Fire, Phlegm, Heat, and Toxins |
| TREAT ABSCESS | | YANG HE TANG | 陽和湯(양화탕) | Yin-type (deep-rooted) localized swelling due to Blood & Yang deficiency |
| | Internal Abscess | WEI JING TANG | 葦莖湯(위경탕) | Lung abscesses from Toxic-Heat accompanied by Phlegm and Blood stasis |
| | | DA HUANG MU DAN TANG | 大黄牧丹湯(대황목단탕) | Early-stage Intestinal abscess due to interior clumping of Heat and Blood |
| | | QING CHANG YIN | 淸腸飮(청장음) | Early-stage Intestinal abscess with Yin deficiency and hyperactivity of Fire |
| | | YI YI FU ZI BAI JIANG SAN | 薏苡附子敗醬散(의이부자패장산) | Intestinal abscess where pus has already formed |
| | | YI YI REN TANG | 薏苡仁湯(의이인탕) | Early-stage Intestinal abscess with Dampness and Blood stasis |